

Table of Contents

Analgesics.....	3
Anesthetics.....	7
Anti-Addiction/Substance Abuse Treatment Agents.....	8
Antianxiety Agents.....	9
Antibacterials.....	10
Anticancer Agents.....	18
Anticonvulsants.....	32
Antidementia Agents.....	37
Antidepressants.....	38
Antidiabetic Agents.....	41
Antifungals.....	46
Antigout Agents.....	48
Antihistamines.....	48
Anti-Infectives (Skin And Mucous Membrane).....	49
Antimigraine Agents.....	49
Antimycobacterials.....	50
Antinausea Agents.....	51
Antiparasite Agents.....	53
Antiparkinsonian Agents.....	54
Antipsychotic Agents.....	56
Antivirals (Systemic).....	61
Blood Products/Modifiers/Volume Expanders.....	69
Caloric Agents.....	72
Cardiovascular Agents.....	75
Central Nervous System Agents.....	87
Contraceptives.....	91
Dental And Oral Agents.....	101
Dermatological Agents.....	101
Devices.....	107
Enzyme Replacement/Modifiers.....	149
Eye, Ear, Nose, Throat Agents.....	150
Gastrointestinal Agents.....	155
Genitourinary Agents.....	158
Heavy Metal Antagonists.....	159
Hormonal Agents, Stimulant/Replacement/Modifying.....	160
Immunological Agents.....	166

Inflammatory Bowel Disease Agents.....	177
Metabolic Bone Disease Agents.....	178
Miscellaneous Therapeutic Agents.....	179
Ophthalmic Agents.....	181
Replacement Preparations.....	182
Respiratory Tract Agents.....	184
Skeletal Muscle Relaxants.....	189
Sleep Disorder Agents.....	190
Vasodilating Agents.....	191
Vitamins And Minerals.....	191

Drug Name	Drug Tier	Requirements/Limits	
Analgesics			
Analgesics, Miscellaneous			
<i>acetaminophen-codeine oral solution</i> 120-12 mg/5 ml	2	QL (4500 per 30 days)	
<i>acetaminophen-codeine oral tablet</i> 300-15 mg, 300-30 mg	2	QL (360 per 30 days)	
<i>acetaminophen-codeine oral tablet</i> 300-60 mg	2	QL (180 per 30 days)	
<i>ascomp with codeine oral capsule</i> 30-50-325-40 mg	(codeine-butalbital-asa-caff)	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>buprenorphine hcl injection solution</i> 0.3 mg/ml	(Buprenex)	2	
<i>buprenorphine hcl injection syringe</i> 0.3 mg/ml		2	
<i>butalbital-acetaminophen-caff oral tablet</i> 50-325-40 mg	(Esgic)	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-aspirin-caffeine oral capsule</i> 50-325-40 mg		2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-aspirin-caffeine oral tablet</i> 50-325-40 mg		2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>codeine sulfate oral tablet</i> 30 mg, 60 mg		2	QL (180 per 30 days)
<i>codeine-butalbital-asa-caff oral capsule</i> 30-50-325-40 mg	(Ascomp with Codeine)	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>endocet oral tablet</i> 10-325 mg	(oxycodone-acetaminophen)	2	QL (180 per 30 days)
<i>endocet oral tablet</i> 2.5-325 mg, 5-325 mg	(oxycodone-acetaminophen)	2	QL (360 per 30 days)
<i>endocet oral tablet</i> 7.5-325 mg	(oxycodone-acetaminophen)	2	QL (240 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle</i> 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg	(Actiq)	5	PA; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>fentanyl citrate buccal lozenge on a handle 200 mcg</i> (Actiq)	2	PA; QL (120 per 30 days)
<i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i>	2	QL (10 per 30 days)
<i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i>	2	QL (2700 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-325 mg, 7.5-325 mg</i>	2	QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 2.5-325 mg, 5-300 mg, 5-325 mg</i>	2	QL (240 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg</i>	2	QL (150 per 30 days)
<i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i>	2	
<i>hydromorphone oral liquid 1 mg/ml</i> (Dilaudid)	2	QL (1200 per 30 days)
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i> (Dilaudid)	2	QL (180 per 30 days)
<i>methadone injection solution 10 mg/ml</i>	2	QL (120 per 30 days)
<i>methadone oral solution 10 mg/5 ml</i>	2	QL (600 per 30 days)
<i>methadone oral solution 5 mg/5 ml</i>	2	QL (1200 per 30 days)
<i>methadone oral tablet 10 mg</i>	2	QL (120 per 30 days)
<i>methadone oral tablet 5 mg</i>	2	QL (180 per 30 days)
<i>methadose oral tablet, soluble 40 mg</i> (methadone)	2	QL (30 per 30 days)
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	2	PA; QL (180 per 30 days)
<i>morphine oral solution 10 mg/5 ml</i>	2	QL (700 per 30 days)
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG	4	QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG	4	QL (120 per 30 days)
<i>morphine oral tablet extended release 100 mg, 200 mg, 60 mg</i> (MS Contin)	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>morphine oral tablet extended release 15 mg, 30 mg</i> (MS Contin)	2	QL (90 per 30 days)
<i>oxycodone oral capsule 5 mg</i>	2	QL (180 per 30 days)
<i>oxycodone oral solution 5 mg/5 ml</i>	2	QL (1300 per 30 days)
<i>oxycodone oral tablet 10 mg, 5 mg</i>	2	QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg</i> (Roxicodone)	2	QL (120 per 30 days)
<i>oxycodone oral tablet 20 mg</i>	2	QL (120 per 30 days)
<i>oxycodone oral tablet,oral only,ext.rel.12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg</i> (OxyContin)	3	QL (60 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg</i> (Endocet)	2	QL (180 per 30 days)
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i> (Endocet)	2	QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i> (Endocet)	2	QL (240 per 30 days)
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG (oxycodone)	3	QL (60 per 30 days)
<i>oxymorphone oral tablet 10 mg</i>	2	QL (120 per 30 days)
<i>oxymorphone oral tablet 5 mg</i>	2	QL (180 per 30 days)
<i>oxymorphone oral tablet extended release 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 5 mg, 7.5 mg</i>	2	QL (60 per 30 days)
<i>tramadol oral tablet 50 mg</i>	1	QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>	2	QL (300 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 13.5 MG, 18 MG, 9 MG	3	QL (60 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 27 MG	3	QL (120 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 36 MG	3	QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Nonsteroidal Anti-Inflammatory Agents		
<i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i> (Celebrex)	2	QL (60 per 30 days)
<i>diclofenac potassium oral tablet 50 mg</i>	2	QL (120 per 30 days)
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>	2	QL (60 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (drlec) 25 mg</i>	2	QL (150 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (drlec) 50 mg</i>	2	QL (120 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (drlec) 75 mg</i>	2	QL (60 per 30 days)
<i>diclofenac sodium topical drops 1.5 %</i>	2	QL (300 per 30 days)
<i>diclofenac sodium topical gel 1 %</i> (Arthritis Pain (diclofenac))	2	QL (1000 per 30 days)
<i>diclofenac sodium topical gel 3 %</i>	2	PA; QL (100 per 28 days)
<i>diclofenac sodium topical solution in metered-dose pump 20 mg/gram lactuation(2 %)</i> (Pennsaid)	5	PA; NDS; QL (224 per 28 days)
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 50-200 mg-mcg</i> (Arthrotec 50)	2	
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 75-200 mg-mcg</i> (Arthrotec 75)	2	
<i>ec-naproxen dr 500 mg tablet</i> (naproxen)	2	
<i>etodolac oral capsule 200 mg, 300 mg</i>	2	
<i>etodolac oral tablet 400 mg</i> (Lodine)	2	
<i>etodolac oral tablet 500 mg</i>	2	
<i>flurbiprofen oral tablet 100 mg</i>	2	
<i>ibu oral tablet 400 mg, 600 mg, 800 mg</i> (ibuprofen)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ibuprofen oral suspension 100 mg/5 ml</i> (Children's Advil)	2	
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> (IBU)	1	
<i>ibuprofen-famotidine oral tablet 800-26.6 mg</i> (Duexis)	2	PA; QL (90 per 30 days)
<i>indomethacin oral capsule 25 mg</i>	1	PA-HRM; QL (240 per 30 days); AGE (Max 64 Years)
<i>indomethacin oral capsule 50 mg</i>	1	PA-HRM; QL (120 per 30 days); AGE (Max 64 Years)
<i>indomethacin oral capsule, extended release 75 mg</i>	2	PA-HRM; QL (60 per 30 days); AGE (Max 64 Years)
<i>ketorolac oral tablet 10 mg</i>	2	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)
<i>mefenamic acid oral capsule 250 mg</i>	2	
<i>meloxicam oral tablet 15 mg, 7.5 mg</i>	1	
<i>nabumetone oral tablet 500 mg, 750 mg</i>	2	
<i>naproxen oral tablet 250 mg, 375 mg</i>	1	
<i>naproxen oral tablet 500 mg</i> (Naprosyn)	1	
<i>naproxen oral tablet, delayed release (drlec) 375 mg</i> (EC-Naprosyn)	2	
<i>naproxen oral tablet, delayed release (drlec) 500 mg</i> (EC-Naproxen)	2	
<i>piroxicam oral capsule 10 mg, 20 mg</i> (Feldene)	2	
<i>sulindac oral tablet 150 mg, 200 mg</i>	2	
Anesthetics		
Local Anesthetics		
<i>glydo mucous membrane jelly in applicator 2 %</i> (lidocaine hcl)	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>lidocaine (pf) injection solution 10 mg/ml (1%), 15 mg/ml (1.5%), 20 mg/ml (2%), 5 mg/ml (0.5%)</i> (Xylocaine-MPF)	1	
<i>lidocaine (pf) injection solution 40 mg/ml (4%)</i>	1	
<i>lidocaine hcl 1% 50 mg/5 ml vial sdv, plf 10 mg/ml (1%)</i> (Xylocaine-MPF)	2	
<i>lidocaine hcl 2% ampul outer,plf,sdv 20 mg/ml (2%)</i> (Xylocaine-MPF)	2	
<i>lidocaine hcl injection solution 10 mg/ml (1%), 20 mg/ml (2%)</i> (Xylocaine)	2	
<i>lidocaine hcl injection solution 5 mg/ml (0.5%)</i> (Xylocaine)	1	
<i>lidocaine hcl mucous membrane jelly 2%</i>	2	QL (30 per 30 days)
<i>lidocaine hcl mucous membrane solution 4% (40 mg/ml)</i>	2	PA
<i>lidocaine topical adhesive patch,medicated 5%</i> (Lidoderm)	2	PA; QL (90 per 30 days)
<i>lidocaine topical ointment 5%</i>	2	PA; QL (90 per 30 days)
<i>lidocaine viscous mucous membrane solution 2%</i> (lidocaine hcl)	2	
<i>lidocaine-prilocaine topical cream 2.5-2.5%</i>	2	PA; QL (30 per 30 days)
ZTLIDO TOPICAL ADHESIVE PATCH,MEDICATED 1.8%	3	PA; QL (90 per 30 days)
Anti-Addiction/Substance Abuse Treatment Agents		
Anti-Addiction/Substance Abuse Treatment Agents		
<i>acamprosate oral tablet,delayed release (drlec) 333 mg</i>	2	
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	2	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual film 12-3 mg</i> (Suboxone)	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg, 8-2 mg</i> (Suboxone)	2	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	2	QL (90 per 30 days)
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i>	2	
<i>disulfiram oral tablet 250 mg, 500 mg</i>	2	
KLOXXADO NASAL SPRAY, NON-AEROSOL 8 MG/ACTUATION	3	QL (4 per 30 days)
<i>naloxone injection solution 0.4 mg/ml</i>	1	
<i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i>	2	
<i>naloxone nasal spray, non-aerosol 4 mg/actuation</i> (Narcan)	2	QL (4 per 30 days)
<i>naltrexone oral tablet 50 mg</i>	2	
NICOTROL INHALATION CARTRIDGE 10 MG	4	ST; QL (2688 per 365 days)
<i>varenicline oral tablet 0.5 mg</i>	2	QL (336 per 365 days)
<i>varenicline oral tablet 1 mg</i> (Chantix)	2	QL (336 per 365 days)
<i>varenicline oral tablets, dose pack 0.5 mg (11)- 1 mg (42)</i> (Chantix Starting Month Box)	2	
Antianxiety Agents		
Benzodiazepines		
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax)	1	QL (120 per 30 days)
<i>alprazolam oral tablet 2 mg</i> (Xanax)	1	QL (150 per 30 days)
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>	1	QL (120 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin)	1	QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i> (Klonopin)	1	QL (300 per 30 days)
<i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	2	QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>clonazepam oral tablet, disintegrating 2 mg</i>	2	QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg</i>	2	QL (180 per 30 days)
<i>clorazepate dipotassium oral tablet 7.5 mg</i> (Tranxene T-Tab)	2	QL (180 per 30 days)
<i>diazepam injection solution 5 mg/ml</i>	2	QL (10 per 28 days)
<i>diazepam injection syringe 5 mg/ml</i>	2	
<i>diazepam intensol oral concentrate 5 mg/ml</i> (diazepam)	2	QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	2	QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium)	1	QL (120 per 30 days)
<i>lorazepam 4 mg/ml vial inner</i> (Ativan)	1	
<i>lorazepam injection solution 2 mg/ml</i> (Ativan)	2	QL (2 per 30 days)
<i>lorazepam injection solution 4 mg/ml</i> (Ativan)	4	QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml</i>	1	QL (2 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg</i> (Ativan)	1	QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg</i> (Ativan)	1	QL (150 per 30 days)
<i>oxazepam oral capsule 10 mg, 15 mg, 30 mg</i>	2	QL (120 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg</i> (Restoril)	1	QL (30 per 30 days)
Antibacterials		
Aminoglycosides		
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>	2	
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	2	
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml</i>	2	
<i>neomycin oral tablet 500 mg</i>	2	
<i>streptomycin intramuscular recon soln 1 gram</i>	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>tobramycin in 0.225 % nacl</i> (Tobi) <i>inhalation solution for nebulization</i> <i>300 mg/5 ml</i>	5	PA BvD; NDS
<i>tobramycin inhalation solution for</i> (Bethkis) <i>nebulization 300 mg/4 ml</i>	5	PA BvD; NDS
<i>tobramycin sulfate injection solution</i> <i>40 mg/ml</i>	2	
Antibacterials, Miscellaneous		
<i>chloramphenicol sod succinate</i> <i>intravenous recon soln 1 gram</i>	2	
<i>clindamycin 600 mg/4 ml addvan</i> <i>sdv,outer</i>	2	
<i>clindamycin hcl oral capsule 150 mg,</i> (Cleocin HCl) <i>300 mg, 75 mg</i>	1	
<i>clindamycin in 5 % dextrose</i> <i>intravenous piggyback 300 mg/50 ml</i>	2	
<i>clindamycin pediatric oral recon</i> (clindamycin palmitate <i>soln 75 mg/5 ml</i> hcl)	2	
<i>clindamycin phosphate injection</i> <i>solution 150 (mg/ml) (6 ml)</i>	2	
<i>clindamycin phosphate injection</i> (Cleocin) <i>solution 150 mg/ml</i>	2	
<i>clindamycin phosphate intravenous</i> <i>solution 300 mg/2 ml, 900 mg/6 ml</i>	2	
<i>clindamycin phosphate intravenous</i> <i>solution 600 mg/4 ml</i>	2	
<i>colistin (colistimethate na) injection</i> (Coly-Mycin M <i>recon soln 150 mg</i> Parenteral)	5	NDS
<i>daptomycin intravenous recon soln</i> (Cubicin RF) <i>500 mg</i>	5	NDS
FIRVANQ ORAL RECON SOLN 25 MG/ML	4	
<i>linezolid in dextrose 5% intravenous</i> (Zyvox) <i>piggyback 600 mg/300 ml</i>	2	
<i>linezolid oral suspension for</i> (Zyvox) <i>reconstitution 100 mg/5 ml</i>	5	NDS
<i>linezolid oral tablet 600 mg</i> (Zyvox)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>methenamine hippurate oral tablet 1 gram</i> (Hiprex)	2	
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i> (Metro I.V.)	2	
<i>metronidazole oral tablet 250 mg, 500 mg</i>	1	
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i> (Macrochantin)	2	QL (120 per 30 days)
<i>nitrofurantoin monohydrate-cryst oral capsule 100 mg</i> (Macrobid)	2	QL (60 per 30 days)
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>	2	
<i>trimethoprim oral tablet 100 mg</i>	1	
<i>vancomycin intravenous recon soln 1,000 mg, 10 gram, 5 gram, 500 mg, 750 mg</i>	2	
<i>vancomycin oral capsule 125 mg</i> (Vancocin)	2	QL (56 per 14 days)
<i>vancomycin oral capsule 250 mg</i> (Vancocin)	2	QL (112 per 14 days)
XIFAXAN ORAL TABLET 200 MG	5	PA; NDS; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	5	PA; NDS; QL (90 per 30 days)
Cephalosporins		
<i>cefactor oral capsule 250 mg, 500 mg</i>	2	
<i>cefactor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	2	
<i>cefadroxil oral capsule 500 mg</i>	2	
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	2	
<i>cefadroxil oral tablet 1 gram</i>	2	
<i>cefazolin in dextrose (iso-os) intravenous piggyback 2 gram/50 ml</i>	2	
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>cefdinir oral capsule 300 mg</i>	2	
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cefepime injection recon soln 1 gram, 2 gram</i>	2	
<i>cefixime oral capsule 400 mg</i> (Suprax)	2	
<i>cefotaxime injection recon soln 1 gram</i>	2	
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	2	
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	2	
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	2	
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cefprozil oral tablet 250 mg, 500 mg</i>	2	
CEFTAZIDIME 2 GM PIGGYBACK 2 GRAM/50 ML	2	
<i>ceftazidime injection recon soln 1 gram, 6 gram</i> (Tazicef)	2	
CEFTAZIDIME INJECTION RECON SOLN 2 GRAM (Tazicef)	2	
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	2	
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	2	
<i>cefuroxime sodium injection recon soln 750 mg</i>	2	
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	2	
<i>cephalexin oral capsule 250 mg, 500 mg</i>	1	
<i>cephalexin oral capsule 750 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	5	NDS
Macrolides		
<i>azithromycin intravenous recon soln 500 mg</i> (Zithromax)	2	
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Zithromax)	2	
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack)</i>	1	
<i>azithromycin oral tablet 250 mg, 500 mg</i> (Zithromax)	1	
<i>azithromycin oral tablet 600 mg</i>	2	
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	2	
DIFICID ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML	5	NDS; QL (136 per 10 days)
DIFICID ORAL TABLET 200 MG	5	NDS; QL (20 per 10 days)
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules)	2	
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i> (EryPed 400)	2	
<i>erythromycin oral tablet 250 mg, 500 mg</i>	2	
Miscellaneous B-Lactam Antibiotics		
<i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	5	PA; LA; NDS
<i>ertapenem injection recon soln 1 gram</i> (Invanz)	2	
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>	2	
<i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV)	2	
<i>meropenem intravenous recon soln 1 gram, 500 mg</i>	2	
Penicillins		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i> (Augmentin)	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600)	2	
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg</i>	2	
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg</i> (Augmentin)	1	
<i>amoxicillin-pot clavulanate oral tablet 875-125 mg</i>	1	
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ampicillin oral capsule 500 mg</i>	2	
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i>	2	
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i> (Unasyn)	2	
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	4	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	2	
<i>nafcillin 1 gml 50 ml inj 1 gram/50 ml</i>	2	
<i>nafcillin injection recon soln 1 gram</i>	2	
<i>nafcillin injection recon soln 10 gram</i>	5	NDS
<i>nafcillin injection recon soln 2 gram</i>	2	
<i>penicillin g potassium injection recon soln 20 million unit</i> (Pfizerpen-G)	2	
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	2	
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	
<i>pfizerpen-g injection recon soln 20 million unit</i> (penicillin g potassium)	2	
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>	2	
Quinolones		
<i>ciprofloxacin hcl oral tablet 250 mg, 500 mg</i> (Cipro)	1	
<i>ciprofloxacin hcl oral tablet 750 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	2	
<i>ciprofloxacin oral suspension, microcapsule recon 250 mg/5 ml, 500 mg/5 ml</i> (Cipro)	2	
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	2	
<i>levofloxacin intravenous solution 25 mg/ml</i>	2	
<i>levofloxacin oral solution 250 mg/10 ml</i>	2	
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>	1	
<i>moxifloxacin oral tablet 400 mg</i>	2	
Sulfonamides		
<i>sulfadiazine oral tablet 500 mg</i>	2	
<i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i>	2	
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i> (Sulfatrim)	2	
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i> (Bactrim)	1	
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i> (Bactrim DS)	1	
Tetracyclines		
<i>doxy-100 intravenous recon soln 100 mg</i> (doxycycline hyclate)	2	
<i>doxycycline hyclate intravenous recon soln 100 mg</i> (Doxy-100)	2	
<i>doxycycline hyclate oral capsule 100 mg, 50 mg</i> (Morgidox)	2	
<i>doxycycline hyclate oral tablet 100 mg</i> (LymePak)	2	
<i>doxycycline hyclate oral tablet 20 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>doxycycline monohydrate oral capsule 100 mg</i> (Mondoxyne NL)	2	
<i>doxycycline monohydrate oral capsule 50 mg</i> (Monodox)	2	
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i> (Vibramycin (mono))	2	
<i>doxycycline monohydrate oral tablet 100 mg</i> (Avidoxy)	2	
<i>doxycycline monohydrate oral tablet 150 mg, 50 mg, 75 mg</i>	2	
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>	2	
<i>mondoxyne nl oral capsule 100 mg</i> (doxycycline monohydrate)	2	
<i>tetracycline oral capsule 250 mg, 500 mg</i>	2	
<i>tigecycline intravenous recon soln 50 mg</i> (Tygacil)	5	NDS
Anticancer Agents		
Anticancer Agents		
<i>abiraterone oral tablet 250 mg, 500 mg</i> (Zytiga)	5	PA NSO; NDS; QL (120 per 30 days)
ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG (paclitaxel protein-bound)	5	PA BvD; NDS
<i>adrucil intravenous solution 2.5 gram/50 ml</i> (fluorouracil)	2	PA BvD
ALECENSA ORAL CAPSULE 150 MG	5	PA NSO; NDS; QL (240 per 30 days)
ALIMTA INTRAVENOUS RECON SOLN 100 MG, 500 MG (pemetrexed disodium)	5	NDS
ALUNBRIG ORAL TABLET 180 MG, 90 MG	5	PA NSO; NDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	5	PA NSO; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23)	5	PA NSO; NDS
<i>anastrozole oral tablet 1 mg</i> (Arimidex)	1	
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>azacitidine injection recon soln 100 mg</i> (Vidaza)	5	NDS
BALVERSA ORAL TABLET 3 MG	5	PA NSO; NDS; QL (84 per 28 days)
BALVERSA ORAL TABLET 4 MG	5	PA NSO; NDS; QL (56 per 28 days)
BALVERSA ORAL TABLET 5 MG	5	PA NSO; NDS; QL (28 per 28 days)
<i>bendamustine intravenous recon soln 100 mg, 25 mg</i> (Treanda)	5	PA NSO; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML (bendamustine)	5	PA NSO; NDS
<i>bexarotene oral capsule 75 mg</i> (Targretin)	5	PA NSO; NDS
<i>bexarotene topical gel 1 %</i> (Targretin)	5	PA NSO; NDS
<i>bicalutamide oral tablet 50 mg</i> (Casodex)	2	
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	2	
<i>bortezomib injection recon soln 1 mg</i>	4	PA NSO
<i>bortezomib injection recon soln 2.5 mg</i>	5	PA NSO; NDS
BORTEZOMIB INTRAVENOUS RECON SOLN 3.5 MG	5	PA NSO; NDS
BOSULIF ORAL TABLET 100 MG	5	PA NSO; NDS; QL (90 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA NSO; NDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	5	PA NSO; NDS; QL (180 per 30 days)
BRUKINSA ORAL CAPSULE 80 MG	5	PA NSO; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CABOMETYX ORAL TABLET 20 MG, 60 MG	5	PA NSO; NDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	5	PA NSO; NDS; QL (60 per 30 days)
CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG	5	PA NSO; NDS; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 (vandetanib) MG	5	PA NSO; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 (vandetanib) MG	5	PA NSO; NDS; QL (30 per 30 days)
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 60 MG/DAY (20 MG X 3/DAY)	5	PA NSO; NDS
COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3)	5	PA NSO; NDS; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	5	PA NSO; NDS; QL (56 per 28 days)
COTELLIC ORAL TABLET 20 MG	5	PA NSO; LA; NDS; QL (63 per 28 days)
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	5	PA BvD; NDS
<i>cyclophosphamide intravenous solution 200 mg/ml</i>	5	PA BvD; NDS
CYCLOPHOSPHAMIDE ORAL CAPSULE 25 MG	4	PA BvD; ST
<i>cyclophosphamide oral capsule 50 mg</i>	4	PA BvD; ST
<i>cyclophosphamide oral tablet 25 mg, 50 mg</i>	3	PA BvD; ST
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
DANYELZA INTRAVENOUS SOLUTION 4 MG/ML	5	PA NSO; NDS; QL (120 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
DAURISMO ORAL TABLET 100 MG	5	PA NSO; NDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	5	PA NSO; NDS; QL (60 per 30 days)
<i>decitabine intravenous recon soln 50 mg</i> (Dacogen)	5	NDS
<i>doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i>	2	PA BvD
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Doxil)	5	PA BvD; NDS
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	4	PA NSO
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	4	PA NSO
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	4	PA NSO
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	4	PA NSO
EMCYT ORAL CAPSULE 140 MG	5	NDS
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML	5	PA NSO; NDS
ERIVEDGE ORAL CAPSULE 150 MG	5	PA NSO; NDS; QL (28 per 28 days)
ERLEADA ORAL TABLET 60 MG	5	PA NSO; NDS; QL (120 per 30 days)
<i>erlotinib oral tablet 100 mg, 25 mg</i> (Tarceva)	5	PA NSO; NDS; QL (60 per 30 days)
<i>erlotinib oral tablet 150 mg</i> (Tarceva)	5	PA NSO; NDS; QL (90 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	4	
<i>etoposide intravenous solution 20 mg/ml</i> (Toposar)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>everolimus (antineoplastic) oral tablet 10 mg</i> (Afinitor)	5	PA NSO; NDS; QL (56 per 28 days)
<i>everolimus (antineoplastic) oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (Afinitor)	5	PA NSO; NDS; QL (28 per 28 days)
<i>everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg</i> (Afinitor Disperz)	5	PA NSO; NDS; QL (112 per 28 days)
<i>exemestane oral tablet 25 mg</i> (Aromasin)	2	
EXKIVITY ORAL CAPSULE 40 MG	5	PA NSO; NDS; QL (120 per 30 days)
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG	5	PA NSO; NDS
<i>floxuridine injection recon soln 0.5 gram</i>	2	PA BvD
<i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>	2	PA BvD
<i>flutamide oral capsule 125 mg</i> (Eulexin)	2	
FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG	5	PA NSO; NDS; QL (21 per 28 days)
<i>fulvestrant intramuscular syringe 250 mg/5 ml</i> (Faslodex)	5	NDS
FYARRO INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	5	PA NSO; NDS
GAVRETO ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (120 per 30 days)
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	5	PA NSO; NDS; QL (30 per 30 days)
GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG (lomustine)	4	
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	5	PA NSO; NDS; QL (5 per 21 days)
HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA NSO; NDS; QL (21 per 28 days)
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	5	PA NSO; NDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG	5	PA NSO; NDS; QL (30 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln 1 gram</i> (Ifex)	2	
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	2	
<i>imatinib oral tablet 100 mg</i> (Gleevec)	2	PA NSO; QL (180 per 30 days)
<i>imatinib oral tablet 400 mg</i> (Gleevec)	2	PA NSO; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	5	PA NSO; NDS; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG	5	PA NSO; NDS; QL (28 per 28 days)
IMBRUVICA ORAL SUSPENSION 70 MG/ML	5	PA NSO; NDS; QL (240 per 30 days)
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	5	PA NSO; NDS; QL (28 per 28 days)
IMJUDO INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NDS
IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML	4	PA NSO; QL (4 per 365 days)
INLYTA ORAL TABLET 1 MG	5	PA NSO; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	5	PA NSO; NDS; QL (120 per 30 days)
INQOVI ORAL TABLET 35-100 MG	5	PA NSO; NDS; QL (5 per 28 days)
INREBIC ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
IRESSA ORAL TABLET 250 MG	5	PA NSO; NDS; QL (60 per 30 days)
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NDS; QL (60 per 30 days)
JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NDS
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS; QL (8 per 21 days)
KIMMTRAK INTRAVENOUS SOLUTION 100 MCG/0.5 ML	5	PA NSO; NDS; QL (2 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA NSO; NDS; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA NSO; NDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NDS; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA NSO; NDS; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA NSO; NDS; QL (63 per 28 days)
KOSELUGO ORAL CAPSULE 10 MG	5	PA NSO; NDS; QL (300 per 30 days)
KOSELUGO ORAL CAPSULE 25 MG	5	PA NSO; NDS; QL (120 per 30 days)
KRAZATI ORAL TABLET 200 MG	5	PA NSO; NDS; QL (180 per 30 days)
<i>lapatinib oral tablet 250 mg</i> (Tykerb)	5	PA NSO; NDS
<i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg</i> (Revlimid)	5	PA NSO; NDS; QL (28 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	5	PA NSO; NDS
<i>letrozole oral tablet 2.5 mg</i> (Femara)	1	
LEUKERAN ORAL TABLET 2 MG	5	NDS
<i>leuprolide (3 month) intramuscular suspension for reconstitution 22.5 mg</i>	4	PA NSO
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	5	PA NSO; NDS
LONSURF ORAL TABLET 15-6.14 MG	5	PA NSO; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	5	PA NSO; NDS; QL (80 per 28 days)
LORBRENA ORAL TABLET 100 MG	5	PA NSO; NDS; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	5	PA NSO; NDS; QL (90 per 30 days)
LUMAKRAS ORAL TABLET 120 MG	5	PA NSO; NDS; QL (240 per 30 days)
LUNSUMIO INTRAVENOUS SOLUTION 1 MG/ML	5	PA NSO; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	5	PA NSO; NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	PA NSO; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	PA NSO; NDS
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LYSODREN ORAL TABLET 500 MG	5	NDS
LYTGOBI ORAL TABLET 4 MG	5	PA NSO; NDS; QL (140 per 28 days)
MARGENZA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
MATULANE ORAL CAPSULE 50 MG	5	NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	2	PA NSO-HRM; AGE (Max 64 Years)
MEKINIST ORAL TABLET 0.5 MG	5	PA NSO; NDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA NSO; NDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	5	PA NSO; NDS; QL (180 per 30 days)
<i>mercaptopurine oral tablet 50 mg</i>	2	
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	2	
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	2	
<i>methotrexate sodium injection solution 25 mg/ml</i>	2	
<i>methotrexate sodium oral tablet 2.5 mg</i>	2	PA BvD; ST
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	2	
MVASI INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
NERLYNX ORAL TABLET 40 MG	5	PA NSO; NDS; QL (180 per 30 days)
<i>nilutamide oral tablet 150 mg</i> (Nilandron)	5	NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA NSO; NDS; QL (3 per 28 days)
NUBEQA ORAL TABLET 300 MG	5	PA NSO; NDS; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	5	PA NSO; LA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
ONUREG ORAL TABLET 200 MG, 300 MG	5	PA NSO; NDS; QL (14 per 28 days)
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 120 MG/12 ML, 240 MG/24 ML, 40 MG/4 ML	5	PA NSO; NDS
OPDUALAG INTRAVENOUS SOLUTION 240-80 MG/20 ML	5	PA NSO; NDS
<i>paclitaxel protein-bound intravenous (Abraxane) suspension for reconstitution 100 mg</i>	5	PA BvD; NDS
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>pemetrexed disodium intravenous recon soln 750 mg</i>	5	NDS
<i>pemetrexed disodium intravenous solution 25 mg/ml</i>	5	NDS
<i>pemetrexed intravenous recon soln 1 gram, 100 mg, 500 mg</i>	5	NDS
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NDS; QL (28 per 28 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	5	PA NSO; NDS; QL (56 per 28 days)
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA NSO; NDS; QL (21 per 28 days)
PURIXAN ORAL SUSPENSION 20 MG/ML	5	NDS
QINLOCK ORAL TABLET 50 MG	5	PA NSO; NDS; QL (90 per 30 days)
RETEVMO ORAL CAPSULE 40 MG	5	PA NSO; NDS; QL (180 per 30 days)
RETEVMO ORAL CAPSULE 80 MG	5	PA NSO; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
REZLIDHIA ORAL CAPSULE 150 MG	5	PA NSO; NDS; QL (60 per 30 days)
RIABNI INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	5	PA NSO; NDS
ROZLYTREK ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (180 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	5	PA NSO; NDS; QL (90 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; NDS; QL (120 per 30 days)
RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
RYBREVANT INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NDS
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; NDS; QL (224 per 28 days)
SCSEMBLIX ORAL TABLET 20 MG, 40 MG	5	PA NSO; NDS
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	5	NDS
<i>sorafenib oral tablet 200 mg</i> (Nexavar)	5	PA NSO; NDS; QL (120 per 30 days)
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	5	PA NSO; NDS; QL (30 per 30 days)
SPRYCEL ORAL TABLET 20 MG	5	PA NSO; NDS; QL (90 per 30 days)
STIVARGA ORAL TABLET 40 MG	5	PA NSO; NDS; QL (84 per 28 days)
<i>sunitinib oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> (Sutent)	5	PA NSO; NDS; QL (28 per 28 days)
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	5	PA NSO; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TABLOID ORAL TABLET 40 MG (thioguanine)	4	
TABRECTA ORAL TABLET 150 MG, 200 MG	5	PA NSO; NDS; QL (112 per 28 days)
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; NDS; QL (120 per 30 days)
TAGRISSE ORAL TABLET 40 MG, 80 MG	5	PA NSO; LA; NDS; QL (30 per 30 days)
TALZENNA ORAL CAPSULE 0.25 MG, 0.5 MG, 0.75 MG, 1 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	2	
TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA NSO; NDS; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG	5	PA NSO; NDS; QL (120 per 30 days)
TAZVERIK ORAL TABLET 200 MG	5	PA NSO; NDS; QL (240 per 30 days)
TECVAYLI SUBCUTANEOUS SOLUTION 10 MG/ML, 90 MG/ML	5	PA NSO; NDS
TEPMETKO ORAL TABLET 225 MG	5	PA NSO; NDS; QL (60 per 30 days)
TIBSOVO ORAL TABLET 250 MG	5	PA NSO; NDS; QL (60 per 30 days)
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	4	
TIVDAK INTRAVENOUS RECON SOLN 40 MG	5	PA NSO; NDS; QL (5 per 21 days)
<i>toposar intravenous solution 20 mg/ml</i> (etoposide)	2	
<i>toremifene oral tablet 60 mg</i> (Fareston)	5	NDS
TRAZIMERA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG, 22.5 MG, 3.75 MG	5	PA NSO; NDS
<i>tretinoin (antineoplastic) oral capsule 10 mg</i>	5	NDS
TRUSELTIQ ORAL CAPSULE 100 MG/DAY (100 MG X 1), 125 MG/DAY(100 MG X1-25MG X1), 50 MG/DAY (25 MG X 2), 75 MG/DAY (25 MG X 3)	5	PA NSO; NDS
TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
TUKYSA ORAL TABLET 150 MG	5	PA NSO; NDS; QL (120 per 30 days)
TUKYSA ORAL TABLET 50 MG	5	PA NSO; NDS; QL (300 per 30 days)
TURALIO ORAL CAPSULE 200 MG	5	PA NSO; NDS; QL (120 per 30 days)
VELCADE INJECTION RECON (bortezomib) SOLN 3.5 MG	5	PA NSO; NDS
VENCLEXTA ORAL TABLET 10 MG	3	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; LA; NDS; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	5	PA NSO; LA; NDS; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	5	PA NSO; LA; NDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NDS; QL (56 per 28 days)
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i> (Navelbine)	2	
VITRAKVI ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	5	PA NSO; NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VITRAKVI ORAL SOLUTION 20 MG/ML	5	PA NSO; NDS; QL (300 per 30 days)
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA NSO; NDS; QL (30 per 30 days)
VONJO ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (120 per 30 days)
VOTRIENT ORAL TABLET 200 MG	5	PA NSO; NDS; QL (120 per 30 days)
WELIREG ORAL TABLET 40 MG	5	PA NSO; NDS; QL (90 per 30 days)
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; NDS; QL (120 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	5	PA NSO; NDS; QL (90 per 30 days)
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2)	5	PA NSO; NDS; QL (8 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)	5	PA NSO; NDS; QL (4 per 28 days)
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	5	PA NSO; NDS; QL (24 per 28 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	5	PA NSO; NDS; QL (32 per 28 days)
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 40 MG	5	PA NSO; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 80 MG	5	PA NSO; NDS; QL (60 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	5	PA NSO; NDS
YONSA ORAL TABLET 125 MG	5	PA NSO; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (90 per 30 days)
ZELBORAF ORAL TABLET 240 MG	5	PA NSO; NDS; QL (240 per 30 days)
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG, 3.6 MG	4	PA NSO
ZOLINZA ORAL CAPSULE 100 MG	5	NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA NSO; NDS; QL (60 per 30 days)
ZYKADIA ORAL TABLET 150 MG	5	PA NSO; NDS; QL (84 per 28 days)
ZYNLONTA INTRAVENOUS RECON SOLN 10 MG	5	PA NSO; NDS
Anticonvulsants		
Anticonvulsants		
APTIOM ORAL TABLET 200 MG, 400 MG	5	ST; NDS; QL (30 per 30 days)
APTIOM ORAL TABLET 600 MG, 800 MG	5	ST; NDS; QL (60 per 30 days)
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	3	QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	3	QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	3	QL (60 per 30 days)
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i> (Carbatrol)	2	
<i>carbamazepine oral suspension 100 mg/5 ml</i> (Tegretol)	2	
<i>carbamazepine oral tablet 200 mg</i> (Epitol)	2	
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>carbamazepine oral tablet, chewable</i> 100 mg	2	
CELONTIN ORAL CAPSULE 300 MG	4	
<i>clobazam oral suspension 2.5 mg/ml</i> (Onfi)	2	QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi)	2	QL (60 per 30 days)
DIACOMIT ORAL CAPSULE 250 MG	5	PA NSO; NDS; QL (360 per 30 days)
DIACOMIT ORAL CAPSULE 500 MG	5	PA NSO; NDS; QL (180 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 250 MG	5	PA NSO; NDS; QL (360 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 500 MG	5	PA NSO; NDS; QL (180 per 30 days)
<i>diazepam rectal kit 12.5-15-17.5-20</i> (Diastat AcuDial) <i>mg, 5-7.5-10 mg</i>	4	
<i>diazepam rectal kit 2.5 mg</i> (Diastat)	4	
<i>divalproex oral capsule, delayed rel</i> (Depakote Sprinkles) <i>sprinkle 125 mg</i>	2	
<i>divalproex oral tablet extended</i> (Depakote ER) <i>release 24 hr 250 mg, 500 mg</i>	2	
<i>divalproex oral tablet, delayed</i> (Depakote) <i>release (drlec) 125 mg, 250 mg, 500</i> <i>mg</i>	2	
EPIDIOLEX ORAL SOLUTION 100 MG/ML	5	PA NSO; NDS
<i>epitol oral tablet 200 mg</i> (carbamazepine)	2	
EPRONTIA ORAL SOLUTION 25 MG/ML	4	ST; QL (480 per 30 days)
<i>ethosuximide oral capsule 250 mg</i> (Zarontin)	2	
<i>ethosuximide oral solution 250 mg/5</i> (Zarontin) <i>ml</i>	2	
<i>felbamate oral suspension 600 mg/5</i> (Felbatol) <i>ml</i>	5	NDS
<i>felbamate oral tablet 400 mg, 600</i> (Felbatol) <i>mg</i>	2	
FINTEPLA ORAL SOLUTION 2.2 MG/ML	5	PA NSO; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>fosphenytoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i> (Cerebyx)	2	
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	5	ST; NDS; QL (720 per 30 days)
FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG	5	ST; NDS; QL (30 per 30 days)
FYCOMPA ORAL TABLET 2 MG	4	ST; QL (30 per 30 days)
FYCOMPA ORAL TABLET 4 MG, 6 MG	5	ST; NDS; QL (60 per 30 days)
<i>gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin)	1	QL (360 per 30 days)
<i>gabapentin oral capsule 400 mg</i> (Neurontin)	1	QL (270 per 30 days)
<i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)	2	QL (2160 per 30 days)
<i>gabapentin oral tablet 600 mg</i> (Neurontin)	2	QL (180 per 30 days)
<i>gabapentin oral tablet 800 mg</i> (Neurontin)	2	QL (120 per 30 days)
<i>lacosamide intravenous solution 200 mg/20 ml</i> (Vimpat)	2	QL (200 per 5 days)
<i>lacosamide oral solution 10 mg/ml</i> (Vimpat)	2	QL (1200 per 30 days)
<i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Vimpat)	2	QL (60 per 30 days)
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Subvenite)	1	
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal)	2	
<i>lamotrigine oral tablet, disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i> (Lamictal ODT)	2	
<i>levetiracetam intravenous solution 500 mg/5 ml</i> (Keppra)	2	
<i>levetiracetam oral solution 100 mg/ml</i> (Keppra)	2	
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra)	2	
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)	4	QL (10 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal)	2	
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal)	2	
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	2	PA NSO-HRM; AGE (Max 64 Years)
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	2	PA NSO-HRM; AGE (Max 64 Years)
<i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)	2	
<i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs)	2	
<i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended)	2	
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek)	2	
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	2	
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	2	
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i> (Lyrica)	2	QL (90 per 30 days)
<i>pregabalin oral capsule 225 mg, 300 mg</i> (Lyrica)	2	QL (60 per 30 days)
<i>pregabalin oral solution 20 mg/ml</i> (Lyrica)	2	QL (900 per 30 days)
<i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)	2	
<i>rufinamide oral suspension 40 mg/ml</i> (Banzel)	5	ST; NDS
<i>rufinamide oral tablet 200 mg</i> (Banzel)	2	ST
<i>rufinamide oral tablet 400 mg</i> (Banzel)	5	ST; NDS
SEZABY INTRAVENOUS RECON SOLN 100 MG	5	PA BvD; NDS
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG	4	ST; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG	4	ST; QL (120 per 30 days)
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (lamotrigine)	1	
SYMPAZAN ORAL FILM 10 MG, 20 MG	5	PA NSO; NDS; QL (60 per 30 days)
SYMPAZAN ORAL FILM 5 MG	4	PA NSO; QL (60 per 30 days)
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i> (Gabitril)	2	
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax)	2	
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax)	1	
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>	2	
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	2	
<i>valproic acid oral capsule 250 mg</i>	2	
VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 5 MG/SPRAY (0.1 ML)	4	
VALTOCO NASAL SPRAY, NON-AEROSOL 20 MG/2 SPRAY (10MG/0.1ML X2)	5	NDS
<i>vigabatrin oral powder in packet 500 mg</i> (Vigadrone)	5	PA NSO; NDS; QL (180 per 30 days)
<i>vigabatrin oral tablet 500 mg</i> (Sabril)	5	PA NSO; NDS; QL (180 per 30 days)
<i>vigadrone oral powder in packet 500 mg</i> (vigabatrin)	5	PA NSO; NDS; QL (180 per 30 days)
VIMPAT INTRAVENOUS SOLUTION 200 MG/20 ML (lacosamide)	3	QL (200 per 5 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1- 150MG X1)	4	ST; QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG, 50 MG	4	ST; QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	4	ST; QL (60 per 30 days)
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	4	ST
ZONISADE ORAL SUSPENSION 100 MG/5 ML	4	
<i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)	2	
<i>zonisamide oral capsule 50 mg</i>	2	
ZTALMY ORAL SUSPENSION 50 MG/ML	5	PA NSO; NDS; QL (1080 per 30 days)
Antidementia Agents		
Antidementia Agents		
<i>donepezil oral tablet 10 mg, 5 mg</i> (Aricept)	1	QL (30 per 30 days)
<i>donepezil oral tablet, disintegrating 10 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	2	
<i>galantamine oral capsule, ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i> (Razadyne ER)	2	QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	2	QL (200 per 30 days)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>	2	QL (60 per 30 days)
<i>memantine oral capsule, sprinkle, er 24hr 14 mg, 21 mg, 28 mg, 7 mg</i> (Namenda XR)	2	ST; QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	2	QL (300 per 30 days)
<i>memantine oral tablet 10 mg, 5 mg</i> (Namenda)	2	QL (60 per 30 days)
<i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour</i> (Exelon Patch)	2	QL (30 per 30 days)
Antidepressants		
Antidepressants		
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	2	
AUVELITY ORAL TABLET, IR AND ER, BIPHASIC 45-105 MG	5	ST; NDS
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	2	
<i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i> (Wellbutrin XL)	2	
<i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i> (Wellbutrin SR)	2	
<i>citalopram oral solution 10 mg/5 ml</i>	2	QL (600 per 30 days)
<i>citalopram oral tablet 10 mg</i> (Celexa)	1	QL (120 per 30 days)
<i>citalopram oral tablet 20 mg, 40 mg</i> (Celexa)	1	QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i> (Anafranil)	2	
<i>desipramine oral tablet 10 mg, 25 mg</i> (Norpramin)	2	
<i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>	2	
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> (Pristiq)	2	QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	
<i>doxepin oral concentrate 10 mg/ml</i>	1	
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	4	ST; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	4	ST; QL (30 per 30 days)
<i>duloxetine oral capsule, delayed release(drlec) 20 mg, 30 mg, 60 mg</i> (Cymbalta)	2	QL (60 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	5	ST; NDS; QL (30 per 30 days)
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	2	
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> (Lexapro)	1	
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	4	ST
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	4	ST; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i> (Prozac)	1	
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	2	
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	
<i>maprotiline oral tablet 25 mg, 50 mg, 75 mg</i>	2	
MARPLAN ORAL TABLET 10 MG	4	
<i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron)	2	
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	2	
<i>mirtazapine oral tablet, disintegrating 15 mg, 30 mg, 45 mg</i> (Remeron SolTab)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	2	
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i> (Pamelor)	1	
<i>nortriptyline oral solution 10 mg/5 ml</i>	2	
<i>paroxetine hcl oral suspension 10 mg/5 ml</i> (Paxil)	2	PA NSO-HRM; AGE (Max 64 Years)
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> (Paxil)	1	PA NSO-HRM; AGE (Max 64 Years)
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	2	
<i>phenelzine oral tablet 15 mg</i> (Nardil)	2	
<i>protriptyline oral tablet 10 mg, 5 mg</i>	2	
<i>sertraline oral concentrate 20 mg/ml</i> (Zoloft)	2	
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i> (Zoloft)	1	
SPRAVATO NASAL SPRAY, NON-AEROSOL 28 MG	4	PA NSO
SPRAVATO NASAL SPRAY, NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3)	5	PA NSO; NDS
<i>tranlycypromine oral tablet 10 mg</i> (Parnate)	2	
<i>trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i>	1	
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	2	
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>venlafaxine besylate oral tablet extended release 24hr 112.5 mg</i>	4	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 150 mg</i> (Effexor XR)	2	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i> (Effexor XR)	2	QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VIIBRYD ORAL TABLETS,DOSE PACK 10 MG (7)- 20 MG (23)	3	
<i>vilazodone oral tablet 10 mg, 20 mg, 40 mg</i> (Viibryd)	2	QL (30 per 30 days)
Antidiabetic Agents		
Antidiabetic Agents, Miscellaneous		
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose)	6	QL (90 per 30 days)
FARXIGA ORAL TABLET 10 MG, 5 MG	3	QL (30 per 30 days)
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG	3	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	3	QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	3	QL (30 per 30 days)
KORLYM ORAL TABLET 300 MG	5	PA; NDS; QL (112 per 28 days)
<i>metformin oral tablet 1,000 mg</i>	6	QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i>	6	QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i>	6	QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i>	6	QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i>	6	QL (60 per 30 days)
<i>nateglinide oral tablet 120 mg, 60 mg</i>	6	QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML)	3	QL (3 per 28 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML)	3	QL (1.5 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)	6	QL (30 per 30 days)
<i>pioglitazone-metformin oral tablet 15-500 mg</i>	6	QL (90 per 30 days)
<i>pioglitazone-metformin oral tablet 15-850 mg</i> (Actoplus MET)	6	QL (90 per 30 days)
<i>repaglinide oral tablet 0.5 mg, 1 mg</i>	6	QL (120 per 30 days)
<i>repaglinide oral tablet 2 mg</i>	6	QL (240 per 30 days)
RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG	3	QL (30 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	5	PA; NDS; QL (10.8 per 28 days)
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	5	PA; NDS; QL (10.8 per 28 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	3	QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	3	QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5- 2.5-1,000 MG, 5-2.5-1,000 MG	3	QL (60 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	3	QL (2 per 28 days)
VICTOZA SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML)	3	QL (9 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10- 1,000 MG, 10-500 MG	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5- 1,000 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
Insulins		
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	3	QL (40 per 28 days)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	3	QL (24 per 28 days)
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70- 30)	3	QL (40 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	3	QL (30 per 28 days)
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	3	QL (40 per 28 days)
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
NOVOLIN R REGULAR U-100 INSULIN INJECTION SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
NOVOLOG FLEXPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) (insulin aspart u-100)	2	QL (30 per 28 days)
NOVOLOG MIX 70-30 U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70-30) (insulin asp prt-insulin aspart)	2	QL (40 per 28 days)
NOVOLOG MIX 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30) (insulin asp prt-insulin aspart)	2	QL (30 per 28 days)
NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (insulin aspart u-100)	2	QL (30 per 28 days)
NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML (insulin aspart u-100)	2	QL (40 per 28 days)
SEMGLEE (INSULIN GLARGINE-YFGN) SUBCUTANEOUS SOLUTION 100 UNIT/ML (insulin glargine-yfgn)	3	QL (40 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SEMGLEE(INSULIN GLARG-YFGN)PEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	3	QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	3	QL (18 per 28 days)
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	3	QL (13.5 per 28 days)
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	3	QL (15 per 28 days)
Sulfonylureas		
<i>glimepiride oral tablet 1 mg, 2 mg</i> (Amaryl)	6	QL (30 per 30 days)
<i>glimepiride oral tablet 4 mg</i> (Amaryl)	6	QL (60 per 30 days)
<i>glipizide oral tablet 10 mg</i>	6	QL (120 per 30 days)
<i>glipizide oral tablet 5 mg</i>	6	QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 10 mg</i> (Glucotrol XL)	6	QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 2.5 mg, 5 mg</i> (Glucotrol XL)	6	QL (30 per 30 days)
<i>glipizide-metformin oral tablet 2.5-250 mg</i>	6	QL (240 per 30 days)
<i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>	6	QL (120 per 30 days)
<i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i> (Glynase)	6	PA-HRM; AGE (Max 64 Years)
<i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>	6	PA-HRM; AGE (Max 64 Years)
<i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>	6	PA-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Antifungals		
Antifungals		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	4	PA BvD
AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG (amphotericin b liposome)	5	PA BvD; NDS
<i>amphotericin b injection recon soln 50 mg</i>	2	PA BvD
<i>amphotericin b liposome intravenous suspension for reconstitution 50 mg</i> (AmBisome)	5	PA BvD; NDS
<i>casposfungin intravenous recon soln 50 mg, 70 mg</i> (Cancidas)	2	
<i>ciclopirox topical cream 0.77 %</i> (Ciclodan)	2	QL (180 per 30 days)
<i>ciclopirox topical solution 8 %</i> (Ciclodan)	2	QL (19.8 per 30 days)
<i>clotrimazole mucous membrane troche 10 mg</i>	2	
<i>clotrimazole topical cream 1 %</i> (Antifungal (clotrimazole))	2	
<i>clotrimazole topical solution 1 %</i>	2	
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i>	2	QL (90 per 30 days)
<i>econazole topical cream 1 %</i>	2	QL (170 per 30 days)
<i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml</i>	2	
<i>fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml</i> (Diflucan)	2	
<i>fluconazole oral tablet 100 mg, 150 mg, 200 mg</i> (Diflucan)	2	
<i>fluconazole oral tablet 50 mg</i>	2	
<i>flucytosine oral capsule 250 mg, 500 mg</i> (Ancobon)	5	NDS
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>	2	
<i>griseofulvin microsize oral tablet 500 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>itraconazole oral capsule 100 mg</i> (Sporanox)	2	
<i>ketoconazole oral tablet 200 mg</i>	2	
<i>ketoconazole topical cream 2 %</i>	2	QL (180 per 30 days)
<i>ketoconazole topical foam 2 %</i> (Extina)	2	ST; QL (100 per 30 days)
<i>ketoconazole topical shampoo 2 %</i>	2	QL (360 per 30 days)
<i>miconazole-3 vaginal suppository 200 mg</i>	2	
NOXAFIL ORAL SUSP, DELAYED RELEASE FOR RECON 300 MG	5	PA; NDS
NOXAFIL ORAL SUSPENSION (posaconazole) 200 MG/5 ML (40 MG/ML)	5	PA; NDS
<i>nyamyc topical powder 100,000 unit/gram</i> (nystatin)	2	QL (60 per 30 days)
<i>nystatin oral suspension 100,000 unit/ml</i>	2	QL (900 per 30 days)
<i>nystatin oral tablet 500,000 unit</i>	2	
<i>nystatin topical cream 100,000 unit/gram</i>	2	QL (60 per 30 days)
<i>nystatin topical ointment 100,000 unit/gram</i>	2	QL (60 per 30 days)
<i>nystatin topical powder 100,000 unit/gram</i> (Nyamyc)	2	QL (60 per 30 days)
<i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i>	2	
<i>nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%</i>	2	
<i>nystop topical powder 100,000 unit/gram</i> (nystatin)	2	QL (60 per 30 days)
<i>posaconazole oral tablet, delayed release (drlec) 100 mg</i> (Noxafil)	5	PA; NDS
<i>terbinafine hcl oral tablet 250 mg</i>	1	
<i>voriconazole intravenous recon soln 200 mg</i> (Vfend IV)	5	PA BvD; NDS
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i> (Vfend)	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>voriconazole oral tablet 200 mg, 50 mg</i> (Vfend)	2	
Antigout Agents		
Antigout Agents, Other		
<i>allopurinol oral tablet 100 mg</i> (Zyloprim)	1	
<i>allopurinol oral tablet 300 mg</i>	1	
<i>colchicine oral tablet 0.6 mg</i> (Colcris)	4	PA; QL (120 per 30 days)
<i>febuxostat oral tablet 40 mg, 80 mg</i> (Uloric)	2	ST; QL (30 per 30 days)
MITIGARE ORAL CAPSULE (colchicine) 0.6 MG	2	QL (60 per 30 days)
<i>probenecid oral tablet 500 mg</i>	2	
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>	2	
Antihistamines		
Antihistamines		
<i>cyproheptadine oral syrup 2 mg/5 ml</i>	2	PA-HRM; AGE (Max 64 Years)
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	2	
<i>diphenhydramine hcl injection syringe 50 mg/ml</i>	2	
<i>diphenhydramine hcl oral elixir 12.5 mg/5 ml</i> (Diphen)	2	PA-HRM; AGE (Max 64 Years)
<i>hydroxyzine hcl intramuscular solution 25 mg/ml, 50 mg/ml</i>	2	
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	2	
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	1	
<i>levocetirizine oral tablet 5 mg</i> (24HR Allergy Relief)	1	
<i>promethazine oral syrup 6.25 mg/5 ml</i>	2	PA-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Anti-Infectives (Skin And Mucous Membrane)		
Anti-Infectives (Skin And Mucous Membrane)		
<i>clindamycin phosphate vaginal cream 2 %</i> (Cleocin)	2	
<i>metronidazole vaginal gel 0.75 % (37.5mg/5 gram)</i> (Vandazole)	2	
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	2	
<i>terconazole vaginal suppository 80 mg</i>	2	
Antimigraine Agents		
Antimigraine Agents		
AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
<i>dihydroergotamine injection solution 1 mg/ml</i>	2	QL (24 per 28 days)
<i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i> (Migranal)	5	NDS; QL (8 per 28 days)
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	3	PA; QL (3 per 30 days)
<i>naratriptan oral tablet 1 mg, 2.5 mg</i>	2	QL (9 per 30 days)
NURTEC ODT ORAL TABLET, DISINTEGRATING 75 MG	3	PA; QL (18 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
QULIPTA ORAL TABLET 10 MG, 30 MG, 60 MG	3	PA; QL (30 per 30 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)	2	QL (12 per 30 days)
<i>rizatriptan oral tablet 5 mg</i>	2	QL (12 per 30 days)
<i>rizatriptan oral tablet, disintegrating 10 mg</i> (Maxalt-MLT)	2	QL (12 per 30 days)
<i>rizatriptan oral tablet, disintegrating 5 mg</i>	2	QL (12 per 30 days)
<i>sumatriptan nasal spray, non-aerosol 20 mg/actuation</i> (Imitrex)	2	QL (12 per 30 days)
<i>sumatriptan nasal spray, non-aerosol 5 mg/actuation</i> (Imitrex)	2	QL (18 per 30 days)
<i>sumatriptan succinate oral tablet 100 mg</i> (Imitrex)	2	QL (9 per 30 days)
<i>sumatriptan succinate oral tablet 25 mg, 50 mg</i> (Imitrex)	2	QL (18 per 30 days)
<i>sumatriptan succinate subcutaneous cartridge 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex STATdose Refill)	4	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex STATdose Pen)	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i> (Imitrex)	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>	2	QL (4 per 28 days)
<i>sumatriptan-naproxen oral tablet 85-500 mg</i> (Treximet)	2	QL (9 per 27 days)
UBRELVY ORAL TABLET 100 MG, 50 MG	3	PA; QL (16 per 30 days)
<i>zolmitriptan oral tablet 2.5 mg, 5 mg</i> (Zomig)	2	QL (6 per 30 days)
<i>zolmitriptan oral tablet, disintegrating 2.5 mg, 5 mg</i>	2	QL (6 per 30 days)
Antimycobacterials		
Antimycobacterials		
<i>dapsone oral tablet 100 mg, 25 mg</i>	2	
<i>ethambutol oral tablet 100 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ethambutol oral tablet 400 mg</i> (Myambutol)	2	
<i>isoniazid oral solution 50 mg/5 ml</i>	2	
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	
PRETOMANID ORAL TABLET 200 MG	4	QL (30 per 30 days)
PRIFTIN ORAL TABLET 150 MG	4	
<i>pyrazinamide oral tablet 500 mg</i>	2	
<i>rifabutin oral capsule 150 mg</i> (Mycobutin)	2	
<i>rifampin intravenous recon soln 600 mg</i> (Rifadin)	2	
<i>rifampin oral capsule 150 mg, 300 mg</i>	2	
SIRTURO ORAL TABLET 100 MG, 20 MG	5	PA; NDS
TRECTOR ORAL TABLET 250 MG	4	
Antinausea Agents		
Antinausea Agents		
AKYNZEO (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235-0.25 MG	4	
AKYNZEO (FOSNETUPITANT) INTRAVENOUS SOLUTION 235 MG-0.25 MG /20 ML	4	
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG	4	PA BvD
<i>aprepitant oral capsule 125 mg</i>	2	PA BvD; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg</i>	2	PA BvD; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg</i> (Emend)	2	PA BvD; QL (4 per 28 days)
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend)	2	PA BvD
<i>compro rectal suppository 25 mg</i> (prochlorperazine)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>dimenhydrinate injection solution 50 mg/ml</i>	2	
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)	2	PA; QL (60 per 30 days)
<i>droperidol injection solution 2.5 mg/ml</i>	2	
EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)	4	PA BvD; QL (6 per 28 days)
<i>fosaprepitant intravenous recon soln 150 mg</i> (Emend (fosaprepitant))	2	QL (2 per 28 days)
<i>granisetron (pf) intravenous solution 100 mcg/ml</i>	2	
<i>granisetron hcl intravenous solution 1 mg/ml, 1 mg/ml (1 ml)</i>	2	
<i>granisetron hcl oral tablet 1 mg</i>	2	PA BvD
<i>meclizine oral tablet 12.5 mg</i>	2	
<i>meclizine oral tablet 25 mg</i> (Dramamine (meclizine))	2	
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>	2	
<i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>	1	
<i>ondansetron hcl intravenous solution 2 mg/ml</i>	2	
<i>ondansetron hcl oral solution 4 mg/5 ml</i>	2	PA BvD
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i>	2	PA BvD
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>	2	PA BvD
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i>	2	
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i> (Compazine)	2	
<i>prochlorperazine rectal suppository 25 mg</i> (Compro)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>promethazine injection solution 25 mg/ml</i> (Phenergan)	2	PA-HRM; AGE (Max 64 Years)
<i>promethazine injection solution 50 mg/ml</i> (Phenergan)	2	PA-HRM; AGE (Max 64 Years)
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>promethazine rectal suppository 12.5 mg, 25 mg, 50 mg</i> (Promethegan)	2	PA-HRM; AGE (Max 64 Years)
<i>promethegan rectal suppository 12.5 mg, 25 mg</i> (promethazine)	2	PA-HRM; AGE (Max 64 Years)
<i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i> (Transderm-Scop)	2	PA-HRM; QL (10 per 30 days); AGE (Max 64 Years)
Antiparasite Agents		
Antiparasite Agents		
<i>albendazole oral tablet 200 mg</i>	5	NDS
<i>atovaquone oral suspension 750 mg/5 ml</i> (Mepron)	2	
<i>atovaquone-proguanil oral tablet 250-100 mg</i> (Malarone)	2	
<i>atovaquone-proguanil oral tablet 62.5-25 mg</i> (Malarone Pediatric)	2	
<i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>	2	
COARTEM ORAL TABLET 20-120 MG	4	
<i>hydroxychloroquine oral tablet 200 mg</i> (Plaquenil)	2	QL (90 per 30 days)
IMPAVIDO ORAL CAPSULE 50 MG	5	PA; NDS; QL (84 per 28 days)
<i>ivermectin oral tablet 3 mg</i> (Stromectol)	2	
KRINTAFEL ORAL TABLET 150 MG	4	
<i>mefloquine oral tablet 250 mg</i>	2	
<i>nitazoxanide oral tablet 500 mg</i> (Alinia)	5	NDS
<i>paromomycin oral capsule 250 mg</i> (Humatin)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>pentamidine inhalation recon soln</i> 300 mg (Nebupent)	2	PA BvD
<i>pentamidine injection recon soln</i> 300 mg (Pentam)	2	
PRIMAQUINE ORAL TABLET 26.3 MG	4	
<i>pyrimethamine oral tablet</i> 25 mg (Daraprim)	5	PA; NDS
<i>quinine sulfate oral capsule</i> 324 mg (Qualaquin)	2	PA; QL (42 per 7 days)
Antiparkinsonian Agents		
Antiparkinsonian Agents		
<i>amantadine hcl oral capsule</i> 100 mg	2	
<i>amantadine hcl oral solution</i> 50 mg/5 ml	1	
<i>apomorphine subcutaneous cartridge</i> 10 mg/ml (APOKYN)	5	PA; NDS; QL (60 per 30 days)
<i>benztropine oral tablet</i> 0.5 mg, 1 mg, 2 mg	2	
<i>bromocriptine oral capsule</i> 5 mg (Parlodel)	2	
<i>bromocriptine oral tablet</i> 2.5 mg (Parlodel)	2	
<i>cabergoline oral tablet</i> 0.5 mg	2	
<i>carbidopa-levodopa oral tablet</i> 10-100 mg (Sinemet)	2	
<i>carbidopa-levodopa oral tablet</i> 25-100 mg (Dhivy)	2	
<i>carbidopa-levodopa oral tablet</i> 25-250 mg	2	
<i>carbidopa-levodopa oral tablet extended release</i> 25-100 mg, 50-200 mg	2	
<i>carbidopa-levodopa oral tablet, disintegrating</i> 10-100 mg, 25-100 mg, 25-250 mg	2	
<i>carbidopa-levodopa-entacapone oral tablet</i> 12.5-50-200 mg (Stalevo 50)	4	
<i>carbidopa-levodopa-entacapone oral tablet</i> 18.75-75-200 mg (Stalevo 75)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>carbidopa-levodopa-entacapone oral</i> (Stalevo 100) <i>tablet 25-100-200 mg</i>	4	
<i>carbidopa-levodopa-entacapone oral</i> (Stalevo 125) <i>tablet 31.25-125-200 mg</i>	4	
<i>carbidopa-levodopa-entacapone oral</i> (Stalevo 150) <i>tablet 37.5-150-200 mg</i>	4	
<i>carbidopa-levodopa-entacapone oral</i> (Stalevo 200) <i>tablet 50-200-200 mg</i>	4	
<i>entacapone oral tablet 200 mg</i> (Comtan)	2	
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG	5	PA; NDS; QL (300 per 30 days)
KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NDS; QL (150 per 30 days)
KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG	5	PA; NDS
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	3	QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG	4	ST; QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 322 MG/DAY(129 MG X1-193MG X1)	4	ST; QL (60 per 30 days)
<i>pramipexole oral tablet 0.125 mg,</i> (Mirapex) <i>0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5</i> <i>mg</i>	1	
<i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)	2	
<i>ropinirole oral tablet 0.25 mg, 0.5</i> <i>mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>	2	
<i>ropinirole oral tablet extended</i> <i>release 24 hr 12 mg, 2 mg, 4 mg, 6</i> <i>mg, 8 mg</i>	2	
<i>selegiline hcl oral capsule 5 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>selegiline hcl oral tablet 5 mg</i>	2	
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	2	
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	1	
Antipsychotic Agents		
Antipsychotic Agents		
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	5	NDS; QL (1 per 28 days)
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	5	NDS; QL (1 per 28 days)
<i>aripiprazole oral solution 1 mg/ml</i>	2	QL (900 per 30 days)
<i>aripiprazole oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)	2	QL (30 per 30 days)
<i>aripiprazole oral tablet 2 mg</i> (Abilify)	2	QL (60 per 30 days)
<i>aripiprazole oral tablet, disintegrating 10 mg</i>	5	ST; NDS; QL (90 per 30 days)
<i>aripiprazole oral tablet, disintegrating 15 mg</i>	5	ST; NDS; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML	5	NDS; QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	5	NDS; QL (3.9 per 56 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	5	NDS; QL (1.6 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	5	NDS; QL (2.4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	5	NDS; QL (3.2 per 28 days)
<i>asenapine maleate sublingual tablet</i> (Saphris) <i>10 mg, 2.5 mg, 5 mg</i>	2	QL (60 per 30 days)
CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG	5	ST; NDS; QL (30 per 30 days)
<i>chlorpromazine injection solution 25 mg/ml</i>	2	
<i>chlorpromazine oral concentrate 100 mg/ml, 30 mg/ml</i>	2	
<i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>	2	
<i>clozapine oral tablet 100 mg</i> (Clozaril)	2	QL (270 per 30 days)
<i>clozapine oral tablet 200 mg</i> (Clozaril)	2	QL (135 per 30 days)
<i>clozapine oral tablet 25 mg, 50 mg</i> (Clozaril)	2	QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating 100 mg, 12.5 mg, 25 mg</i>	2	ST; QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating 150 mg</i>	2	ST; QL (180 per 30 days)
<i>clozapine oral tablet,disintegrating 200 mg</i>	5	ST; NDS; QL (120 per 30 days)
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	5	ST; NDS; QL (60 per 30 days)
FANAPT ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2)	4	ST
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	2	
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	2	
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	2	
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	2	
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml), 50 mg/ml(1ml)</i>	2	
<i>haloperidol decanoate intramuscular (Haldol Decanoate) solution 100 mg/ml, 50 mg/ml</i>	2	
<i>haloperidol lactate injection solution 5 mg/ml</i>	2	
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	2	
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	2	
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	2	
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML	5	NDS; QL (3.5 per 180 days)
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML	5	NDS; QL (5 per 180 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NDS; QL (0.75 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	NDS; QL (1 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NDS; QL (1.5 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	3	QL (0.25 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NDS; QL (0.5 per 28 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML	5	NDS; QL (0.88 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML	5	NDS; QL (1.32 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	NDS; QL (1.75 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML	5	NDS; QL (2.63 per 84 days)
LATUDA ORAL TABLET 120 (lurasidone) MG, 20 MG, 40 MG, 60 MG	3	QL (30 per 30 days)
LATUDA ORAL TABLET 80 (lurasidone) MG	3	QL (60 per 30 days)
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	2	
LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>molindone oral tablet 10 mg</i>	2	QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	2	QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	2	QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	5	PA NSO; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>olanzapine intramuscular recon soln 10 mg</i> (Zyprexa)	2	QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i> (Zyprexa)	2	QL (30 per 30 days)
<i>olanzapine oral tablet, disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i> (Zyprexa Zydis)	2	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg, 9 mg</i> (Invega)	2	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i> (Invega)	2	QL (60 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PERSERIS ABDOMINAL SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 120 MG, 90 MG	5	NDS; QL (1 per 30 days)
<i>pimozide oral tablet 1 mg, 2 mg</i>	2	
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Seroquel)	2	QL (90 per 30 days)
<i>quetiapine oral tablet 150 mg</i>	2	QL (30 per 30 days)
<i>quetiapine oral tablet 300 mg, 400 mg</i> (Seroquel)	2	QL (60 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 50 mg</i> (Seroquel XR)	2	QL (30 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 300 mg, 400 mg</i> (Seroquel XR)	2	QL (60 per 30 days)
REXULTI ORAL TABLET 0.25 MG	5	ST; NDS; QL (120 per 30 days)
REXULTI ORAL TABLET 0.5 MG	5	ST; NDS; QL (60 per 30 days)
REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG	5	ST; NDS; QL (30 per 30 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 12.5 MG/2 ML, 25 MG/2 ML	4	QL (2 per 28 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 37.5 MG/2 ML, 50 MG/2 ML	5	NDS; QL (2 per 28 days)
<i>risperidone oral solution 1 mg/ml</i> (Risperdal)	2	QL (480 per 30 days)
<i>risperidone oral tablet 0.25 mg</i>	2	QL (60 per 30 days)
<i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg</i> (Risperdal)	2	QL (60 per 30 days)
<i>risperidone oral tablet 4 mg</i> (Risperdal)	2	QL (120 per 30 days)
<i>risperidone oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>risperidone oral tablet, disintegrating</i> 3 mg, 4 mg	2	QL (120 per 30 days)
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	5	ST; NDS; QL (30 per 30 days)
<i>thioridazine oral tablet</i> 10 mg, 100 mg, 25 mg, 50 mg	2	
<i>thiothixene oral capsule</i> 1 mg, 10 mg, 2 mg, 5 mg	2	
<i>trifluoperazine oral tablet</i> 1 mg, 10 mg, 2 mg, 5 mg	2	
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	ST; NDS; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	ST; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE, DOSE PACK 1.5 MG (1)- 3 MG (6)	4	ST
<i>ziprasidone hcl oral capsule</i> 20 mg, (Geodon) 40 mg, 60 mg, 80 mg	2	QL (60 per 30 days)
<i>ziprasidone mesylate intramuscular</i> (Geodon) <i>recon soln 20 mg/ml (final conc.)</i>	2	QL (6 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	5	NDS; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	5	NDS; QL (1 per 28 days)
Antivirals (Systemic)		
Antiretrovirals		
<i>abacavir oral solution</i> 20 mg/ml (Ziagen)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>abacavir oral tablet 300 mg</i> (Ziagen)	2	
<i>abacavir-lamivudine oral tablet 600-300 mg</i> (Epzicom)	2	
<i>abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg</i> (Trizivir)	5	NDS
APRETUDE INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 600 MG/3 ML (200 MG/ML) (cabotegravir)	5	NDS; QL (24 per 365 days)
APTIVUS ORAL CAPSULE 250 MG	5	NDS
<i>atazanavir oral capsule 150 mg</i>	2	
<i>atazanavir oral capsule 200 mg, 300 mg</i> (Reyataz)	2	
BIKTARVY ORAL TABLET 30- 120-15 MG, 50-200-25 MG	5	NDS; QL (30 per 30 days)
CABENUVA INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML	5	NDS
<i>cabotegravir intramuscular suspension,extended release 400 mg/2 ml (200 mg/ml)</i>	5	NDS; QL (24 per 365 days)
<i>cabotegravir intramuscular suspension,extended release 600 mg/3 ml (200 mg/ml)</i> (Apretude)	5	NDS; QL (24 per 365 days)
CIMDUO ORAL TABLET 300- 300 MG	5	NDS
COMPLERA ORAL TABLET 200-25-300 MG	5	NDS
DELSTRIGO ORAL TABLET 100-300-300 MG	5	NDS
DESCOVY ORAL TABLET 120- 15 MG, 200-25 MG	5	NDS
<i>didanosine oral capsule,delayed release(drlec) 250 mg, 400 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
DOVATO ORAL TABLET 50-300 MG	5	NDS
EDURANT ORAL TABLET 25 MG	5	NDS
<i>efavirenz oral capsule 200 mg, 50 mg</i> (Sustiva)	2	
<i>efavirenz oral tablet 600 mg</i>	2	
<i>efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg</i> (Atripla)	5	NDS
<i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 400-300-300 mg</i> (Symfi Lo)	5	NDS
<i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 600-300-300 mg</i> (Symfi)	5	NDS
<i>emtricitabine oral capsule 200 mg</i> (Emtriva)	2	
<i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg, 200-300 mg</i> (Truvada)	5	NDS
EMTRIVA ORAL SOLUTION 10 MG/ML	4	
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	4	
<i>etravirine oral tablet 100 mg, 200 mg</i> (Intelence)	5	NDS
EVOTAZ ORAL TABLET 300-150 MG	5	NDS
<i>fosamprenavir oral tablet 700 mg</i> (Lexiva)	5	NDS
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	5	NDS
GENVOYA ORAL TABLET 150-150-200-10 MG	5	NDS
INTELENCE ORAL TABLET 25 MG	4	
INVIRASE ORAL TABLET 500 MG	5	NDS
ISENTRESS HD ORAL TABLET 600 MG	5	NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ISENTRESS ORAL TABLET 400 MG	5	NDS
ISENTRESS ORAL TABLET,CHEWABLE 100 MG	5	NDS
ISENTRESS ORAL TABLET,CHEWABLE 25 MG	4	
JULUCA ORAL TABLET 50-25 MG	5	NDS
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	2	
<i>lamivudine oral tablet 100 mg</i> (Epivir HBV)	2	
<i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)	2	
<i>lamivudine-zidovudine oral tablet 150-300 mg</i> (Combivir)	2	
LEXIVA ORAL SUSPENSION 50 MG/ML	4	
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra)	2	QL (480 per 30 days)
<i>lopinavir-ritonavir oral tablet 100-25 mg</i> (Kaletra)	2	QL (300 per 30 days)
<i>lopinavir-ritonavir oral tablet 200-50 mg</i> (Kaletra)	5	NDS; QL (120 per 30 days)
<i>maraviroc oral tablet 150 mg, 300 mg</i> (Selzentry)	5	NDS
<i>nevirapine oral suspension 50 mg/5 ml</i>	2	
<i>nevirapine oral tablet 200 mg</i>	2	
<i>nevirapine oral tablet extended release 24 hr 100 mg, 400 mg</i>	2	
NORVIR ORAL POWDER IN PACKET 100 MG	4	
NORVIR ORAL SOLUTION 80 MG/ML	4	
ODEFSEY ORAL TABLET 200-25-25 MG	5	NDS
PIFELTRO ORAL TABLET 100 MG	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PREZCOBIX ORAL TABLET 800-150 MG-MG	5	NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	5	NDS
PREZISTA ORAL TABLET 150 MG, 600 MG, 800 MG	5	NDS
PREZISTA ORAL TABLET 75 MG	4	
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	4	
REYATAZ ORAL POWDER IN PACKET 50 MG	5	NDS
<i>rilpivirine intramuscular suspension, extended release 600 mg/2 ml (300 mg/ml), 900 mg/3 ml (300 mg/ml)</i>	5	NDS
<i>ritonavir oral tablet 100 mg</i> (Norvir)	2	
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	5	NDS
SELZENTRY ORAL SOLUTION 20 MG/ML	5	NDS
SELZENTRY ORAL TABLET 25 MG	3	
SELZENTRY ORAL TABLET 75 MG	5	NDS
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	2	
STRIBILD ORAL TABLET 150- 150-200-300 MG	5	NDS
SUNLENCA ORAL TABLET 300 MG	5	NDS
SUNLENCA SUBCUTANEOUS SOLUTION 309 MG/ML	5	PA BvD; NDS
SYMTUZA ORAL TABLET 800- 150-200-10 MG	5	NDS
TEMIXYS ORAL TABLET 300- 300 MG	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	2	
TIVICAY ORAL TABLET 10 MG	4	
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NDS
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	4	
TRIUMEQ ORAL TABLET 600-50-300 MG	5	NDS; QL (30 per 30 days)
TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG	5	NDS
TRIZIVIR ORAL TABLET 300-150-300 MG (abacavir-lamivudine-zidovudine)	5	NDS
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	5	NDS
VEMLIDY ORAL TABLET 25 MG	5	NDS; QL (30 per 30 days)
VIRACEPT ORAL TABLET 250 MG, 625 MG	5	NDS
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	5	NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	NDS
VOCABRIA ORAL TABLET 30 MG	4	
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	2	
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	2	
<i>zidovudine oral tablet 300 mg</i>	2	
Antivirals, Miscellaneous		
<i>foscarnet intravenous solution 24 mg/ml</i> (Foscavir)	2	PA BvD
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	2	QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	2	QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	2	QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	2	QL (540 per 180 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PAXLOVID (EUA) ORAL TABLETS,DOSE PACK 150-100 MG, 300 MG (150 MG X 2)-100 MG	4	QL (30 per 5 days)
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML	5	PA; NDS; QL (336 per 28 days)
PREVYMIS INTRAVENOUS SOLUTION 480 MG/24 ML	5	PA; NDS; QL (672 per 28 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	5	PA; NDS; QL (28 per 28 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	4	QL (60 per 180 days)
<i>rimantadine oral tablet 100 mg</i> (Flumadine)	2	
XOFLUZA 40 MG TAB (80 MG DOSE)	4	QL (4 per 180 days)
XOFLUZA ORAL TABLET 20 MG, 40 MG	4	QL (4 per 180 days)
XOFLUZA ORAL TABLET 80 MG	4	QL (2 per 180 days)
Hcv Antivirals		
EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG	5	PA; NDS; QL (28 per 28 days)
EPCLUSA ORAL PELLETS IN PACKET 200-50 MG	5	PA; NDS; QL (56 per 28 days)
EPCLUSA ORAL TABLET 200-50 MG	5	PA; NDS; QL (28 per 28 days)
EPCLUSA ORAL TABLET 400-100 MG (sofosbuvir-velpatasvir)	5	PA; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	5	PA; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 45-200 MG	5	PA; NDS; QL (56 per 28 days)
HARVONI ORAL TABLET 45-200 MG	5	PA; NDS; QL (28 per 28 days)
HARVONI ORAL TABLET 90-400 MG (ledipasvir-sofosbuvir)	5	PA; NDS; QL (28 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VOSEVI ORAL TABLET 400-100-100 MG	5	PA; NDS; QL (28 per 28 days)
Interferons		
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	5	PA NSO; NDS
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	5	NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	5	NDS
Nucleosides And Nucleotides		
<i>acyclovir oral capsule 200 mg</i>	2	
<i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax)	2	
<i>acyclovir oral tablet 400 mg, 800 mg</i>	2	
<i>acyclovir sodium intravenous recon soln 1,000 mg, 500 mg</i>	2	PA BvD
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	2	PA BvD
<i>adefovir oral tablet 10 mg</i> (Hepsera)	2	
<i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)	2	
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	2	
<i>lagevrio (eua) oral capsule 200 mg</i>	4	QL (40 per 5 days)
<i>ribavirin oral capsule 200 mg</i>	2	
<i>ribavirin oral tablet 200 mg</i>	2	
<i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)	2	
<i>valganciclovir oral tablet 450 mg</i> (Valcyte)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Blood Products/Modifiers/Volume Expanders		
Anticoagulants		
ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	3	
ELIQUIS ORAL TABLET 2.5 MG	3	QL (60 per 30 days)
ELIQUIS ORAL TABLET 5 MG	3	QL (74 per 30 days)
<i>enoxaparin subcutaneous solution</i> (Lovenox) 300 mg/3 ml	2	QL (30 per 30 days)
<i>enoxaparin subcutaneous syringe</i> (Lovenox) 100 mg/ml, 150 mg/ml	2	QL (60 per 30 days)
<i>enoxaparin subcutaneous syringe</i> (Lovenox) 120 mg/0.8 ml, 80 mg/0.8 ml	2	QL (48 per 30 days)
<i>enoxaparin subcutaneous syringe 30</i> (Lovenox) <i>mg/0.3 ml</i>	2	QL (18 per 30 days)
<i>enoxaparin subcutaneous syringe 40</i> (Lovenox) <i>mg/0.4 ml</i>	2	QL (24 per 30 days)
<i>enoxaparin subcutaneous syringe 60</i> (Lovenox) <i>mg/0.6 ml</i>	2	QL (36 per 30 days)
<i>fondaparinux subcutaneous syringe</i> (Arixtra) <i>10 mg/0.8 ml</i>	5	NDS; QL (24 per 30 days)
<i>fondaparinux subcutaneous syringe</i> (Arixtra) <i>2.5 mg/0.5 ml</i>	2	QL (15 per 30 days)
<i>fondaparinux subcutaneous syringe</i> (Arixtra) <i>5 mg/0.4 ml</i>	5	NDS; QL (12 per 30 days)
<i>fondaparinux subcutaneous syringe</i> (Arixtra) <i>7.5 mg/0.6 ml</i>	5	NDS; QL (18 per 30 days)
<i>heparin (porcine) injection cartridge</i> <i>5,000 unit/ml (1 ml)</i>	2	
<i>heparin (porcine) injection solution</i> <i>1,000 unit/ml, 10,000 unit/ml,</i> <i>20,000 unit/ml, 5,000 unit/ml</i>	2	
<i>heparin, porcine (pf) injection</i> <i>solution 1,000 unit/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml, 5,000 unit/ml</i>	2	
<i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (warfarin)	1	
<i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (Jantoven)	1	
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	3	
XARELTO ORAL SUSPENSION FOR RECONSTITUTION 1 MG/ML	3	QL (600 per 30 days)
XARELTO ORAL TABLET 10 MG, 20 MG	3	QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG, 2.5 MG	3	QL (60 per 30 days)
Blood Formation Modifiers		
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	5	PA; NDS
DOPTELET (10 TAB PACK) ORAL TABLET 20 MG	5	PA; NDS; QL (60 per 30 days)
DOPTELET (15 TAB PACK) ORAL TABLET 20 MG	5	PA; NDS; QL (60 per 30 days)
DOPTELET (30 TAB PACK) ORAL TABLET 20 MG	5	PA; NDS; QL (60 per 30 days)
FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
GRANIX SUBCUTANEOUS SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NDS
GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NDS
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	5	PA; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	5	PA; NDS; QL (20 per 30 days)
LEUKINE INJECTION RECON SOLN 250 MCG	5	NDS
NEULASTA ONPRO SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML	5	PA; NDS
NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NDS
NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
PROMACTA ORAL POWDER IN PACKET 12.5 MG	5	PA; NDS; QL (90 per 30 days)
PROMACTA ORAL POWDER IN PACKET 25 MG	5	PA; NDS; QL (180 per 30 days)
PROMACTA ORAL TABLET 12.5 MG	5	PA; NDS; QL (90 per 30 days)
PROMACTA ORAL TABLET 25 MG	5	PA; NDS; QL (30 per 30 days)
PROMACTA ORAL TABLET 50 MG, 75 MG	5	PA; NDS; QL (60 per 30 days)
RELEUKO INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NDS
RELEUKO SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NDS
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	3	PA; QL (4 per 28 days)
UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NDS
Hematologic Agents, Miscellaneous		
<i>anagrelide oral capsule 0.5 mg</i> (Agrylin)	2	
<i>anagrelide oral capsule 1 mg</i>	2	
CABLIVI INJECTION KIT 11 MG	5	PA; NDS; QL (30 per 30 days)
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	4	
<i>protamine intravenous solution 10 mg/ml</i>	2	
SIKLOS ORAL TABLET 100 MG	4	PA
<i>tranexamic acid intravenous solution 1,000 mg/10 ml (100 mg/ml)</i> (Cyklokapron)	2	
<i>tranexamic acid oral tablet 650 mg</i> (Lysteda)	2	
Platelet-Aggregation Inhibitors		
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	2	QL (60 per 30 days)
BRILINTA ORAL TABLET 60 MG, 90 MG	3	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	2	
<i>clopidogrel oral tablet 75 mg</i> (Plavix)	1	
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>pentoxifylline oral tablet extended release 400 mg</i>	2	
<i>prasugrel oral tablet 10 mg, 5 mg</i> (Effient)	2	QL (30 per 30 days)
Caloric Agents		
Caloric Agents		
AMINOSYN-PF 7 % (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 5%-D20W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 6%-D5W (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %	4	PA BvD
CLINIMIX 8%-D10W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
<i>dextrose 10 % in water (d10w)</i> <i>intravenous parenteral solution 10 %</i>	2	PA BvD
<i>dextrose 5 % in water (d5w)</i> <i>intravenous parenteral solution</i>	4	
<i>dextrose 5 % in water (d5w)</i> <i>intravenous piggyback 5 %</i>	2	
<i>dextrose 5%-water iv soln single use</i>	2	
INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %	4	PA BvD
NUTRILIPID INTRAVENOUS EMULSION 20 %	4	PA BvD
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	4	PA BvD
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	4	PA BvD
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
Cardiovascular Agents		
Alpha-Adrenergic Agents		
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>	1	
<i>clonidine transdermal patch weekly (Catapres-TTS-1) 0.1 mg/24 hr</i>	2	QL (4 per 28 days)
<i>clonidine transdermal patch weekly (Catapres-TTS-2) 0.2 mg/24 hr</i>	2	QL (4 per 28 days)
<i>clonidine transdermal patch weekly (Catapres-TTS-3) 0.3 mg/24 hr</i>	2	QL (8 per 28 days)
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura)	2	
<i>droxidopa oral capsule 100 mg, 200 mg, 300 mg</i> (Northera)	5	PA; NDS; QL (180 per 30 days)
<i>guanfacine oral tablet 1 mg, 2 mg</i>	2	
<i>methyldopa oral tablet 250 mg, 500 mg</i>	2	
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	
<i>phenylephrine hcl injection solution (Vazculep) 10 mg/ml</i>	2	
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i> (Minipress)	2	
Angiotensin II Receptor Antagonists		
<i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Atacand)	6	
<i>candesartan-hydrochlorothiazid oral (Atacand HCT) tablet 16-12.5 mg, 32-12.5 mg, 32- 25 mg</i>	6	
EDARBI ORAL TABLET 40 MG, 80 MG	3	
EDARBYCLOR ORAL TABLET 40-12.5 MG, 40-25 MG	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ENTRESTO ORAL TABLET 24-26 MG	3	QL (180 per 30 days)
ENTRESTO ORAL TABLET 49-51 MG, 97-103 MG	3	QL (60 per 30 days)
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> (Avapro)	6	
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)	6	
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)	6	
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)	6	
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)	6	
<i>olmesartan-amlodipin-hctiazid oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i> (Tribenzor)	6	
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)	6	
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> (Micardis)	6	
<i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i> (Micardis HCT)	6	
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan)	6	
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT)	6	
Angiotensin-Converting Enzyme Inhibitors		
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin)	6	
<i>benazepril oral tablet 5 mg</i>	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Lotensin HCT)	6	
<i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i>	6	
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	6	
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec)	6	
<i>enalaprilat intravenous solution 1.25 mg/ml</i>	2	
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic)	6	
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	6	
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	6	
<i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i>	6	
<i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i> (Zestril)	6	
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic)	6	
<i>moexipril oral tablet 15 mg, 7.5 mg</i>	6	
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	6	
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Accupril)	6	
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Accuretic)	6	
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i> (Altace)	6	
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>trandolapril-verapamil oral tablet, ir - er, biphasic 24hr 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg</i>	6	
Antiarrhythmic Agents		
<i>amiodarone oral tablet 100 mg, 400 mg</i> (Pacerone)	2	
<i>amiodarone oral tablet 200 mg</i> (Pacerone)	1	
<i>disopyramide phosphate oral capsule 100 mg, 150 mg</i> (Norpace)	2	PA-HRM; AGE (Max 64 Years)
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn)	2	
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	2	
<i>lidocaine (pf) intravenous syringe 100 mg/5 ml (2%), 50 mg/5 ml (1%)</i>	1	
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	2	
MULTAQ ORAL TABLET 400 MG	3	
<i>pacerone oral tablet 100 mg, 200 mg, 400 mg</i> (amiodarone)	2	
<i>procainamide injection solution 100 mg/ml, 500 mg/ml</i>	2	
<i>procainamide intravenous syringe 100 mg/ml</i>	2	
<i>propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg</i> (Rythmol SR)	2	
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	2	
<i>quinidine gluconate oral tablet extended release 324 mg</i>	2	
<i>quinidine sulfate oral tablet 200 mg</i>	1	
<i>quinidine sulfate oral tablet 300 mg</i>	2	
Beta-Adrenergic Blocking Agents		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i> (Tenormin)	1	
<i>atenolol-chlorthalidone oral tablet 100-25 mg</i> (Tenoretic 100)	2	
<i>atenolol-chlorthalidone oral tablet 50-25 mg</i> (Tenoretic 50)	2	
<i>betaxolol oral tablet 10 mg, 20 mg</i>	2	
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	2	
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i> (Ziac)	2	
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i> (Coreg)	1	
<i>labetalol intravenous solution 5 mg/ml</i>	2	
<i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i>	2	
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	2	
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i> (Toprol XL)	1	
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg, 50-25 mg</i>	2	
<i>metoprolol tartrate intravenous solution 5 mg/5 ml</i>	2	
<i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> (Lopressor)	1	
<i>metoprolol tartrate oral tablet 25 mg</i>	1	
<i>nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Bystolic)	2	
<i>pindolol oral tablet 10 mg, 5 mg</i>	2	
<i>propranolol intravenous solution 1 mg/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>propranolol oral capsule,extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> (Inderal LA)	2	
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	2	
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	2	
<i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i>	2	
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (sotalol)	2	
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i> (sotalol)	2	
<i>sotalol oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (Sorine)	2	
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	2	
Calcium-Channel Blocking Agents		
<i>cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (diltiazem hcl)	2	
<i>diltiazem hcl intravenous solution 5 mg/ml</i>	2	
<i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i>	2	
<i>diltiazem hcl oral capsule,extended release 24 hr 360 mg</i> (Taztia XT)	2	
<i>diltiazem hcl oral capsule,extended release 24 hr 420 mg</i> (Tiadylt ER)	2	
<i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cartia XT)	2	
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem)	2	
<i>diltiazem hcl oral tablet 90 mg</i>	2	
<i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i> (diltiazem hcl)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl)	2	
<i>taztia xt oral capsule, extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i> (diltiazem hcl)	2	
<i>tiadylt er oral capsule, extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl)	2	
<i>verapamil intravenous syringe 2.5 mg/ml</i>	2	
<i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i> (Verelan PM)	2	
<i>verapamil oral capsule, ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i>	2	
<i>verapamil oral capsule, ext rel. pellets 24 hr 360 mg</i>	4	
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>	1	
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i> (Calan SR)	2	
Cardiovascular Agents, Miscellaneous		
CORLANOR ORAL SOLUTION 5 MG/5 ML	3	QL (600 per 30 days)
CORLANOR ORAL TABLET 5 MG, 7.5 MG	3	QL (60 per 30 days)
<i>digitek oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (digoxin)	2	
<i>digox oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (digoxin)	2	
<i>digoxin 250 mcg tablet 250 mcg (0.25 mg)</i> (Digitek)	2	
<i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i>	2	
<i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (Digitek)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)	2	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i> (Auvi-Q)	2	QL (4 per 30 days)
<i>epinephrine injection solution 1 mg/ml</i> (Adrenalin)	1	
<i>hydralazine injection solution 20 mg/ml</i>	2	
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	
<i>icatibant subcutaneous syringe 30 mg/3 ml</i> (Sajazir)	5	PA; NDS; QL (18 per 30 days)
<i>metyrosine oral capsule 250 mg</i> (Demser)	5	NDS
<i>ranolazine oral tablet extended release 12 hr 1,000 mg</i>	2	QL (60 per 30 days)
<i>ranolazine oral tablet extended release 12 hr 500 mg</i> (Ranexa)	2	QL (120 per 30 days)
<i>sajazir subcutaneous syringe 30 mg/3 ml</i> (icatibant)	5	PA; NDS; QL (18 per 30 days)
Dihydropyridines		
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc)	1	
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg</i> (Lotrel)	6	
<i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg</i>	6	
<i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg</i> (Azor)	6	
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i> (Exforge)	6	
<i>amlodipine-valsartan-hcthiiazid oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg</i> (Exforge HCT)	6	
<i>isradipine oral capsule 2.5 mg, 5 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>nicardipine oral capsule 20 mg, 30 mg</i>	2	
<i>nifedipine oral capsule 10 mg, 20 mg</i>	2	
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i> (Procardia XL)	2	
<i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i>	2	
Diuretics		
<i>amiloride oral tablet 5 mg</i>	2	
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	2	
<i>bumetanide injection solution 0.25 mg/ml</i>	2	
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	
<i>chlorothiazide sodium intravenous recon soln 500 mg</i> (Diuril IV)	2	
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	2	
<i>furosemide injection solution 10 mg/ml</i>	2	
<i>furosemide injection syringe 10 mg/ml</i>	1	
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	2	
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> (Lasix)	1	
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	1	
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	
<i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> (Aldactone)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>toremide oral tablet 10 mg, 100 mg, 5 mg</i>	2	
<i>toremide oral tablet 20 mg</i> (Soanz)	2	
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i>	1	
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg</i> (Maxzide-25mg)	1	
<i>triamterene-hydrochlorothiazid oral tablet 75-50 mg</i> (Maxzide)	1	
Dyslipidemics		
<i>amlodipine-atorvastatin oral tablet 10-10 mg, 5-10 mg</i> (Caduet)	6	
<i>amlodipine-atorvastatin oral tablet 10-20 mg, 10-40 mg, 10-80 mg, 5-20 mg, 5-40 mg, 5-80 mg</i> (Caduet)	6	QL (30 per 30 days)
<i>amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg</i>	6	
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Lipitor)	6	QL (30 per 30 days)
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i> (Questran)	2	
<i>cholestyramine light oral powder in packet 4 gram</i> (cholestyramine-aspartame)	2	
<i>colesevelam oral powder in packet 3.75 gram</i> (WelChol)	2	
<i>colesevelam oral tablet 625 mg</i> (WelChol)	2	
<i>colestipol oral packet 5 gram</i> (Colestid)	2	
<i>colestipol oral tablet 1 gram</i> (Colestid)	2	
<i>ezetimibe oral tablet 10 mg</i> (Zetia)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-10 mg</i> (Vytorin 10-10)	6	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-20 mg</i> (Vytorin 10-20)	6	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-40 mg</i> (Vytorin 10-40)	6	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-80 mg</i> (Vytorin 10-80)	6	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>fenofibrate micronized oral capsule</i> 130 mg, 134 mg, 200 mg, 67 mg	2	
<i>fenofibrate nanocrystallized oral tablet</i> 145 mg, 48 mg (Tricor)	2	
<i>fenofibrate nanocrystallized oral tablet</i> 160 mg	2	
<i>fenofibrate oral tablet</i> 160 mg, 54 mg	2	
<i>fenofibric acid (choline) oral capsule, delayed release (drlec)</i> 135 mg, 45 mg (Trilipix)	2	
<i>fluvastatin oral capsule</i> 20 mg, 40 mg	6	QL (60 per 30 days)
<i>fluvastatin oral tablet extended release</i> 24 hr 80 mg (Lescol XL)	6	
<i>gemfibrozil oral tablet</i> 600 mg (Lopid)	1	
JUXTAPID ORAL CAPSULE 10 MG, 40 MG, 5 MG, 60 MG	5	PA; NDS; QL (28 per 28 days)
JUXTAPID ORAL CAPSULE 20 MG, 30 MG	5	PA; NDS; QL (56 per 28 days)
LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG	3	QL (30 per 30 days)
<i>lovastatin oral tablet</i> 10 mg, 20 mg, 40 mg	6	
NEXLETOL ORAL TABLET 180 MG	3	QL (30 per 30 days)
NEXLIZET ORAL TABLET 180-10 MG	3	QL (30 per 30 days)
<i>niacin oral tablet</i> 500 mg (Niacor)	1	
<i>niacin oral tablet extended release</i> 24 hr 1,000 mg, 500 mg, 750 mg	2	
<i>niacor oral tablet</i> 500 mg (niacin)	2	
<i>omega-3 acid ethyl esters oral capsule</i> 1 gram (Lovaza)	2	ST; QL (120 per 30 days)
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML	3	QL (2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>pravastatin oral tablet 10 mg, 80 mg</i>	6	
<i>pravastatin oral tablet 20 mg, 40 mg</i>	6	QL (30 per 30 days)
<i>prevalite oral powder in packet 4 gram</i> (cholestyramine-aspartame)	2	
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	3	QL (7 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	3	QL (6 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	3	QL (6 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor)	6	QL (30 per 30 days)
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg</i> (Zocor)	6	QL (30 per 30 days)
<i>simvastatin oral tablet 5 mg, 80 mg</i>	6	QL (30 per 30 days)
VASCEPA ORAL CAPSULE 0.5 GRAM (icosapent ethyl)	2	QL (240 per 30 days)
VASCEPA ORAL CAPSULE 1 GRAM (icosapent ethyl)	2	QL (120 per 30 days)
Renin-Angiotensin-Aldosterone System Inhibitors		
<i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna)	2	
<i>eplerenone oral tablet 25 mg, 50 mg</i> (Inspra)	2	
KERENDIA ORAL TABLET 10 MG, 20 MG	3	PA; QL (30 per 30 days)
Vasodilators		
BIDIL ORAL TABLET 20-37.5 MG (isosorbide-hydralazine)	3	
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	2	
<i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titradose)	2	
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	
<i>isosorbide-hydralazine oral tablet 20-37.5 mg</i> (BiDil)	2	
<i>minitran transdermal patch 24 hour 0.1 mg/1hr, 0.2 mg/1hr, 0.4 mg/1hr, 0.6 mg/1hr</i> (nitroglycerin)	2	
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	2	
<i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i>	2	
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)	2	
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/1hr, 0.2 mg/1hr, 0.4 mg/1hr, 0.6 mg/1hr</i> (Nitro-Dur)	2	
Central Nervous System Agents		
Central Nervous System Agents		
<i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i> (Strattera)	2	QL (60 per 30 days)
<i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i> (Strattera)	2	QL (30 per 30 days)
AUBAGIO ORAL TABLET 14 MG, 7 MG	5	PA; NDS; QL (30 per 30 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	5	PA; NDS; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	5	PA; NDS; QL (60 per 30 days)
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)
BETASERON SUBCUTANEOUS KIT 0.3 MG	5	PA; NDS; QL (15 per 30 days)
<i>caffeine citrate intravenous solution 60 mg/3 ml (20 mg/ml)</i> (Cafcit)	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>caffeine citrate oral solution 60 mg/3 ml (20 mg/ml)</i>	2	
COPAXONE SUBCUTANEOUS (glatiramer) SYRINGE 20 MG/ML	5	PA; NDS; QL (30 per 30 days)
COPAXONE SUBCUTANEOUS (glatiramer) SYRINGE 40 MG/ML	5	PA; NDS; QL (12 per 28 days)
<i>dalfampridine oral tablet extended release 12 hr 10 mg</i> (Ampyra)	2	PA; QL (60 per 30 days)
<i>dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i> (Focalin)	2	QL (60 per 30 days)
<i>dextroamphetamine sulfate oral tablet 10 mg</i> (Zenzedi)	2	QL (180 per 30 days)
<i>dextroamphetamine sulfate oral tablet 15 mg, 5 mg</i> (Zenzedi)	2	QL (90 per 30 days)
<i>dextroamphetamine sulfate oral tablet 20 mg, 30 mg</i> (Zenzedi)	2	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 10 mg, 15 mg, 5 mg</i> (Adderall XR)	2	QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 20 mg, 25 mg, 30 mg</i> (Adderall XR)	2	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i> (Adderall)	2	QL (60 per 30 days)
<i>dimethyl fumarate oral capsule, delayed release (drlec) 120 mg</i> (Tecfidera)	5	PA; NDS; QL (14 per 7 days)
<i>dimethyl fumarate oral capsule, delayed release (drlec) 120 mg (14)- 240 mg (46)</i> (Tecfidera)	5	PA; NDS
<i>dimethyl fumarate oral capsule, delayed release (drlec) 240 mg</i> (Tecfidera)	5	PA; NDS; QL (60 per 30 days)
<i>fingolimod oral capsule 0.5 mg</i> (Gilenya)	5	PA; NDS; QL (30 per 30 days)
<i>flumazenil intravenous solution 0.1 mg/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
GILENYA ORAL CAPSULE 0.25 MG	5	PA; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 20 mg/ml</i> (Copaxone)	5	PA; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i> (Copaxone)	5	PA; NDS; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i> (glatiramer)	5	PA; NDS; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i> (glatiramer)	5	PA; NDS; QL (12 per 28 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> (Intuniv ER)	2	QL (30 per 30 days)
KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML	5	PA; NDS; QL (1.2 per 28 days)
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	
<i>lithium carbonate oral tablet 300 mg</i>	2	
<i>lithium carbonate oral tablet extended release 300 mg</i> (Lithobid)	2	
<i>lithium carbonate oral tablet extended release 450 mg</i>	2	
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAYZENT ORAL TABLET 0.25 MG	5	PA; NDS; QL (112 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MAYZENT ORAL TABLET 1 MG, 2 MG	5	PA; NDS; QL (30 per 30 days)
MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (7 TABS)	4	PA
MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS)	5	PA; NDS
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i>	2	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i>	2	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 10 mg, 20 mg, 40 mg</i> (Ritalin LA)	2	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 30 mg</i> (Ritalin LA)	2	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 60 mg</i>	2	QL (30 per 30 days)
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> (Methylin)	2	QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin)	2	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 10 mg</i>	2	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 20 mg</i> (Metadate ER)	2	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg (bx rating), 54 mg (bx rating)</i>	2	QL (30 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 54 mg</i> (Concerta)	2	QL (30 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg</i> (Concerta)	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg (bx rating)</i>	2	QL (60 per 30 days)
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	5	PA; NDS; QL (20 per 180 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NDS
<i>riluzole oral tablet 50 mg</i> (Rilutek)	2	QL (60 per 30 days)
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	3	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	3	
TASCENSO ODT ORAL TABLET,DISINTEGRATING 0.25 MG, 0.5 MG	5	PA; NDS; QL (30 per 30 days)
<i>tetrabenazine oral tablet 12.5 mg, 25 mg</i> (Xenazine)	5	PA; NDS; QL (112 per 28 days)
VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG	5	PA; NDS; QL (120 per 30 days)
Contraceptives		
Contraceptives		
<i>afirmelle oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)	2	
<i>altavera (28) oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)	2	
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2	
<i>amethia oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(1 norgest/e.estradiol-e.estradiol)	2	QL (91 per 84 days)
<i>apri oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i>		2	
<i>ashlyna oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(1 norgest/e.estradiol-e.estradiol)	2	QL (91 per 84 days)
<i>aubra eq oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estradiol)	2	
<i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	
<i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	
<i>aviane oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estradiol)	2	
<i>ayuna oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estradiol)	2	
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desogestrel-e.estradiol/e.estradiol)	2	
<i>balziva (28) oral tablet 0.4-35 mg-mcg</i>		2	
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>briellyn oral tablet 0.4-35 mg-mcg</i>	2	
<i>camila oral tablet 0.35 mg</i> (norethindrone (contraceptive))	1	
<i>caziant (28) oral tablet 0.11.125/1.15-25 mg-mcg</i>	2	
<i>chateal eq (28) oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)	2	
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i> (norgestrel-ethinyl estradiol)	2	
<i>cyclafem 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)	2	
<i>cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>cyred eq oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol)	2	
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)	2	
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>daysee oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (1 norgest/e.estradiol-e.estrad)	2	QL (91 per 84 days)
<i>deblitane oral tablet 0.35 mg</i> (norethindrone (contraceptive))	1	
<i>desog-e.estradiolle.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (Azurette (28))	2	
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i> (Apri)	2	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i> (Jasmiel (28))	2	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i> (Syeda)	2	
<i>elinest oral tablet 0.3-30 mg-mcg</i> (norgestrel-ethinyl estradiol)	2	
ELLA ORAL TABLET 30 MG	4	QL (6 per 365 days)
<i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i> (etonogestrel-ethinyl estradiol)	2	QL (1 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>emoquette oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	2	
<i>enskyce oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>errin oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>estarylla oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i>	(Kelnor 1/35 (28))	2	
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i>	(Kelnor 1-50 (28))	2	
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i>	(EluRyng)	2	QL (1 per 28 days)
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>femynor oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	
<i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>hailey oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>haloette vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	2	QL (1 per 28 days)
<i>heather oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	2	QL (91 per 84 days)
<i>incassia oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>isibloom oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>jaimiess oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol-e.estradiol)	2	QL (91 per 84 days)
<i>jasmiel (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	
<i>jencycla oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>juleber oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	
<i>kalliga oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	
<i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2	
<i>kelnor 1-50 (28) oral tablet 1-50 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2	
<i>kurvelo (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>l norgestle.estradiol-e.estradiol oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)</i>	(LoJaimiess)	2	QL (91 per 84 days)
<i>l norgestle.estradiol-e.estradiol oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(Amethia)	2	QL (91 per 84 days)
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	
<i>larissia oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>lessina oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	2	
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i>	(Afirmelle)	2	
<i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i>	(Altavera (28))	2	
<i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(Iclevia)	2	QL (91 per 84 days)
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(Enpresse)	2	
<i>levora-28 oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>lillow (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>lojaimiess oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol-e.estrad)	2	QL (91 per 84 days)
<i>loryna (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	
<i>lo-zumandimine (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>lutera (28) oral tablet 0.1-20 mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>lyleq oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>lyza oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>marlissa (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>merzee oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>mili oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	
<i>mono-linyah oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	
<i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>		2	
<i>nikki (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i>	(Camila)	1	
<i>norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg</i>	(Aurovela 1.5/30 (21))	2	
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i>	(Aurovela 1/20 (21))	2	
<i>norethindrone-e.estradiol-iron oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	(Merzee)	2	
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(Aurovela Fe 1-20 (28))	1	
<i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(Aurovela Fe 1.5/30 (28))	2	
<i>norethindrone-e.estradiol-iron oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(Tri-Legest Fe)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(Tri-Lo-Estarylla)	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(Tri-Estarylla)	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.25-35 mg-mcg</i>	(Mili)	2	
<i>norlyda oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>		2	
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>		2	
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2	
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2	
<i>nylia 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2	
<i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2	
<i>nymyo oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	
<i>orsythia oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>philith oral tablet 0.4-35 mg-mcg</i>		2	
<i>pimtreea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog- e.estradiol/e.estradiol)	2	
<i>pirmella oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2	
<i>pirmella oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2	
<i>portia 28 oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>previfem oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	2	QL (91 per 84 days)
<i>sharobel oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	
<i>simpesse oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol-e.estrad)	2	QL (91 per 84 days)
<i>sprintec (28) oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	
<i>sronyx oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>syeda oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	2	
<i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	
<i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	
<i>tri femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(norethindrone-e.estradiol-iron)	2	
<i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	
<i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>tri-nymyo oral tablet</i> 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	2	
<i>tri-previfem (28) oral tablet</i> 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	1	
<i>tri-sprintec (28) oral tablet</i> 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	2	
<i>trivora (28) oral tablet 50-30</i> (6)/175-40 (5)/125-30(10)	(levonorg-eth estrad triphasic)	2	
<i>tri-vylibra lo oral tablet</i> 0.18/0.215/0.25 mg-25 mcg	(norgestimate-ethinyl estradiol)	1	
<i>tri-vylibra oral tablet</i> 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	2	
<i>tulana oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>tyblume oral tablet, chewable 0.1</i> <i>mg- 20 mcg</i>		4	
<i>velivet triphasic regimen (28) oral</i> <i>tablet 0.1/1.125/1.15-25 mg-mcg</i>		2	
<i>vestura (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	
<i>vienva oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>viorele (28) oral tablet 0.15-0.02</i> <i>mgx21 /0.01 mg x 5</i>	(desog- e.estradiol/e.estradiol)	2	
<i>volnea (28) oral tablet 0.15-0.02</i> <i>mgx21 /0.01 mg x 5</i>	(desog- e.estradiol/e.estradiol)	2	
<i>vyfemla (28) oral tablet 0.4-35 mg-</i> <i>mcg</i>		2	
<i>vylibra oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	
<i>wera (28) oral tablet 0.5-35 mg-</i> <i>mcg</i>		2	
<i>xulane transdermal patch weekly</i> <i>150-35 mcg/24 hr</i>		2	QL (3 per 28 days)
<i>zafemy transdermal patch weekly</i> <i>150-35 mcg/24 hr</i>		2	QL (3 per 28 days)
<i>zarah oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i> (ethynodiol diac-eth estradiol)	2	
<i>zumandimine (28) oral tablet 3-0.03 mg</i> (drospirenone-ethinyl estradiol)	2	
Dental And Oral Agents		
Dental And Oral Agents		
<i>cevimeline oral capsule 30 mg</i> (Evoxac)	2	
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i> (Paroex Oral Rinse)	1	
<i>denta 5000 plus dental cream 1.1 %</i> (fluoride (sodium))	1	
<i>dentagel dental gel 1.1 %</i> (fluoride (sodium))	1	
<i>fluoride (sodium) dental solution 0.2 %</i> (PreviDent)	1	
<i>oralone dental paste 0.1 %</i> (triamcinolone acetonide)	2	
<i>paroex oral rinse mucous membrane mouthwash 0.12 %</i> (chlorhexidine gluconate)	1	
<i>perio gard mucous membrane mouthwash 0.12 %</i> (chlorhexidine gluconate)	1	
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i> (Salagen (pilocarpine))	2	
<i>sf 5000 plus dental cream 1.1 %</i> (fluoride (sodium))	1	
<i>sodium fluoride-pot nitrate dental paste 1.1-5 %</i> (Fluoridex Sensitivity Relief)	1	
<i>triamcinolone acetonide dental paste 0.1 %</i> (Oralone)	2	
Dermatological Agents		
Dermatological Agents, Other		
<i>accutane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (isotretinoin)	2	
<i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>	2	
<i>acyclovir topical ointment 5 %</i> (Zovirax)	2	QL (30 per 30 days)
ALCOHOL 70% SWABS (Alcohol Pads)	1	
ALCOHOL PADS TOPICAL PADS, MEDICATED (alcohol swabs)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ALCOHOL PREP SWABS (alcohol swabs) TOPICAL PADS, MEDICATED	1	
<i>ammonium lactate topical cream 12 %</i>	2	
<i>ammonium lactate topical lotion 12 %</i> (Skin Treatment)	2	
BD SINGLE USE SWAB (alcohol swabs)	1	
<i>calcipotriene scalp solution 0.005 %</i>	2	QL (120 per 30 days)
<i>calcipotriene topical cream 0.005 %</i> (Dovonex)	2	QL (120 per 30 days)
<i>calcipotriene topical ointment 0.005 %</i>	2	QL (120 per 30 days)
CARETOUCH ALCOHOL 70% (alcohol swabs) PREP PAD	1	
CURITY ALCOHOL PREPS 2 (alcohol swabs) PLY, MEDIUM	1	
DROPSAFE ALCOHOL 70% (alcohol swabs) PREP PADS	1	
EASY COMFORT ALCOHOL (alcohol swabs) 70% PAD	1	
EASY TOUCH ALCOHOL 70% (alcohol swabs) PADS GAMMA-STERILIZED	1	
<i>fluorouracil topical cream 0.5 %</i> (Carac)	5	NDS
<i>fluorouracil topical cream 5 %</i> (Efudex)	2	
<i>fluorouracil topical solution 2 %, 5 %</i>	2	
HEB INCONTROL ALCOHOL (alcohol swabs) 70% PADS	1	
<i>imiquimod topical cream in packet 5 %</i>	2	QL (24 per 30 days)
IV ANTISEPTIC WIPES (alcohol swabs)	1	
KENDALL ALCOHOL 70% (alcohol swabs) PREP PAD	1	
KLISYRI TOPICAL OINTMENT IN PACKET 1 %	3	QL (5 per 5 days)
<i>methoxsalen oral capsule, liqd-filled, rapid rel 10 mg</i>	5	NDS
PANRETIN TOPICAL GEL 0.1 %	5	NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>podofilox topical solution 0.5 %</i>	2	
PRO COMFORT ALCOHOL (alcohol swabs) 70% PADS	1	
PURE COMFORT ALCOHOL (alcohol swabs) 70% PADS	1	
RA ISOPROPYL ALCOHOL (alcohol swabs) 70% WIPES	1	
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	4	QL (180 per 30 days)
SURE COMFORT ALCOHOL (alcohol swabs) PREP PADS	1	
SURE-PREP ALCOHOL PREP (alcohol swabs) PADS	1	
TRUE COMFORT ALCOHOL (alcohol swabs) 70% PADS	1	
TRUE COMFORT PRO (alcohol swabs) ALCOHOL PADS	1	
ULTILET ALCOHOL STERL (alcohol swabs) SWAB	1	
VALCHLOR TOPICAL GEL 0.016 %	5	NDS
WEBCOL ALCOHOL PREPS (alcohol swabs) 20'S,LARGE	1	
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (isotretinoin)	2	
Dermatological Antibacterials		
<i>clindamycin phosphate topical solution 1 %</i> (Cleocin T)	2	QL (180 per 30 days)
<i>clindamycin phosphate topical swab 1 %</i> (Clindacin ETZ)	2	
<i>clindamycin-benzoyl peroxide topical gel 1.2 %(1 % base) -5 %</i> (Neuac)	2	
<i>ery pads topical swab 2 %</i> (erythromycin with ethanol)	2	
<i>erythromycin with ethanol topical gel 2 %</i> (Erygel)	2	QL (180 per 30 days)
<i>erythromycin with ethanol topical solution 2 %</i>	2	QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>gentamicin topical cream 0.1 %</i>	2	QL (120 per 30 days)
<i>gentamicin topical ointment 0.1 %</i>	2	QL (120 per 30 days)
<i>metronidazole topical cream 0.75 %</i> (Rosadan)	2	
<i>metronidazole topical gel 0.75 %</i> (Rosadan)	2	
<i>metronidazole topical gel 1 %</i> (Metrogel)	2	
<i>metronidazole topical lotion 0.75 %</i> (MetroLotion)	2	
<i>mupirocin topical ointment 2 %</i> (Centany)	1	QL (220 per 30 days)
<i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i>	2	
<i>rosadan topical cream 0.75 %</i> (metronidazole)	2	
<i>selenium sulfide topical lotion 2.5 %</i>	2	
<i>silver sulfadiazine topical cream 1 %</i> (SSD)	2	
<i>ssd topical cream 1 %</i> (silver sulfadiazine)	4	
<i>sulfacetamide sodium (acne) topical suspension 10 %</i> (Klaron)	2	
Dermatological Anti-Inflammatory Agents		
<i>ala-cort topical cream 1 %</i> (hydrocortisone)	2	
<i>alclometasone topical cream 0.05 %</i>	2	
<i>alclometasone topical ointment 0.05 %</i>	2	
<i>betamethasone dipropionate topical cream 0.05 %</i>	2	
<i>betamethasone dipropionate topical lotion 0.05 %</i>	2	
<i>betamethasone dipropionate topical ointment 0.05 %</i>	2	
<i>betamethasone valerate topical cream 0.1 %</i>	2	
<i>betamethasone valerate topical lotion 0.1 %</i>	2	
<i>betamethasone valerate topical ointment 0.1 %</i>	2	
<i>betamethasone, augmented topical cream 0.05 %</i>	2	
<i>betamethasone, augmented topical gel 0.05 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>betamethasone, augmented topical lotion 0.05 %</i>	2	
<i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene (augmented))	2	
<i>clobetasol scalp solution 0.05 %</i>	2	
<i>clobetasol topical cream 0.05 %</i>	2	
<i>clobetasol topical gel 0.05 %</i>	2	
<i>clobetasol topical ointment 0.05 %</i> (Temovate)	2	
<i>clobetasol topical shampoo 0.05 %</i> (Clobex)	2	
<i>clobetasol-emollient topical cream 0.05 %</i>	2	
<i>desoximetasone topical cream 0.25 %</i> (Topicort)	2	QL (120 per 30 days)
<i>desoximetasone topical ointment 0.25 %</i> (Topicort)	2	QL (120 per 30 days)
EUCRISA TOPICAL OINTMENT 2 %	3	
<i>fluocinolone topical cream 0.01 %</i>	2	
<i>fluocinolone topical cream 0.025 %</i> (Synalar)	2	
<i>fluocinolone topical ointment 0.025 %</i> (Synalar)	2	
<i>fluocinonide topical cream 0.05 %</i>	2	
<i>fluocinonide topical solution 0.05 %</i>	2	
<i>fluocinonide-emollient topical cream 0.05 %</i> (Fluocinonide-E)	2	
<i>fluticasone propionate topical cream 0.05 %</i>	2	
<i>fluticasone propionate topical ointment 0.005 %</i>	2	
<i>halobetasol propionate topical cream 0.05 %</i>	2	
<i>halobetasol propionate topical ointment 0.05 %</i>	2	
<i>hydrocortisone 2.5% cream</i>	1	
<i>hydrocortisone butyrate topical solution 0.1 %</i>	2	QL (120 per 30 days)
<i>hydrocortisone topical cream 1 %</i> (Ala-Cort)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>hydrocortisone topical cream with perineal applicator 2.5 %</i> (Proctosol HC)	1	
<i>hydrocortisone topical lotion 2.5 %</i>	2	
<i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))	1	
<i>hydrocortisone topical ointment 2.5 %</i>	1	
<i>hydrocortisone valerate topical cream 0.2 %</i>	2	
<i>mometasone topical cream 0.1 %</i>	2	
<i>mometasone topical ointment 0.1 %</i>	2	
<i>mometasone topical solution 0.1 %</i>	2	
<i>pimecrolimus topical cream 1 %</i> (Elidel)	2	QL (100 per 30 days)
<i>prednicarbate topical ointment 0.1 %</i>	2	
<i>proctosol hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	2	
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	2	
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i> (Protopic)	2	QL (100 per 30 days)
<i>triamcinolone acetonide topical cream 0.025 %</i>	1	
<i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i> (Triderm)	1	
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	2	
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	2	
Dermatological Retinoids		
<i>adapalene topical cream 0.1 %</i> (Differin)	2	
<i>adapalene topical gel 0.1 %</i> (Differin)	2	
ALTRENO TOPICAL LOTION 0.05 %	4	PA
<i>tazarotene topical cream 0.1 %</i> (Tazorac)	2	
TAZORAC TOPICAL CREAM 0.05 %	4	
<i>tretinoin topical cream 0.025 %</i> (Avita)	2	PA

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>tretinoin topical cream 0.05 %, 0.1 %</i> (Retin-A)	2	PA
<i>tretinoin topical gel 0.01 %</i> (Retin-A)	2	PA
<i>tretinoin topical gel 0.025 %</i> (Avita)	2	PA
<i>tretinoin topical gel 0.05 %</i> (Atralin)	2	PA
Scabicides And Pediculicides		
<i>malathion topical lotion 0.5 %</i> (Ovide)	2	
<i>permethrin topical cream 5 %</i> (Elimite)	2	
Devices		
Devices		
1ST TIER UNIFINE PENTP 5MM 31G 31 GAUGE X 3/16" (pen needle, diabetic)	2	
1ST TIER UNIFINE PNTIP 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)	2	
1ST TIER UNIFINE PNTIP 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)	2	
1ST TIER UNIFINE PNTIP 8MM 31G STRL,SINGLE-USE,SHRT 31 GAUGE X 5/16" (pen needle, diabetic)	2	
1ST TIER UNIFINE PNTIP 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)	2	
1ST TIER UNIFINE PNTIP 31GX3/16 31 GAUGE X 3/16" (pen needle, diabetic)	2	
1ST TIER UNIFINE PNTIP 32GX5/32 32 GAUGE X 5/32" (pen needle, diabetic)	2	
ABOUTTIME PEN NEEDLE 30G X 8MM 30 GAUGE X 5/16" (pen needle, diabetic)	2	
ABOUTTIME PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	
ABOUTTIME PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	2	
ABOUTTIME PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	
ADVOCATE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ADVOCATE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
ADVOCATE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
ADVOCATE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
ADVOCATE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	
ADVOCATE INS SYR 0.3 ML 29GX1/2 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
ADVOCATE INS SYR 0.5 ML 29GX1/2 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
ADVOCATE INS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
ADVOCATE INS SYR 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	
ADVOCATE PEN NDL 12.7MM 29G 29 GAUGE X 1/2" (pen needle, diabetic)	2	
ADVOCATE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32" (pen needle, diabetic)	2	
ADVOCATE PEN NEEDLES 5MM 31G 31 GAUGE X 3/16" (pen needle, diabetic)	2	
ADVOCATE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16" (pen needle, diabetic)	2	
ASSURE ID DUO-SHIELD 30GX3/16" 30 GAUGE X 3/16" 2	2	
ASSURE ID DUO-SHIELD 30GX5/16" 30 GAUGE X 5/16" 2	2	
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2" 2	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ASSURE ID PEN NEEDLE 30GX3/16" 30 GAUGE X 3/16"	2	
ASSURE ID PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"	2	
ASSURE ID PEN NEEDLE (pen needle, diabetic, 31GX3/16" 31 GAUGE X 3/16" safety)	2	
ASSURE ID SYR 0.5 ML 29GX1/2" (RX) 0.5 ML 29 GAUGE X 1/2"	2	
ASSURE ID SYR 0.5 ML 31GX15/64" 0.5 ML 31 GAUGE X 15/64"	2	
ASSURE ID SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"	2	
BD AUTOSHIELD DUO NDL 5MMX30G 30 GAUGE X 3/16"	2	
BD ECLIPSE 30GX1/2" (insulin syringe-needle SYRINGE 1 ML 30 GAUGE X u-100) 1/2"	2	
BD INS SYR 0.3 ML 8MMX31G(1/2) 0.3 ML 31 GAUGE X 5/16"	2	
BD INS SYRINGE 1/2 ML 6MMX31G (ONLY FOR 500 UNIT/ML INSULIN) 1/2 ML 31 GAUGE X 15/64"	2	
BD INS SYRN UF 1 ML (insulin syringe-needle 12.7MMX30G NOT FOR u-100) RETAIL SALE 1 ML 30 GAUGE X 1/2"	2	
BD INSULIN SYR 1 ML 25GX1" 1 ML 25 X 1"	2	
BD INSULIN SYR 1 ML (insulin syringe-needle 25GX5/8" 1 ML 25 GAUGE X u-100) 5/8"	2	
BD INSULIN SYR 1 ML 26GX1/2" 1 ML 26 X 1/2"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BD INSULIN SYR 1 ML 27GX5/8" MICRO-FINE 1 ML 27 GAUGE X 5/8"	2	
BD INSULIN SYR 1 ML 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	(Comfort EZ Insulin Syringe) 2	
BD INSULIN SYRINGE 1 ML W/O NEEDLE	(insulin syringe needleless) 2	
BD LUER-LOK SYRINGE 1 ML	(BD Insulin Syringe Slip Tip) 2	
BD NANO 2 GEN PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic) 2	
BD SAFETGLD INS 0.3 ML 29G 13MM 0.3 ML 29 GAUGE X 1/2"	2	
BD SAFETGLD INS 0.5 ML 13MMX29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	
BD SAFETYGLD INS 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"	2	
BD SAFETYGLD INS 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16"	2	
BD SAFETYGLD INS 1 ML 29G 13MM 1 ML 29 GAUGE X 1/2"	2	
BD SAFETYGLID INS 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	2	
BD SAFETYGLIDE NEEDLE NEEDLE 27 X 5/8 "	2	
BD SAFETYGLIDE SYRINGE 27GX5/8 1 ML 27 GAUGE X 5/8"	2	
BD SAFTYGLD INS 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"	2	
BD SAFTYGLD INS 0.5 ML 29G 13MM 0.5 ML 29 GAUGE X 1/2"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BD SAFTYGLD INS 0.5 ML 6MMX31G 0.5 ML 31 GAUGE X 15/64"	2	
BD UF MICRO PEN NEEDLE (pen needle, diabetic) 6MMX32G 32 GAUGE X 1/4"	2	
BD UF MINI PEN NEEDLE (pen needle, diabetic) 5MMX31G 31 GAUGE X 3/16"	2	
BD UF NANO PEN NEEDLE (pen needle, diabetic) 4MMX32G 32 GAUGE X 5/32"	2	
BD UF ORIG PEN NDL (pen needle, diabetic) 12.7MMX29G 29 GAUGE X 1/2"	2	
BD UF SHORT PEN NEEDLE (pen needle, diabetic) 8MMX31G 31 GAUGE X 5/16"	2	
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	2	
BD VEO INS SYRING 1 ML (insulin syringe-needle 6MMX31G 1 ML 31 GAUGE X u-100) 15/64"	2	
BD VEO INS SYRN 0.3 ML (insulin syringe-needle 6MMX31G 0.3 ML 31 GAUGE X u-100) 15/64"	2	
BD VEO INS SYRN 0.5 ML (insulin syringe-needle 6MMX31G 1/2 ML 31 GAUGE X u-100) 15/64"	2	
BORDERED GAUZE 2"X2" 2 X (gauze bandage) 2 "	1	
CAREFINE PEN NEEDLE (pen needle, diabetic) 12.7MM 29G 29 GAUGE X 1/2"	2	
CAREFINE PEN NEEDLE 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32"	2	
CAREFINE PEN NEEDLE 5MM (pen needle, diabetic) 32G 32 GAUGE X 3/16"	2	
CAREFINE PEN NEEDLE 6MM (pen needle, diabetic) 31G 31 GAUGE X 1/4"	2	
CAREFINE PEN NEEDLE 8MM (pen needle, diabetic) 30G 30 GAUGE X 5/16"	2	
CAREFINE PEN NEEDLES (pen needle, diabetic) 6MM 32G 32 GAUGE X 1/4"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
CAREFINE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
CAREONE SYR 0.3 ML 31GX5/16" SHORT, HRI 0.3 ML 31 GAUGE X 5/16"	(Advocate Syringes)	2	
CARETOUCH PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
CARETOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
CARETOUCH PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
CARETOUCH PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
CARETOUCH PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	2	
CARETOUCH PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
CARETOUCH SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
CARETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
CARETOUCH SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
CARETOUCH SYR 1 ML 28GX5/16" 1 ML 28 X 5/16"		2	
CARETOUCH SYR 1 ML 29GX5/16" 1 ML 29 GAUGE X 5/16"		2	
CARETOUCH SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
CARETOUCH SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CLICKFINE 31G X 5/16" NEEDLES 8MM, UNIVERSAL 31 GAUGE X 5/16"	(pen needle, diabetic) 2	
CLICKFINE PEN NEEDLE 32GX5/32" 32GX4MM, STERILE 32 GAUGE X 5/32"	(pen needle, diabetic) 2	
CLICKFINE UNIVERSAL 31G X 1/4" 6MM, STORE BRAND 31 GAUGE X 1/4"	(pen needle, diabetic) 2	
COMFORT EZ INS 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	
COMFORT EZ INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	
COMFORT EZ INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	
COMFORT EZ INSULIN SYR 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	
COMFORT EZ INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	
COMFORT EZ PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic) 2	
COMFORT EZ PEN NEEDLES 4MM 32G SINGLE USE, MICRO 32 GAUGE X 5/32"	(pen needle, diabetic) 2	
COMFORT EZ PEN NEEDLES 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic) 2	
COMFORT EZ PEN NEEDLES 5MM 31G MINI 31 GAUGE X 3/16"	(pen needle, diabetic) 2	
COMFORT EZ PEN NEEDLES 5MM 32G SINGLE USE,MINI,HRI 32 GAUGE X 3/16"	(pen needle, diabetic) 2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 5MM 33G 33 GAUGE X 3/16"	2	
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 6MM 31G 31 GAUGE X 1/4"	2	
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 6MM 32G 32 GAUGE X 1/4"	2	
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 6MM 33G 33 GAUGE X 1/4"	2	
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 8MM 31G SHORT 31 GAUGE X 5/16"	2	
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 8MM 32G 32 GAUGE X 5/16"	2	
COMFORT EZ PEN NEEDLES 8MM 33G 33 GAUGE X 5/16"	2	
COMFORT EZ SYR 0.3 ML (insulin syringe-needle 29GX1/2" 0.3 ML 29 GAUGE X u-100) 1/2"	2	
COMFORT EZ SYR 0.5 ML (insulin syringe-needle 28GX1/2" 1/2 ML 28 GAUGE X u-100) 1/2"	2	
COMFORT EZ SYR 0.5 ML (insulin syringe-needle 29GX1/2" 0.5 ML 29 GAUGE X u-100) 1/2"	2	
COMFORT EZ SYR 0.5 ML (insulin syringe-needle 30GX1/2" 0.5 ML 30 GAUGE X u-100) 1/2"	2	
COMFORT EZ SYR 1 ML (insulin syringe-needle 28GX1/2" 1 ML 28 GAUGE X u-100) 1/2"	2	
COMFORT EZ SYR 1 ML (insulin syringe-needle 29GX1/2" 1 ML 29 GAUGE X u-100) 1/2"	2	
COMFORT EZ SYR 1 ML (insulin syringe-needle 30GX1/2" 1 ML 30 GAUGE X u-100) 1/2"	2	
COMFORT EZ SYR 1 ML (insulin syringe-needle 30GX5/16" 1 ML 30 GAUGE X u-100) 5/16"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
COMFORT POINT PEN NDL 31GX1/3" 31 GAUGE X 1/3"	2	
COMFORT POINT PEN NDL 31GX1/6" 31 GAUGE X 1/6"	2	
COMFORT TOUCH PEN NDL (pen needle, diabetic) 31G 4MM 31 GAUGE X 5/32"	2	
COMFORT TOUCH PEN NDL (pen needle, diabetic) 31G 5MM 31 GAUGE X 3/16"	2	
COMFORT TOUCH PEN NDL (pen needle, diabetic) 31G 6MM 31 GAUGE X 1/4"	2	
COMFORT TOUCH PEN NDL (pen needle, diabetic) 31G 8MM 31 GAUGE X 5/16"	2	
COMFORT TOUCH PEN NDL (pen needle, diabetic) 32G 4MM 32 GAUGE X 5/32"	2	
COMFORT TOUCH PEN NDL (pen needle, diabetic) 32G 5MM 32 GAUGE X 3/16"	2	
COMFORT TOUCH PEN NDL (pen needle, diabetic) 32G 6MM 32 GAUGE X 1/4"	2	
COMFORT TOUCH PEN NDL (pen needle, diabetic) 32G 8MM 32 GAUGE X 5/16"	2	
COMFORT TOUCH PEN NDL (pen needle, diabetic) 33G 4MM 33 GAUGE X 5/32"	2	
COMFORT TOUCH PEN NDL (pen needle, diabetic) 33G 6MM 33 GAUGE X 1/4"	2	
COMFORT TOUCH PEN NDL (pen needle, diabetic) 33GX5MM 33 GAUGE X 3/16"	2	
CURAD GAUZE PADS 2" X 2" 2 (gauze bandage) X 2 "	1	
CURITY GAUZE SPONGES (12 PLY)-200/BAG 2 X 2 "	1	
CURITY GUAZE PADS 1'S(12 (gauze bandage) PLY) 2 X 2 "	1	
DERMACEA 2"X2" GAUZE 12 (gauze bandage) PLY, USP TYPE VII 2 X 2 "	1	
DERMACEA GAUZE 2"X2" SPONGE 8 PLY 2 X 2 "	1	
DERMACEA NON-WOVEN 2"X2" SPNGE 2 X 2 "	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
DROPLET 0.5 ML 29GX12.5MM(1/2) 0.5 ML 29 GAUGE X 1/2"	2	
DROPLET 0.5 ML 30GX12.5MM(1/2) 0.5 ML 30 GAUGE X 1/2"	2	
DROPLET INS 0.3 ML 29GX12.5MM 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2
DROPLET INS 0.3 ML 30GX12.5MM 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2
DROPLET INS 0.5 ML 30GX6MM(1/2) 0.5ML 30 GAUGE X 15/64"	2	
DROPLET INS 0.5 ML 30GX8MM(1/2) 0.5 ML 30 GAUGE X 5/16"	2	
DROPLET INS 0.5 ML 31GX6MM(1/2) 0.5 ML 31 GAUGE X 15/64"	2	
DROPLET INS 0.5 ML 31GX8MM(1/2) 0.5 ML 31 GAUGE X 5/16"	2	
DROPLET INS SYR 0.3 ML 30GX6MM 0.3 ML 30 GAUGE X 15/64"	2	
DROPLET INS SYR 0.3 ML 30GX8MM 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2
DROPLET INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2
DROPLET INS SYR 0.3 ML 31GX8MM 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2
DROPLET INS SYR 1 ML 29GX12.5MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
DROPLET INS SYR 1 ML 30GX12.5MM 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
DROPLET INS SYR 1 ML 30GX6MM 1 ML 30 GAUGE X 15/64"	2	
DROPLET INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	
DROPLET INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	2	
DROPLET INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	
DROPLET MICRON 34G X 9/64" 34 GAUGE X 9/64"	2	
DROPLET PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)	2	
DROPLET PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"	2	
DROPLET PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16" (pen needle, diabetic)	2	
DROPLET PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	2	
DROPLET PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	2	
DROPLET PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)	2	
DROPLET PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4" (pen needle, diabetic)	2	
DROPLET PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16" (pen needle, diabetic)	2	
DROPLET PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16" (pen needle, diabetic)	2	
DROPLET PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)	2	
DROPSAFE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
DROPSAFE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	
DROPSAFE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"		2	
DRUG MART ULTRA COMFORT SYR 0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
EASY COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
EASY COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
EASY COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
EASY COMFORT 0.5 ML 32GX5/16" 1/2 ML 32 GAUGE X 5/16"		2	
EASY COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
EASY COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
EASY COMFORT 1 ML 32GX5/16" 1 ML 32 GAUGE X 5/16"		2	
EASY COMFORT INSULIN 1 ML SYR 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
EASY COMFORT PEN NDL 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
EASY COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EASY COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)	2	
EASY COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)	2	
EASY COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32" (pen needle, diabetic)	2	
EASY COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16" (pen needle, diabetic)	2	
EASY COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4" (pen needle, diabetic)	2	
EASY COMFORT SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
EASY GLIDE INS 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	2	
EASY GLIDE INS 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	2	
EASY GLIDE INS 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	2	
EASY GLIDE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32" (pen needle, diabetic)	2	
EASY TOUCH 0.3 ML SYR 30GX1/2" 0.3 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
EASY TOUCH 0.5 ML SYR 27GX1/2" 1/2 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
EASY TOUCH 0.5 ML SYR 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	2	
EASY TOUCH 0.5 ML SYR 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
EASY TOUCH 0.5 ML SYR 30GX5/16 0.5 ML 30 GAUGE X 5/16"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EASY TOUCH 1 ML SYR 27GX1/2" 1 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
EASY TOUCH 1 ML SYR 29GX1/2" 1 ML 29 GAUGE X 1/2"	2	
EASY TOUCH 1 ML SYR 30GX1/2" 1 ML 30 GAUGE X 1/2"	2	
EASY TOUCH FLIPLOK 1 ML 27GX0.5 1 ML 27 GAUGE X 1/2"	2	
EASY TOUCH INSULIN 1 ML 29GX1/2 1 ML 29 GAUGE X 1/2"	2	
EASY TOUCH INSULIN 1 ML 30GX1/2 1 ML 30 GAUGE X 1/2"	2	
EASY TOUCH INSULIN SYR (insulin syringe-needle 0.3 ML 0.3 ML 30 GAUGE X u-100) 5/16", 0.3 ML 31 GAUGE X 5/16"	2	
EASY TOUCH INSULIN SYR (insulin syringe-needle 0.5 ML 0.5 ML 30 GAUGE X u-100) 5/16", 0.5 ML 31 GAUGE X 5/16"	2	
EASY TOUCH INSULIN SYR 1 (insulin syringe-needle ML 1 ML 30 GAUGE X 5/16, 1 u-100) ML 31 GAUGE X 5/16	2	
EASY TOUCH INSULIN SYR 1 (insulin syringe-needle ML RETRACTABLE 1 ML 30 u-100) GAUGE X 1/2"	2	
EASY TOUCH INSULN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	2	
EASY TOUCH INSULN 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	2	
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	2	
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"	2	
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"	2	
EASY TOUCH LUER LOK INSUL 1 ML	(insulin syringe needleless)	2
EASY TOUCH PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2
EASY TOUCH PEN NEEDLE 30GX5/16 30 GAUGE X 5/16"	(pen needle, diabetic)	2
EASY TOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2
EASY TOUCH PEN NEEDLE 31GX3/16 31 GAUGE X 3/16"	(pen needle, diabetic)	2
EASY TOUCH PEN NEEDLE 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic)	2
EASY TOUCH PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2
EASY TOUCH PEN NEEDLE 32GX3/16 32 GAUGE X 3/16"	(pen needle, diabetic)	2
EASY TOUCH PEN NEEDLE 32GX5/32 32 GAUGE X 5/32"	(pen needle, diabetic)	2
EASY TOUCH SAF PEN NDL 29G 5MM 29 GAUGE X 3/16"		2
EASY TOUCH SAF PEN NDL 29G 8MM 29 GAUGE X 5/16"		2
EASY TOUCH SAF PEN NDL 30G 5MM 30 GAUGE X 3/16"		2
EASY TOUCH SAF PEN NDL 30G 8MM 30 GAUGE X 5/16"		2
EASY TOUCH SYR 0.5 ML 28G 12.7MM 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2
EASY TOUCH SYR 0.5 ML 29G 12.7MM 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EASY TOUCH SYR 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8"	2	
EASY TOUCH SYR 1 ML 28G 12.7MM 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2
EASY TOUCH SYR 1 ML 29G 12.7MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2
EASY TOUCH UNI-SLIP SYR 1 ML	(insulin syringe needleless)	2
EASYTOUCH SAF PEN NDL 30G 6MM 30 GAUGE X 1/4"		2
EMBRACE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2
EMBRACE PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"		2
EMBRACE PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	2
EMBRACE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2
EMBRACE PEN NEEDLE 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2
EMBRACE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2
EMBRACE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2
EQL INSULIN 0.3 ML SYRINGE SHORT NEEDLE 0.3 ML 30	(Ultra Comfort Insulin Syringe)	2
EQL INSULIN 0.5 ML SYRINGE SHORT NEEDLE 1/2 ML 30 GAUGE	(Lite Touch Insulin Syringe)	2
EQL INSULIN 1 ML SYRINGE SHORT NEEDLE 1 ML 30 GAUGE X 7/16"	(Lite Touch Insulin Syringe)	2
EXEL INSULIN SYRINGE 27G- 1 ML 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2
FIFTY50 INS 0.5 ML 31GX5/16" SHORT NEEDLE 0.5 ML 31 GAUGE X 5/16"	(Advocate Syringes)	2

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
FIFTY50 INS SYR 1 ML 31GX5/16" SHORT NEEDLE 1 ML 31 GAUGE X 5/16 (Advocate Syringes)	2	
FIFTY50 PEN 31G X 3/16" NEEDLE (OTC) 31 GAUGE X 3/16" (pen needle, diabetic)	2	
FP INSULIN 1 ML SYRINGE 1 ML 28 GAUGE (Lite Touch Insulin Syringe)	2	
FREESTYLE PREC 0.5 ML 30GX5/16 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
FREESTYLE PREC 0.5 ML 31GX5/16 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
FREESTYLE PREC 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	
FREESTYLE PREC 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	
GAUZE PAD TOPICAL BANDAGE 2 X 2 " (gauze bandage)	1	
GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 0.3 ML 29 GAUGE X 1/2"	2	
GNP ULTRA COMFORT 0.5 ML SYR 1/2 ML 29 , 1/2 ML 30 GAUGE (insulin syringe-needle u-100)	2	
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16" (insulin syringe-needle u-100)	2	
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 29 GAUGE	2	
GNP ULTRA COMFORT 3/10 ML SYR 0.3 ML 30 (insulin syringe-needle u-100)	2	
HEALTHWISE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HEALTHWISE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
HEALTHWISE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
HEALTHWISE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
HEALTHWISE INS 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	
HEALTHWISE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	
HEALTHWISE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	
HEALTHWISE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	2	
HEALTHWISE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	
HEALTHY ACCENTS PENTIP 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)	2	
HEALTHY ACCENTS PENTIP 5MM 31G 31 GAUGE X 3/16" (pen needle, diabetic)	2	
HEALTHY ACCENTS PENTIP 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)	2	
HEALTHY ACCENTS PENTIP 8MM 31G 31 GAUGE X 5/16" (pen needle, diabetic)	2	
HEALTHY ACCENTS PENTP 12MM 29G 29 GAUGE X 1/2" (pen needle, diabetic)	2	
INCONTROL PEN NEEDLE 12MM 29G 29 GAUGE X 1/2" (pen needle, diabetic)	2	
INCONTROL PEN NEEDLE 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)	2	
INCONTROL PEN NEEDLE 5MM 31G 31 GAUGE X 3/16" (pen needle, diabetic)	2	
INCONTROL PEN NEEDLE 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INCONTROL PEN NEEDLE (pen needle, diabetic) 8MM 31G 31 GAUGE X 5/16"	2	
INPEN (FOR HUMALOG) BLUE SUBCUTANEOUS INSULIN PEN	3	
INPEN (NOVOLOG OR FIASP) BLUE SUBCUTANEOUS INSULIN PEN	3	
INSULIN SYR 0.3 ML (Advocate Syringes) 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	2	
INSULIN SYR 0.3 ML (UltiCare Insuln 31GX1/4(1/2) 0.3 ML 31 GAUGE Syr(half unit)) X 1/4"	2	
INSULIN SYRIN 0.3 ML (Comfort EZ Insulin 30GX1/2" SHORT NEEDLE 0.3 Syringe) ML 30 GAUGE X 1/2"	2	
INSULIN SYRIN 0.5 ML (Comfort EZ Insulin 28GX1/2" 1/2 ML 28 GAUGE X Syringe) 1/2"	2	
INSULIN SYRIN 0.5 ML (Advocate Syringes) 29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	2	
INSULIN SYRIN 0.5 ML (Comfort EZ Insulin 30GX1/2" SHORT NEEDLE Syringe) (OTC) 0.5 ML 30 GAUGE X 1/2"	2	
INSULIN SYRIN 0.5 ML (Advocate Syringes) 30GX5/16" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 5/16"	2	
INSULIN SYRINGE 0.5 ML 27G (Easy Touch Insulin 1/2" INNER 1/2 ML 27 GAUGE Syringe) X 1/2"	2	
INSULIN SYRINGE 0.3 ML 0.3 (insulin syringe-needle ML 29 GAUGE u-100)	2	
INSULIN SYRINGE 0.3 ML (Sure Comfort Insulin 31GX1/4 0.3 ML 31 GAUGE X Syringe) 1/4"	2	
INSULIN SYRINGE 0.5 ML 1/2 (insulin syringe-needle ML 29 u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INSULIN SYRINGE 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4" (Sure Comfort Insulin Syringe)	2	
INSULIN SYRINGE 1 ML 1 ML 29 GAUGE	2	
INSULIN SYRINGE 1 ML (BD Eclipse Luer-Lok) 30GX1/2" (RX) 1 ML 30 GAUGE X 1/2"	2	
INSULIN SYRINGE 1 ML (Advocate Syringes) 30GX5/16" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 5/16"	2	
INSULIN SYRINGE 1 ML (Sure Comfort Insulin Syringe) 31GX1/4" 1 ML 31 GAUGE X 1/4"	2	
INSULIN SYRINGE-NEEDLE (Ultilet Insulin Syringe) U-100 SYRINGE 0.3 ML 29 GAUGE	2	
INSULIN SYRINGE-NEEDLE (Advocate Syringes) U-100 SYRINGE 1 ML 29 GAUGE X 1/2"	2	
INSULIN SYRINGE-NEEDLE (Lite Touch Insulin Syringe) U-100 SYRINGE 1/2 ML 28 GAUGE	2	
INSUPEN 30G ULTRAFIN (pen needle, diabetic) NEEDLE 30 GAUGE X 5/16"	2	
INSUPEN 31G ULTRAFIN (pen needle, diabetic) NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 5/16"	2	
INSUPEN 32G 6MM PEN (pen needle, diabetic) NEEDLE 32 GAUGE X 1/4"	2	
INSUPEN 32G 8MM PEN (pen needle, diabetic) NEEDLE 32 GAUGE X 5/16"	2	
INSUPEN PEN NEEDLE (pen needle, diabetic) 29GX12MM 29 GAUGE X 1/2"	2	
INSUPEN PEN NEEDLE (pen needle, diabetic) 31GX3/16" 31 GAUGE X 3/16"	2	
INSUPEN PEN NEEDLE (pen needle, diabetic) 32GX4MM 32 GAUGE X 5/32"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INSUPEN PEN NEEDLE (pen needle, diabetic) 33GX4MM 33 GAUGE X 5/32"	2	
LISCO SPONGES 100/BAG 2 X 2 "	1	
LITE TOUCH 31GX1/4" PEN (pen needle, diabetic) NEEDLE 31 GAUGE X 1/4"	2	
LITE TOUCH INSULIN 0.5 ML (insulin syringe-needle SYR 1/2 ML 28 GAUGE, 1/2 ML u-100) 29 , 1/2 ML 30 GAUGE	2	
LITE TOUCH INSULIN 1 ML (insulin syringe-needle SYR 1 ML 28 GAUGE, 1 ML 30 u-100) GAUGE X 7/16"	2	
LITE TOUCH INSULIN 1 ML SYR 1 ML 29 GAUGE	2	
LITE TOUCH INSULIN SYR 1 (insulin syringe-needle ML 1 ML 31 GAUGE X 5/16 u-100)	2	
LITE TOUCH PEN NEEDLE (pen needle, diabetic) 29G 29 GAUGE X 1/2"	2	
LITE TOUCH PEN NEEDLE (pen needle, diabetic) 31G 31 GAUGE X 3/16", 31 GAUGE X 5/16"	2	
LITETOUCH INS 0.3 ML (insulin syringe-needle 29GX1/2" 0.3 ML 29 GAUGE X u-100) 1/2"	2	
LITETOUCH INS 0.3 ML (insulin syringe-needle 30GX5/16" 0.3 ML 30 GAUGE X u-100) 5/16"	2	
LITETOUCH INS 0.3 ML (insulin syringe-needle 31GX5/16" 0.3 ML 31 GAUGE X u-100) 5/16"	2	
LITETOUCH INS 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16"	2	
LITETOUCH SYR 0.5 ML (insulin syringe-needle 28GX1/2" 1/2 ML 28 GAUGE X u-100) 1/2"	2	
LITETOUCH SYR 0.5 ML (insulin syringe-needle 29GX1/2" 0.5 ML 29 GAUGE X u-100) 1/2"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LITETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
LITETOUCH SYRIN 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
LITETOUCH SYRIN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
LITETOUCH SYRIN 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
MAGELLAN INSUL SYRINGE 0.3 ML 0.3 ML 30 X 5/16"	2	
MAGELLAN INSUL SYRINGE 0.5 ML 0.5 ML 30 GAUGE X 5/16"	2	
MAGELLAN INSULIN SYR 0.3 ML 0.3 ML 29 GAUGE X 1/2"	2	
MAGELLAN INSULIN SYR 0.5 ML 0.5 ML 29 GAUGE X 1/2"	2	
MAGELLAN INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"	2	
MAXICOMFORT II PEN NDL 31GX6MM 31 GAUGE X 1/4" (pen needle, diabetic)	2	
MAXICOMFORT INS 0.5 ML 27GX1/2" 1/2 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
MAXI-COMFORT INS 0.5 ML 28G 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
MAXICOMFORT INS 1 ML 27GX1/2" 1 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
MAXI-COMFORT INS 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MAXICOMFORT PEN NDL 29G X 5MM 29 GAUGE X 3/16"	2	
MAXICOMFORT PEN NDL 29G X 8MM 29 GAUGE X 5/16"	2	
MICRODOT PEN NEEDLE (pen needle, diabetic) 31GX6MM 31 GAUGE X 1/4"	2	
MICRODOT PEN NEEDLE (pen needle, diabetic) 32GX4MM 32 GAUGE X 5/32"	2	
MICRODOT PEN NEEDLE (pen needle, diabetic) 33GX4MM 33 GAUGE X 5/32"	2	
MINI PEN NEEDLE 32G 4MM (1st Tier Unifine 32 GAUGE X 5/32" Pentips)	2	
MINI PEN NEEDLE 32G 5MM (CareFine Pen Needle) 32 GAUGE X 3/16"	2	
MINI PEN NEEDLE 32G 6MM (BD Ultra-Fine Micro 32 GAUGE X 1/4" Pen Needle)	2	
MINI PEN NEEDLE 32G 8MM (Comfort EZ Pen 32 GAUGE X 5/16" Needles)	2	
MINI PEN NEEDLE 33G 4MM (Advocate Pen Needle) 33 GAUGE X 5/32"	2	
MINI PEN NEEDLE 33G 5MM (Comfort EZ Pen 33 GAUGE X 3/16" Needles)	2	
MINI PEN NEEDLE 33G 6MM (Comfort EZ Pen 33 GAUGE X 1/4" Needles)	2	
MINI ULTRA-THIN II PEN (pen needle, diabetic) NDL 31G STERILE 31 GAUGE X 3/16"	2	
MONOJECT 0.5 ML SYRN (insulin syringe-needle 28GX1/2" 1/2 ML 28 GAUGE u-100)	2	
MONOJECT 1 ML SYRN (insulin syringe-needle 27X1/2" 1 ML 27 GAUGE X 1/2" u-100)	2	
MONOJECT 1 ML SYRN (insulin syringe-needle 28GX1/2" (OTC) 1 ML 28 u-100) GAUGE X 1/2"	2	
MONOJECT INSUL SYR U100 (insulin syringe-needle (OTC) 0.3 ML 29 GAUGE X 1/2" u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8"	(insulin syringe-needle u-100)	2	
MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC)	(insulin syringes (disposable))	2	
MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
MONOJECT INSULIN SYR U-100 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MONOJECT INSULIN SYR U-100 29 GAUGE X 1/2"		2	
MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
MONOJECT SYRINGE 1 ML 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
NOVOFINE 30 NEEDLE		2	
NOVOFINE 32G NEEDLES 32 GAUGE X 1/4"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6"	2	
NOVOTWIST NEEDLE 32G 5MM 32 GAUGE X 1/5"	2	
OMNIPOD 5 G6 INTRO KIT (GEN 5) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)
OMNIPOD 5 G6 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE	3	
OMNIPOD CLASSIC PDM KIT(GEN 3)	3	QL (1 per 365 days)
OMNIPOD CLASSIC PODS (GEN 3) SUBCUTANEOUS CARTRIDGE	3	
OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)
OMNIPOD DASH PDM KIT (GEN 4)	3	QL (1 per 365 days)
OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE	3	
PC UNIFINE PENTIPS 8MM (pen needle, diabetic) NEEDLE SHORT 31 GAUGE X 5/16"	2	
PEN NEEDLE 30G X 5/16" 30 (pen needle, diabetic) GAUGE X 5/16"	2	
PEN NEEDLE 30G X 8MM 30 (AboutTime Pen GAUGE X 5/16" Needle)	2	
PEN NEEDLE, DIABETIC (1st Tier Unifine NEEDLE 29 GAUGE X 1/2" Pentips Plus)	2	
PEN NEEDLES 12MM 29G (pen needle, diabetic) 29GX12MM,STRL 29 GAUGE X 1/2"	2	
PEN NEEDLES 4MM 32G 32 (pen needle, diabetic) GAUGE X 5/32"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PEN NEEDLES 6MM 31G 31GX6MM, STRL 31 GAUGE X 1/4" (1st Tier Unifine Pentips)	2	
PEN NEEDLES 8MM 31G 31GX8MM,STRL,SHORT (OTC) 31 GAUGE X 5/16" (pen needle, diabetic)	2	
PENTIPS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)	2	
PENTIPS PEN NEEDLE 31GX3/16" MINI, 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	
PENTIPS PEN NEEDLE 31GX5/16" SHORT, 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	2	
PENTIPS PEN NEEDLE 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic)	2	
PENTIPS PEN NEEDLE 32GX5/32" 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	
PENTIPS PEN NEEDLE 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)	2	
PIP PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	
PIP PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	
PREVENT PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	2	
PREVENT PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	2	
PRO COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
PRO COMFORT 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
PRO COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PRO COMFORT 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
PRO COMFORT 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
PRO COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
PRO COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)	2	
PRO COMFORT PEN NDL 32G X 1/4" 32 GAUGE X 1/4" (pen needle, diabetic)	2	
PRO COMFORT PEN NDL 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)	2	
PRO COMFORT PEN NDL 5MM 32G 32 GAUGE X 3/16" (pen needle, diabetic)	2	
PRODIGY INS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
PRODIGY SYRNG 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
PRODIGY SYRNGE 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
PURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	
PURE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16" (pen needle, diabetic)	2	
PURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic)	2	
PURE COMFORT PEN NDL 32G 8MM 32 GAUGE X 5/16" (pen needle, diabetic)	2	
RAYA SURE PEN NEEDLE 29G 12MM 29 GAUGE X 15/32"	2	
RAYA SURE PEN NEEDLE 31G 4MM 31 GAUGE X 5/32" (Comfort Touch Pen Needle)	2	
RAYA SURE PEN NEEDLE 31G 5MM 31 GAUGE X 13/64"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RAYA SURE PEN NEEDLE 31G 6MM 31 GAUGE X 15/64"	2	
RELI ON 31G X 1/4" NEEDLES (pen needle, diabetic) 31 GAUGE X 1/4"	2	
RELION INS SYR 0.3 ML (BD Veo Insulin 31GX6MM 0.3 ML 31 GAUGE X Syringe UF) 15/64"	2	
RELION INS SYR 0.5 ML (BD Veo Insulin 31GX6MM 1/2 ML 31 GAUGE X Syringe UF) 15/64"	2	
RELION INS SYR 1 ML (BD Veo Insulin 31GX15/64" 1 ML 31 GAUGE X Syringe UF) 15/64"	2	
RELI-ON INSULIN 0.5 ML SYR (Lite Touch Insulin 1/2 ML 29 Syringe)	2	
RELI-ON INSULIN 1 ML SYR 1 ML 29 GAUGE X 7/16"	2	
RELION MINI PEN 31G X 1/4" (pen needle, diabetic) NDL 31 GAUGE X 1/4"	2	
RELION PEN NEEDLES (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	2	
SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10 0.3 ML 30 GAUGE X 5/16"	2	
SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10 0.5 ML 29 GAUGE X 1/2"	2	
SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10 0.5 ML 30 GAUGE X 5/16"	2	
SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10 1 ML 28 GAUGE X 1/2"	2	
SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10 1 ML 29 GAUGE X 1/2"	2	
SAFETY PEN NEEDLE 31G 4MM 31 GAUGE X 5/32"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SAFETY PEN NEEDLE 5MM X 31G 31 GAUGE X 3/16" (pen needle, diabetic, safety)	2	
SECURES SAFE PEN NDL 30GX5/16" OUTER 30 GAUGE X 5/16"	2	
SKY SAFETY PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"	2	
SKY SAFETY PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	2	
SM STERILE PADS 2" X 2" (gauze bandage) 2"X2", STERILE 2 X 2 "	1	
SM ULT CFT 0.3 ML 31GX5/16(1/2) 0.3 ML 31 GAUGE X 5/16"	2	
SURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	
SURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	
NEEDLES, INSULIN DISP., SAFETY (insulin syringe-needle u-100)	2	
SURE COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
SURE COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	
SURE COMFORT 3/10 ML SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
SURE COMFORT 30G PEN NEEDLE 30 GAUGE X 5/16"	(pen needle, diabetic)	2	
SURE COMFORT INS 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	
SURE COMFORT INS 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	
SURE COMFORT INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	
SURE COMFORT PEN NDL 29GX1/2" 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
SURE COMFORT PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
SURE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
SURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
SURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
SURE-FINE PEN NEEDLES 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
SURE-FINE PEN NEEDLES 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
SURE-FINE PEN NEEDLES 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
SURE-JECT INSU SYR U100 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
SURE-JECT INSU SYR U100 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
SURE-JECT INSU SYR U100 1 ML 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SURE-JECT INSUL SYR U100 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16	2	
SURE-JECT INSULIN SYRINGE 1 ML 1 ML 31 GAUGE X 5/16	2	
TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2"	2	
TECHLITE 0.3 ML 30GX12MM (1/2) 0.3 ML 30 GAUGE X 1/2"	2	
TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16"	2	
TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64"	2	
TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16"	2	
TECHLITE 0.5 ML 29GX12MM (1/2) 0.5 ML 29 GAUGE X 1/2"	2	
TECHLITE 0.5 ML 30GX12MM (1/2) 0.5 ML 30 GAUGE X 1/2"	2	
TECHLITE 0.5 ML 30GX8MM (1/2) 0.5 ML 30 GAUGE X 5/16"	2	
TECHLITE 0.5 ML 31GX6MM (1/2) 0.5 ML 31 GAUGE X 15/64"	2	
TECHLITE 0.5 ML 31GX8MM (1/2) 0.5 ML 31 GAUGE X 5/16"	2	
TECHLITE INS SYR 1 ML 29GX12MM 1 ML 29 GAUGE X 1/2"	2	
TECHLITE INS SYR 1 ML 30GX12MM 1 ML 30 GAUGE X 1/2"	2	
TECHLITE INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16	2	
TECHLITE INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
TECHLITE INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
TECHLITE PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
TECHLITE PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"		2	
TECHLITE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
TECHLITE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
TECHLITE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
TECHLITE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
TECHLITE PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16"	(pen needle, diabetic)	2	
TECHLITE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
TERUMO INS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(Advocate Syringes)	2	
TERUMO INS SYRINGE U100-1 ML 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
TERUMO INS SYRINGE U100-1 ML 1 ML 30 GAUGE X 3/8"	(Thinpro Insulin Syringe)	2	
TERUMO INS SYRINGE U100- 1/2 ML 1/2 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	
TERUMO INS SYRINGE U100- 1/3 ML 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	
TERUMO INS SYRNG U100-1/2 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 31 X 3/8"	2	
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8"	(insulin syringe-needle u-100)	2
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 31 X 3/8"	2	
THINPRO INS SYRIN U100-1 ML 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 3/8"	(insulin syringe-needle u-100)	2
THINPRO INS SYRIN U100-1 ML 1 ML 31 X 3/8"	2	
TOPCARE CLICKFINE 31G X 1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2
TOPCARE CLICKFINE 31G X 5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2
TOPCARE ULTRA COMFORT SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2
TRUE CMFRT PRO 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2
TRUE CMFRT PRO 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2
TRUE CMFRT PRO 0.5 ML 32G 5/16" 1/2 ML 32 GAUGE X 5/16"	2	
TRUE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2
TRUE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TRUE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	
TRUE COMFORT 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16"	2	
TRUE COMFORT 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X u-100) 5/16"	2	
TRUE COMFORT PEN NDL (pen needle, diabetic) 31G 8MM 31 GAUGE X 5/16"	2	
TRUE COMFORT PEN NDL (pen needle, diabetic) 31GX5MM 31 GAUGE X 3/16"	2	
TRUE COMFORT PEN NDL (pen needle, diabetic) 31GX6MM 31 GAUGE X 1/4"	2	
TRUE COMFORT PEN NDL (pen needle, diabetic) 32G 5MM 32 GAUGE X 3/16"	2	
TRUE COMFORT PEN NDL (pen needle, diabetic) 32G 6MM 32 GAUGE X 1/4"	2	
TRUE COMFORT PEN NDL (pen needle, diabetic) 32GX4MM 32 GAUGE X 5/32"	2	
TRUE COMFORT PEN NDL (pen needle, diabetic) 33G 4MM 33 GAUGE X 5/32"	2	
TRUE COMFORT PEN NDL (pen needle, diabetic) 33G 5MM 33 GAUGE X 3/16"	2	
TRUE COMFORT PEN NDL (pen needle, diabetic) 33G 6MM 33 GAUGE X 1/4"	2	
TRUE COMFORT PRO 1 ML (insulin syringe-needle 30G 1/2" 1 ML 30 GAUGE X u-100) 1/2"	2	
TRUE COMFORT PRO 1 ML (insulin syringe-needle 30G 5/16" 1 ML 30 GAUGE X u-100) 5/16"	2	
TRUE COMFORT PRO 1 ML (insulin syringe-needle 31G 5/16" 1 ML 31 GAUGE X u-100) 5/16"	2	
TRUE COMFORT PRO 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
TRUE COMFRT PRO 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
TRUEPLUS PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
TRUEPLUS PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
TRUEPLUS PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
TRUEPLUS PEN NEEDLE 31G X 1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
TRUEPLUS PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
TRUEPLUS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
TRUEPLUS SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
TRUEPLUS SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
TRUEPLUS SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
TRUEPLUS SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
TRUEPLUS SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
TRUEPLUS SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
TRUEPLUS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
TRUEPLUS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TRUEPLUS SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	
TRUEPLUS SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	
ULT CFT 0.3 ML 30GX5/16" (1/2) 1/2 UNIT 0.3 ML 30 GAUGE X 5/16"	2	
ULTICAR INS 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4" (insulin syr/ndl u100 half mark)	2	
ULTICARE INS 0.3 ML 31GX1/4" 0.3 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)	2	
ULTICARE INS 0.5 ML 31GX1/4" 1/2 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)	2	
ULTICARE INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)	2	
ULTICARE INS SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
ULTICARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	2	
ULTICARE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)	2	
ULTICARE PEN NEEDLE 8MM 31G 31 GAUGE X 5/16" (pen needle, diabetic)	2	
ULTICARE PEN NEEDLES 12MM 29G 29 GAUGE X 1/2" (pen needle, diabetic)	2	
ULTICARE PEN NEEDLES 4MM 32G MICRO, 32GX4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	
ULTICARE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4" (pen needle, diabetic)	2	
ULTICARE SAFE PEN NDL 30G 8MM 30 GAUGE X 5/16"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ULTICARE SAFE PEN NDL 5MM 30G 30 GAUGE X 3/16"	2	
ULTICARE SYR 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2
ULTICARE SYR 0.3 ML 31GX5/16" SHORT NDL 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2
ULTICARE SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2
ULTICARE SYR 0.5 ML 31GX5/16" SHORT NDL 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2
ULTICARE SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2
ULTIGUARD SAFE 1 ML 30G 12.7MM 1 ML 30 X 1/2"	2	
ULTIGUARD SAFE PACK 29G 12.7MM 29 GAUGE X 1/2"	2	
ULTIGUARD SAFE PACK 32G 4MM 32 GAUGE X 5/32"	2	
ULTIGUARD SAFE0.3 ML 30G 12.7MM 0.3 ML 30 X 1/2"	2	
ULTIGUARD SAFE0.5 ML 30G 12.7MM 1/2 ML 30 X 1/2"	2	
ULTIGUARD SAFEPACK 1 ML 31G 8MM 1 ML 31 X 5/16"	2	
ULTIGUARD SAFEPACK 31G 5MM 31 GAUGE X 3/16"	2	
ULTIGUARD SAFEPACK 31G 6MM 31 GAUGE X 1/4"	2	
ULTIGUARD SAFEPACK 31G 8MM 31 GAUGE X 5/16"	2	
ULTIGUARD SAFEPACK 32G 6MM 32 GAUGE X 1/4"	2	
ULTIGUARD SAFEPK 0.3 ML 31G 8MM 0.3 ML 31 X 5/16"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ULTIGUARD SAFEPK 0.5 ML 31G 8MM 1/2 ML 31 X 5/16"	2	
ULTILET INSULIN SYRINGE (insulin syringe-needle 0.3 ML 0.3 ML 29 GAUGE X u-100) 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16"	2	
ULTILET INSULIN SYRINGE (insulin syringe-needle 0.5 ML 0.5 ML 29 GAUGE X u-100) 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	2	
ULTILET INSULIN SYRINGE 1 (insulin syringe-needle ML 1 ML 29 GAUGE X 1/2", 1 u-100) ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	2	
ULTILET PEN NEEDLE 29 GAUGE	2	
ULTILET PEN NEEDLE 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32"	2	
ULTRA COMFORT 0.3 ML (insulin syringe-needle SYRINGE 0.3 ML 30 GAUGE X u-100) 5/16"	2	
ULTRA COMFORT 0.5 ML (insulin syringe-needle 28GX1/2" CONVERTS TO 29G u-100) 1/2 ML 28 GAUGE X 1/2"	2	
ULTRA COMFORT 0.5 ML (insulin syringe-needle 29GX1/2" 0.5 ML 29 GAUGE X u-100) 1/2"	2	
ULTRA COMFORT 0.5 ML (insulin syringe-needle SYRINGE 1/2 ML 28 GAUGE u-100)	2	
ULTRA COMFORT 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X u-100) 5/16	2	
ULTRA COMFORT 1 ML (insulin syringe-needle SYRINGE 1 ML 28 GAUGE X u-100) 1/2"	2	
ULTRA FLO 0.3 ML 30G 1/2" (1/2) 0.3 ML 30 GAUGE X 1/2"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ULTRA FLO 0.3 ML 30G 5/16"(1/2) 0.3 ML 30 GAUGE X 5/16"	2	
ULTRA FLO 0.3 ML 31G 5/16"(1/2) 0.3 ML 31 GAUGE X 5/16"	2	
ULTRA FLO PEN NEEDLE 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	
ULTRA FLO PEN NEEDLE 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	
ULTRA FLO PEN NEEDLE 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	
ULTRA FLO PEN NEEDLE 33G (pen needle, diabetic) 4MM 33 GAUGE X 5/32"	2	
ULTRA FLO PEN NEEDLES (pen needle, diabetic) 12MM 29G 29 GAUGE X 1/2"	2	
ULTRA FLO SYR 0.3 ML (insulin syringe-needle 29GX1/2" 0.3 ML 29 GAUGE X u-100) 1/2"	2	
ULTRA FLO SYR 0.3 ML 30G (insulin syringe-needle 5/16" 0.3 ML 30 GAUGE X u-100) 5/16"	2	
ULTRA FLO SYR 0.3 ML 31G (insulin syringe-needle 5/16" 0.3 ML 31 GAUGE X u-100) 5/16"	2	
ULTRA FLO SYR 0.5 ML 29G (insulin syringe-needle 1/2" 0.5 ML 29 GAUGE X u-100) 1/2"	2	
ULTRA THIN PEN NDL 32G X (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	
ULTRACARE INS 0.3 ML (insulin syringe-needle 30GX5/16" 0.3 ML 30 GAUGE X u-100) 5/16"	2	
ULTRACARE INS 0.3 ML (insulin syringe-needle 31GX5/16" 0.3 ML 31 GAUGE X u-100) 5/16"	2	
ULTRACARE INS 0.5 ML (insulin syringe-needle 30GX1/2" 0.5 ML 30 GAUGE X u-100) 1/2"	2	
ULTRACARE INS 0.5 ML (insulin syringe-needle 30GX5/16" 0.5 ML 30 GAUGE X u-100) 5/16"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
ULTRACARE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRACARE INS 1 ML 30G X 5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
ULTRACARE INS 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ULTRACARE INS 1 ML 31G X 5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
ULTRACARE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
ULTRACARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
ULTRACARE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
ULTRACARE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
ULTRACARE PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	2	
ULTRACARE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
ULTRACARE PEN NEEDLE 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
ULTRA-THIN II 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
ULTRA-THIN II INS 0.3 ML 30G 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRA-THIN II INS 0.3 ML 31G 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRA-THIN II INS 0.5 ML 29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ULTRA-THIN II INS 0.5 ML 30G 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRA-THIN II INS 0.5 ML 31G 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ULTRA-THIN II INS SYR 1 ML 29G 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
ULTRA-THIN II INS SYR 1 ML 30G 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	
ULTRA-THIN II PEN NDL 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)	2	
ULTRA-THIN II PEN NDL 31GX5/16 31 GAUGE X 5/16" (pen needle, diabetic)	2	
UNIFINE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	
UNIFINE PENTIPS 12MM 29G 29GX12MM, STRL 29 GAUGE X 1/2" (pen needle, diabetic)	2	
UNIFINE PENTIPS 31GX3/16" 31GX5MM,STRL,MINI 31 GAUGE X 3/16" (pen needle, diabetic)	2	
UNIFINE PENTIPS 32GX1/4" 32 GAUGE X 1/4" (pen needle, diabetic)	2	
UNIFINE PENTIPS 32GX5/32" 32GX4MM, STRL, NANO 32 GAUGE X 5/32" (pen needle, diabetic)	2	
UNIFINE PENTIPS 33GX5/32" 33 GAUGE X 5/32" (pen needle, diabetic)	2	
UNIFINE PENTIPS 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)	2	
UNIFINE PENTIPS MAX 30GX3/16" 30 GAUGE X 3/16"	2	
UNIFINE PENTIPS NEEDLES 29G 29 GAUGE	2	
UNIFINE PENTIPS PLUS 29GX1/2" 12MM 29 GAUGE X 1/2" (pen needle, diabetic)	2	
UNIFINE PENTIPS PLUS 30GX3/16" 30 GAUGE X 3/16"	2	
UNIFINE PENTIPS PLUS 31GX1/4" ULTRA SHORT, 6MM 31 GAUGE X 1/4" (pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX3/16" MINI 31 GAUGE X 3/16"	2	
UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX5/16" SHORT 31 GAUGE X 5/16"	2	
UNIFINE PENTIPS PLUS (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	2	
UNIFINE PENTIPS PLUS (pen needle, diabetic) 33GX5/32" 33 GAUGE X 5/32"	2	
UNIFINE SAFECONTROL 30GX3/16" 30 GAUGE X 3/16"	2	
UNIFINE SAFECONTROL 30GX5/16" 30 GAUGE X 5/16"	2	
UNIFINE SAFECONTROL 32G 4MM 32 GAUGE X 5/32"	2	
UNIFINE ULTRA PEN NDL (pen needle, diabetic) 31G 5MM 31 GAUGE X 3/16"	2	
UNIFINE ULTRA PEN NDL (pen needle, diabetic) 31G 6MM 31 GAUGE X 1/4"	2	
UNIFINE ULTRA PEN NDL (pen needle, diabetic) 31G 8MM 31 GAUGE X 5/16"	2	
UNIFINE ULTRA PEN NDL (pen needle, diabetic) 32G 4MM 32 GAUGE X 5/32"	2	
VANISHPOINT 0.5 ML (insulin syringe-needle 30GX1/2" SY OUTER 0.5 ML 30 u-100) GAUGE X 1/2"	2	
VANISHPOINT INS 1 ML 30GX3/16" 1 ML 30 GAUGE X 3/16"	2	
VANISHPOINT U-100 29X1/2 (insulin syringe-needle SYR 1 ML 29 GAUGE X 1/2" u-100)	2	
VERIFINE PEN NEEDLE 31G X (pen needle, diabetic) 6MM 31 GAUGE X 1/4"	2	
VERIFINE PEN NEEDLE 31G X (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	
VERIFINE PEN NEEDLE 32G X (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VERIFINE PEN NEEDLE 32G X (pen needle, diabetic) 5MM 32 GAUGE X 3/16"	2	
VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY 2 X 2 "	1	
V-GO 20 DEVICE	3	
V-GO 30 DEVICE	3	
V-GO 40 DEVICE	3	
Enzyme Replacement/Modifiers		
Enzyme Replacement/Modifiers		
CERDELGA ORAL CAPSULE 84 MG	5	PA; NDS
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 -60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	3	
GALAFOLD ORAL CAPSULE 123 MG	5	PA; NDS; QL (14 per 28 days)
<i>javygtor oral tablet,soluble 100 mg</i> (sapropterin)	5	PA; NDS
<i>miglustat oral capsule 100 mg</i> (Zavesca)	5	PA; NDS; QL (90 per 30 days)
<i>nitisinone oral capsule 10 mg, 2 mg, 5 mg</i> (Orfadin)	5	PA; NDS
ORFADIN ORAL CAPSULE 20 MG	5	PA; NDS
ORFADIN ORAL SUSPENSION 4 MG/ML	5	PA; NDS
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML	5	PA; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	PA BvD; NDS
<i>sapropterin oral tablet,soluble 100 mg</i> (Javygtor)	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	5	PA; LA; NDS
ZENPEP ORAL CAPSULE, DELAYED RELEASE (DR/EC) 10,000-32,000 -42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000-84,000 UNIT, 25,000-79,000-105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000-168,000 UNIT, 5,000-17,000-24,000 UNIT	3	
Eye, Ear, Nose, Throat Agents		
Eye, Ear, Nose, Throat Agents, Miscellaneous		
<i>apraclonidine ophthalmic (eye) drops 0.5 %</i>	2	
<i>atropine ophthalmic (eye) drops 1 %</i> (Isopto Atropine)	4	
<i>azelastine nasal aerosol, spray 137 mcg (0.1 %)</i>	2	QL (30 per 25 days)
<i>azelastine nasal spray, non-aerosol 205.5 mcg (0.15 %)</i> (Astepro Allergy)	2	QL (30 per 25 days)
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	2	
<i>cromolyn ophthalmic (eye) drops 4 %</i>	2	
<i>cyclopentolate ophthalmic (eye) drops 0.5 %, 1 %, 2 %</i> (Cyclogyl)	2	
CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %	5	PA; NDS; QL (60 per 28 days)
<i>epinastine ophthalmic (eye) drops 0.05 %</i>	2	
<i>ipratropium bromide nasal spray, non-aerosol 21 mcg (0.03 %)</i>	2	QL (30 per 28 days)
<i>ipratropium bromide nasal spray, non-aerosol 42 mcg (0.06 %)</i>	2	QL (15 per 10 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>levofloxacin ophthalmic (eye) drops 1.5 %</i>	2	
<i>olopatadine ophthalmic (eye) drops 0.1 %</i> (Eye Allergy Itch-Redness Rlf)	2	
<i>olopatadine ophthalmic (eye) drops 0.2 %</i> (Clear Eyes Once Daily Allergy)	2	
<i>proparacaine ophthalmic (eye) drops 0.5 %</i> (Alcaine)	2	
Eye, Ear, Nose, Throat Anti-Infectives Agents		
<i>acetic acid otic (ear) solution 2 %</i>	2	
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	2	
<i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i> (Polycin)	2	
<i>bleph-10 ophthalmic (eye) drops 10 %</i> (sulfacetamide sodium)	2	
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i> (Ciloxan)	2	
<i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i> (Ciprodex)	2	QL (7.5 per 7 days)
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>	2	QL (3.5 per 4 days)
<i>gatifloxacin ophthalmic (eye) drops 0.5 %</i> (Zymaxid)	2	
<i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i> (gentamicin)	2	
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	2	
<i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i>	2	
<i>levofloxacin ophthalmic (eye) drops 0.5 %</i>	2	
<i>moxifloxacin ophthalmic (eye) drops 0.5 %</i> (Vigamox)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %	4	
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (Neo-Polycin HC)	2	
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (Neo-Polycin)	2	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i> (Maxitrol)	2	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i> (Maxitrol)	2	
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>	2	
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>	2	
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (neomycin-bacitracin-poly-hc)	2	
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (neomycin-bacitracin-polymyxin)	2	
<i>ofloxacin ophthalmic (eye) drops 0.3 %</i> (Ocuflox)	2	
<i>ofloxacin otic (ear) drops 0.3 %</i>	2	
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i> (bacitracin-polymyxin b)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>polymyxin b sulf-trimethoprim</i> (Polytrim) <i>ophthalmic (eye) drops 10,000 unit-1 mg/ml</i>	1	
<i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i>	2	
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>	2	
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>	2	
<i>tobramycin ophthalmic (eye) drops 0.3 %</i>	2	
<i>tobramycin-dexamethasone</i> (TobraDex) <i>ophthalmic (eye) drops,suspension 0.3-0.1 %</i>	2	
<i>trifluridine ophthalmic (eye) drops 1 %</i>	2	
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	4	
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %	3	
Eye, Ear, Nose, Throat Anti-Inflammatory Agents		
ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %	3	ST; QL (10 per 25 days)
BROMSITE OPHTHALMIC (EYE) DROPS 0.075 %	3	
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>	2	
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>	2	
<i>difluprednate ophthalmic (eye) drops 0.05 %</i> (Durezol)	2	
EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %	3	QL (8.3 per 14 days)
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>	2	QL (50 per 25 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>fluocinolone acetonide oil otic (ear) drops 0.01 %</i> (DermOtic Oil)	2	
<i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i> (FML Liquifilm)	4	
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>	2	
<i>fluticasone propionate nasal spray,suspension 50 mcglactuation</i> (24 Hour Allergy Relief)	1	QL (16 per 30 days)
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %	3	
INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	3	QL (5.6 per 14 days)
<i>ketorolac ophthalmic (eye) drops 0.5 %</i> (Acular)	2	QL (10 per 25 days)
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %	3	QL (3.5 per 14 days)
LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %	3	QL (5 per 16 days)
<i>loteprednol etabonate ophthalmic (eye) drops,gel 0.5 %</i> (Lotemax)	2	QL (10 per 13 days)
<i>mometasone nasal spray,non-aerosol 50 mcglactuation</i>	2	QL (34 per 30 days)
<i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i> (Pred Forte)	4	
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>	2	
PROLENSA OPHTHALMIC (EYE) DROPS 0.07 %	3	
RESTASIS MULTIDOSE OPHTHALMIC (EYE) DROPS 0.05 %	3	QL (5.5 per 28 days)
RESTASIS OPHTHALMIC (EYE) DROPPERETTE 0.05 % (cyclosporine)	2	QL (60 per 30 days)
XHANCE NASAL AEROSOL BREATH ACTIVATED 93 MCG/ACTUATION	3	ST; QL (32 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XIIDRA OPTHALMIC (EYE) DROPPERETTE 5 %	3	QL (60 per 30 days)
Gastrointestinal Agents		
Antiulcer Agents And Acid Suppressants		
<i>cimetidine hcl oral solution 300 mg/5 ml</i>	2	
<i>esomeprazole magnesium oral capsule, delayed release (drlec) 20 mg</i> (Nexium)	2	QL (30 per 30 days)
<i>esomeprazole magnesium oral capsule, delayed release (drlec) 40 mg</i> (Nexium)	2	QL (60 per 30 days)
<i>esomeprazole magnesium oral granules dr for susp in packet 10 mg, 20 mg</i> (Nexium Packet)	2	ST; QL (30 per 30 days)
<i>esomeprazole magnesium oral granules dr for susp in packet 40 mg</i> (Nexium Packet)	2	ST; QL (60 per 30 days)
<i>esomeprazole sodium intravenous recon soln 20 mg</i>	2	
<i>esomeprazole sodium intravenous recon soln 40 mg</i> (Nexium IV)	2	
<i>famotidine (pf) intravenous solution 20 mg/2 ml</i>	1	
<i>famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml</i>	2	
<i>famotidine intravenous solution 10 mg/ml</i>	2	
<i>famotidine oral tablet 20 mg</i> (Acid Controller)	1	
<i>famotidine oral tablet 40 mg</i> (Pepcid)	1	
<i>lansoprazole oral capsule, delayed release (drlec) 15 mg</i> (Prevacid 24Hr)	1	QL (30 per 30 days)
<i>lansoprazole oral capsule, delayed release (drlec) 30 mg</i> (Prevacid)	1	QL (60 per 30 days)
<i>misoprostol oral tablet 100 mcg, 200 mcg</i> (Cytotec)	2	
<i>nizatidine oral capsule 150 mg, 300 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>omeprazole oral capsule, delayed release (drlec) 10 mg, 20 mg, 40 mg</i>	1	
<i>omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram, 40-1.1 mg-gram</i> (Zegerid)	2	ST; QL (30 per 30 days)
<i>pantoprazole intravenous recon soln 40 mg</i> (Protonix)	2	
<i>pantoprazole oral tablet, delayed release (drlec) 20 mg</i> (Protonix)	1	QL (30 per 30 days)
<i>pantoprazole oral tablet, delayed release (drlec) 40 mg</i> (Protonix)	1	QL (60 per 30 days)
<i>rabeprazole oral tablet, delayed release (drlec) 20 mg</i> (AcipHex)	2	QL (30 per 30 days)
<i>sucralfate oral tablet 1 gram</i> (Carafate)	2	
Gastrointestinal Agents, Other		
<i>carglumic acid oral tablet, dispersible 200 mg</i> (Carbaglu)	5	PA; NDS
<i>constulose oral solution 10 gram/15 ml</i> (lactulose)	2	
<i>cromolyn oral concentrate 100 mg/5 ml</i> (Gastrocrom)	2	
<i>dicyclomine oral capsule 10 mg</i>	2	
<i>dicyclomine oral solution 10 mg/5 ml</i>	2	
<i>dicyclomine oral tablet 20 mg</i>	2	
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i> (Lomotil)	2	PA-HRM; AGE (Max 64 Years)
<i>enulose oral solution 10 gram/15 ml</i> (lactulose)	2	
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	5	PA; NDS
<i>generlac oral solution 10 gram/15 ml</i> (lactulose)	2	
<i>glycopyrrolate oral tablet 1 mg</i> (Robinul)	2	
<i>glycopyrrolate oral tablet 2 mg</i> (Robinul Forte)	2	
<i>lactulose oral solution 10 gram/15 ml</i> (Constulose)	2	
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LOKELMA ORAL POWDER IN PACKET 10 GRAM	3	QL (34 per 30 days)
LOKELMA ORAL POWDER IN PACKET 5 GRAM	3	QL (30 per 30 days)
<i>loperamide oral capsule 2 mg</i> (Anti-Diarrheal (loperamide))	2	
<i>lubiprostone oral capsule 24 mcg, 8 mcg</i> (Amitiza)	3	QL (60 per 30 days)
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>	2	
<i>metoclopramide hcl injection solution 5 mg/ml</i>	2	
<i>metoclopramide hcl injection syringe 5 mg/ml</i>	2	
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>	2	
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan)	1	
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	3	QL (30 per 30 days)
OCALIVA ORAL TABLET 10 MG, 5 MG	5	PA; NDS; QL (30 per 30 days)
RAVICTI ORAL LIQUID 1.1 GRAM/ML	5	PA; NDS
<i>sodium phenylbutyrate oral tablet 500 mg</i> (Buphenyl)	5	NDS
<i>sodium polystyrene sulfonate oral powder</i>	2	
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>	2	
<i>ursodiol oral capsule 300 mg</i>	2	
<i>ursodiol oral tablet 250 mg</i> (URSO 250)	2	
<i>ursodiol oral tablet 500 mg</i> (URSO Forte)	2	
VELTASSA ORAL POWDER IN PACKET 16.8 GRAM, 25.2 GRAM, 8.4 GRAM	3	QL (30 per 30 days)
XERMELO ORAL TABLET 250 MG	5	PA; NDS; QL (84 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Laxatives		
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM -12 GRAM/160 ML	3	
<i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i> (peg 3350-electrolytes)	2	
<i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i> (peg 3350-electrolytes)	2	
<i>gavilyte-n oral recon soln 420 gram</i> (peg-electrolyte soln)	2	
<i>peg-electrolyte soln oral recon soln 420 gram</i>	2	
<i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram</i> (Suprep Bowel Prep Kit)	3	
SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13-1.6 GRAM (sodium,potassium,mag sulfates)	3	
SUTAB ORAL TABLET 1.479-0.188- 0.225 GRAM	3	
Phosphate Binders		
<i>calcium acetate(phosphat bind) oral capsule 667 mg</i>	2	
<i>calcium acetate(phosphat bind) oral tablet 667 mg</i>	2	
PHOSLYRA ORAL SOLUTION 667 MG (169 MG CALCIUM)/5 ML	4	
<i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i> (Renvela)	5	NDS
<i>sevelamer carbonate oral tablet 800 mg</i> (Renvela)	2	
<i>sevelamer hcl oral tablet 400 mg</i>	2	
VELPHORO ORAL TABLET,CHEWABLE 500 MG	3	
Genitourinary Agents		
Antispasmodics, Urinary		
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>fesoterodine oral tablet extended release 24 hr 4 mg, 8 mg</i> (Toviaz)	2	
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG	3	
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	2	
<i>oxybutynin chloride oral tablet 5 mg</i>	2	
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 5 mg</i> (Ditropan XL)	2	
<i>oxybutynin chloride oral tablet extended release 24hr 15 mg</i>	2	
<i>tolterodine oral capsule, extended release 24hr 2 mg, 4 mg</i> (Detrol LA)	2	
<i>tolterodine oral tablet 1 mg, 2 mg</i> (Detrol)	2	
<i>tropium oral tablet 20 mg</i>	2	
Genitourinary Agents, Miscellaneous		
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)	1	QL (30 per 30 days)
<i>dutasteride oral capsule 0.5 mg</i> (Avodart)	2	
<i>finasteride oral tablet 5 mg</i> (Proscar)	1	
<i>tamsulosin oral capsule 0.4 mg</i> (Flomax)	1	
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	
<i>tiopronin oral tablet 100 mg</i> (Thiola)	5	NDS
Heavy Metal Antagonists		
Heavy Metal Antagonists		
<i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i> (Jadenu Sprinkle)	5	PA; NDS
<i>deferasirox oral tablet 180 mg, 360 mg</i> (Jadenu)	5	PA; NDS
<i>deferasirox oral tablet 90 mg</i> (Jadenu)	2	PA
<i>deferasirox oral tablet, dispersible 125 mg, 250 mg, 500 mg</i> (Exjade)	5	PA; NDS
<i>deferiprone oral tablet 1,000 mg</i> (Ferriprox (2 times a day))	5	PA; NDS
<i>deferiprone oral tablet 500 mg</i> (Ferriprox)	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
FERRIPROX (2 TIMES A DAY) (deferiprone) ORAL TABLET 1,000 MG	5	PA; NDS
FERRIPROX ORAL SOLUTION 100 MG/ML	5	PA; NDS
<i>penicillamine oral tablet 250 mg</i> (Depen Titratabs)	5	PA; NDS
<i>trientine oral capsule 250 mg</i> (Syprine)	5	PA; NDS; QL (240 per 30 days)
Hormonal Agents, Stimulant/Replacement/Modifying		
Androgens		
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	2	
<i>oxandrolone oral tablet 10 mg, 2.5 mg</i> (Oxandrin)	2	
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i> (Depo-Testosterone)	2	PA
<i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>	2	PA
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	2	PA; QL (5 per 28 days)
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/1.25 gram (1%)</i> (Vogelxo)	2	PA; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62%)</i> (AndroGel)	2	PA; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1% (25 mg/2.5gram), 1% (50 mg/5 gram)</i> (AndroGel)	2	PA; QL (300 per 30 days)
<i>testosterone transdermal solution in metered pump w/lapp 30 mg/lactuation (1.5 ml)</i>	2	PA; QL (180 per 30 days)
XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML	3	PA; QL (2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
Estrogens And Antiestrogens			
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	(estradiol-norethindrone acet)	2	PA-HRM; AGE (Max 64 Years)
<i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	(estradiol)	2	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
DUAVEE ORAL TABLET 0.45-20 MG		3	PA-HRM; AGE (Max 64 Years)
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i>	(Estrace)	1	PA-HRM; AGE (Max 64 Years)
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	(Dotti)	2	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	(Climara)	2	PA-HRM; QL (4 per 28 days); AGE (Max 64 Years)
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i>	(Estrace)	2	
<i>estradiol vaginal tablet 10 mcg</i>	(Yuvafem)	2	QL (18 per 28 days)
<i>estradiol valerate intramuscular oil 10 mg/ml, 20 mg/ml, 40 mg/ml</i>	(Delestrogen)	2	
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</i>	(Amabelz)	2	PA-HRM; AGE (Max 64 Years)
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR		4	QL (1 per 84 days)
<i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	PA-HRM; AGE (Max 64 Years)
<i>jinteli oral tablet 1-5 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	PA-HRM; AGE (Max 64 Years)
<i>lyllana transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	(estradiol)	2	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
<i>mimvey oral tablet 1-0.5 mg</i>	(estradiol-norethindrone acet)	2	PA-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> (Fyavolv)	2	PA-HRM; AGE (Max 64 Years)
PREMARIN INJECTION RECON SOLN 25 MG	3	
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.9 MG	3	PA-HRM; AGE (Max 64 Years)
PREMARIN ORAL TABLET (conjugated estrogens) 0.625 MG, 1.25 MG	3	PA-HRM; AGE (Max 64 Years)
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	3	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	3	PA-HRM; AGE (Max 64 Years)
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	3	PA-HRM; AGE (Max 64 Years)
<i>raloxifene oral tablet 60 mg</i> (Evista)	2	
<i>yuvafem vaginal tablet 10 mcg</i> (estradiol)	2	QL (18 per 28 days)
Glucocorticoids/Mineralocorticoids		
<i>betamethasone acet,sod phos injection suspension 6 mg/ml</i> (Celestone Soluspan)	2	
<i>dexamethasone oral solution 0.5 mg/5 ml</i>	2	
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>	2	
<i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>	1	
<i>dexamethasone sodium phos (pf) injection syringe 10 mg/ml</i>	1	
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	1	
<i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i>	2	
<i>fludrocortisone oral tablet 0.1 mg</i>	2	
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>methylprednisolone acetate injection (Depo-Medrol) suspension 40 mg/ml, 80 mg/ml</i>	2	
<i>methylprednisolone oral tablet 16 mg, 4 mg, 8 mg</i> (Medrol)	2	
<i>methylprednisolone oral tablet 32 mg</i>	2	
<i>methylprednisolone oral tablets,dose pack 4 mg</i> (Medrol (Pak))	2	
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	2	
<i>methylprednisolone sodium succ intravenous recon soln 1,000 mg</i> (Solu-Medrol)	2	
<i>prednisolone 15 mg/5 ml soln dlf 15 mg/5 ml (3 mg/ml)</i>	2	PA BvD
<i>prednisolone oral solution 15 mg/5 ml</i>	2	PA BvD
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i>	2	PA BvD
<i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i> (Pediapred)	2	PA BvD
<i>prednisone oral solution 5 mg/5 ml</i>	2	PA BvD
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	PA BvD
<i>prednisone oral tablets,dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	2	
SOLU-CORTEF ACT-O-VIAL (PF) INJECTION RECON SOLN 100 MG/2 ML	4	
<i>triamcinolone acetate injection (Kenalog) suspension 40 mg/ml</i>	2	
Pituitary		
ACTHAR INJECTION GEL 80 UNIT/ML	5	PA; NDS; QL (35 per 28 days)
CORTROPHIN GEL INJECTION GEL 80 UNIT/ML	5	PA; NDS; QL (35 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>desmopressin injection solution 4 mcg/ml</i> (DDAVP)	2	
<i>desmopressin nasal spray with pump 10 mcg/spray (0.1 ml)</i>	2	
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP)	2	
EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG	5	PA; NDS; QL (30 per 30 days)
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	NDS
<i>lanreotide subcutaneous syringe 120 mg/0.5 ml</i> (Somatuline Depot)	5	PA NSO; NDS; QL (0.5 per 28 days)
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	5	PA NSO; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG	5	PA NSO; NDS
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NDS
<i>octreotide acetate injection solution 1,000 mcg/ml, 200 mcg/ml</i>	2	
<i>octreotide acetate injection solution 100 mcg/ml, 50 mcg/ml</i> (Sandostatin)	2	
<i>octreotide acetate injection solution 500 mcg/ml</i> (Sandostatin)	5	NDS
<i>octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml)</i>	2	
ORGOVYX ORAL TABLET 120 MG	5	PA NSO; NDS
ORILISSA ORAL TABLET 150 MG	5	PA; NDS; QL (28 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ORILISSA ORAL TABLET 200 MG	5	PA; NDS; QL (56 per 28 days)
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	PA; NDS; QL (60 per 30 days)
SOMATULINE DEPOT (lanreotide) SUBCUTANEOUS SYRINGE 120 MG/0.5 ML	5	PA NSO; NDS; QL (0.5 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML	5	PA NSO; NDS; QL (0.2 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 90 MG/0.3 ML	5	PA NSO; NDS; QL (0.3 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NDS
SYNAREL NASAL SPRAY, NON-AEROSOL 2 MG/ML	5	PA; NDS
Progestins		
<i>medroxyprogesterone intramuscular suspension 150 mg/ml</i> (Depo-Provera)	2	QL (1 per 84 days)
<i>medroxyprogesterone intramuscular syringe 150 mg/ml</i> (Depo-Provera)	2	QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera)	1	
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i>	2	PA-HRM; AGE (Max 64 Years)
<i>norethindrone acetate oral tablet 5 mg</i> (Aygestin)	2	
<i>progesterone intramuscular oil 50 mg/ml</i>	2	
<i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Thyroid And Antithyroid Agents		
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Euthyrox)	1	
<i>levothyroxine oral tablet 300 mcg</i> (Levo-T)	1	
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Cytomel)	2	
<i>methimazole oral tablet 10 mg, 5 mg</i>	1	
<i>propylthiouracil oral tablet 50 mg</i>	2	
Immunological Agents		
Immunological Agents		
ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	5	PA; NDS
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	5	PA; NDS
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	5	PA; NDS
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	5	NDS
<i>azathioprine oral tablet 50 mg</i> (Imuran)	2	PA BvD
<i>azathioprine sodium injection recon soln 100 mg</i>	2	PA BvD
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	5	PA; NDS; QL (8 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; NDS; QL (8 per 28 days)
BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML	5	PA NSO; NDS; QL (2 per 28 days)
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	5	PA; NDS
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NDS
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	5	PA; NDS
<i>cyclosporine intravenous solution</i> (Sandimmune) 250 mg/5 ml	2	PA BvD
<i>cyclosporine modified oral capsule</i> (Gengraf) 100 mg, 25 mg	2	PA BvD
<i>cyclosporine modified oral capsule</i> 50 mg	2	PA BvD
<i>cyclosporine modified oral solution</i> (Gengraf) 100 mg/ml	2	PA BvD
<i>cyclosporine oral capsule</i> 100 mg, 25 mg (Sandimmune)	2	PA BvD
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NDS
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML, 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NDS
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	5	PA; NDS
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	5	PA; NDS
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	5	PA; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	5	PA; NDS
<i>everolimus (immunosuppressive)</i> (Zortress) <i>oral tablet 0.25 mg, 0.5 mg, 0.75 mg, 1 mg</i>	5	PA BvD; NDS
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NDS
GAMIFANT INTRAVENOUS SOLUTION 5 MG/ML	5	PA; NDS
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	5	PA BvD; NDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	5	PA BvD; NDS
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	5	PA BvD; NDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	5	PA BvD; NDS
<i>gengraf oral capsule 100 mg, 25 mg</i> (cyclosporine modified)	2	PA BvD
<i>gengraf oral solution 100 mg/ml</i> (cyclosporine modified)	2	PA BvD
HUMIRA PEN CROHNS-UC- HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NDS
HUMIRA PEN PSOR-UVEITS- ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NDS
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NDS
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NDS
HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NDS
HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NDS
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NDS
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML	5	PA; NDS
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NDS
<i>infliximab intravenous recon soln 100 mg</i> (Remicade)	5	PA; NDS
KEVZARA SUBCUTANEOUS PEN INJECTOR 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; NDS
KEVZARA SUBCUTANEOUS SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; NDS
<i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)	2	
<i>mycophenolate mofetil (hcl) intravenous recon soln 500 mg</i> (CellCept Intravenous)	2	PA BvD
<i>mycophenolate mofetil oral capsule 250 mg</i> (CellCept)	2	PA BvD
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i> (CellCept)	5	PA BvD; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>mycophenolate mofetil oral tablet</i> (CellCept) 500 mg	2	PA BvD
NULOJIX INTRAVENOUS RECON SOLN 250 MG	5	PA BvD; NDS
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NDS
OLUMIANT ORAL TABLET 1 MG, 2 MG, 4 MG	5	PA; NDS
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG	5	PA; NDS
ORENCIA CLICKJECT SUBCUTANEOUS AUTO- INJECTOR 125 MG/ML	5	PA; NDS
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	5	PA; NDS
OTEZLA ORAL TABLET 30 MG	5	PA; NDS
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19)	5	PA; NDS
PRIVIGEN INTRAVENOUS SOLUTION 10 %	5	PA BvD; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	4	PA BvD
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	4	PA BvD; ST
RASUVO (PF) SUBCUTANEOUS AUTO- INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	3	
REZUROCK ORAL TABLET 200 MG	5	PA NSO; NDS
RIDAURA ORAL CAPSULE 3 MG	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG, 45 MG	5	PA; NDS
<i>sirolimus oral solution 1 mg/ml</i> (Rapamune)	5	PA BvD; NDS
<i>sirolimus oral tablet 0.5 mg, 1 mg</i> (Rapamune)	2	PA BvD
<i>sirolimus oral tablet 2 mg</i> (Rapamune)	5	PA BvD; NDS
SKYRIZI INTRAVENOUS SOLUTION 60 MG/ML	5	PA; NDS
SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NDS
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.83 ML	5	PA; NDS
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	5	PA; NDS
SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML), 360 MG/2.4 ML (150 MG/ML)	5	PA; NDS
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	5	PA; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	5	PA; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)	2	PA BvD
TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 80 MG/ML	5	PA; NDS
TALTZ SYRINGE SUBCUTANEOUS SYRINGE 80 MG/ML	5	PA; NDS
TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NDS
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	5	PA; LA; NDS
XELJANZ ORAL SOLUTION 1 MG/ML	5	PA; NDS
XELJANZ ORAL TABLET 10 MG, 5 MG	5	PA; NDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	5	PA; NDS
Vaccines		
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	6	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	6	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	6	
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	6	
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	6	
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML	6	
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG-LF/0.5ML	6	
DENGVAXIA (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP4.5-6 CCID50/0.5 ML	6	QL (3 per 365 days)
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	6	PA BvD
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	6	PA BvD
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	6	PA BvD
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	6	QL (1.5 per 365 days)
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	6	QL (1.5 per 365 days)
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	6	
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	6	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	6	PA BvD
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	6	
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	6	
JYNNEOS (PF)(STOCKPILE) SUBCUTANEOUS SUSPENSION 0.5X TO 3.95X 10EXP8 UNIT/0.5	6	
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	6	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	6	
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	6	
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	6	
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	6	
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	6	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	6	
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML, 15LF-48MCG-62DU -10 MCG/0.5ML	6	
PREHEVBRIO (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML	6	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3.4- 4.2- 3.3CCID50/0.5ML	6	
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3- 4.3-3- 3.99 TCID50/0.5	6	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML, 15 LF-48 MCG- 5 LF UNIT/0.5ML (58 UNT/ML)	6	
QUADRACEL (PF) INTRAMUSCULAR SYRINGE 15 LF-48 MCG- 5 LF UNIT/0.5ML	6	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	6	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	6	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	6	PA BvD
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	6	
ROTATEQ VACCINE ORAL SOLUTION 2 ML	6	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	6	QL (2 per 365 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TDVAX INTRAMUSCULAR (tetanus-diphtheria SUSPENSION 2-2 LF UNIT/0.5 ML toxoids-td)	6	
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	6	
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	6	
TETANUS,DIPHThERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	6	
TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML, 2.4 MCG/0.5 ML	6	QL (1.5 per 365 days)
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	6	
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	6	
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	6	
TYPHIM VI (typhoid vi polysacch INTRAMUSCULAR SYRINGE vaccine) 25 MCG/0.5 ML	6	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML	6	
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	6	QL (2 per 365 days)
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML, 10 EXP4.74 UNIT/0.5 ML(2.5 ML IN 1 VIAL)	6	
Inflammatory Bowel Disease Agents		
Inflammatory Bowel Disease Agents		
<i>alosetron oral tablet 0.5 mg</i> (Lotronex)	2	
<i>alosetron oral tablet 1 mg</i> (Lotronex)	5	NDS
<i>balsalazide oral capsule 750 mg</i> (Colazal)	2	
<i>budesonide oral capsule, delayed, extend. release 3 mg</i>	4	
DIPENTUM ORAL CAPSULE 250 MG	5	ST; NDS
<i>hydrocortisone rectal enema 100 mg/60 ml</i> (Cortenema)	2	
<i>mesalamine oral capsule (with del rel tablets) 400 mg</i> (Delzicol)	2	
<i>mesalamine oral capsule, extended release 24hr 0.375 gram</i> (Apriso)	2	
<i>mesalamine oral tablet, delayed release (drlec) 1.2 gram</i> (Lialda)	2	QL (120 per 30 days)
<i>mesalamine oral tablet, delayed release (drlec) 800 mg</i> (Asacol HD)	2	
<i>mesalamine rectal suppository 1,000 mg</i> (Canasa)	2	
<i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)	2	
<i>sulfasalazine oral tablet, delayed release (drlec) 500 mg</i> (Azulfidine EN-tabs)	4	
UCERIS RECTAL FOAM 2 MG/ACTUATION	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Metabolic Bone Disease Agents		
Metabolic Bone Disease Agents		
<i>alendronate oral solution 70 mg/75 ml</i>	2	QL (300 per 28 days)
<i>alendronate oral tablet 10 mg, 5 mg</i>	1	QL (30 per 30 days)
<i>alendronate oral tablet 35 mg</i>	1	QL (4 per 28 days)
<i>alendronate oral tablet 70 mg</i> (Fosamax)	1	QL (4 per 28 days)
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/lactuation</i>	2	QL (3.7 per 28 days)
<i>calcitriol intravenous solution 1 mcg/ml</i>	2	
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i> (Rocaltrol)	2	
<i>calcitriol oral solution 1 mcg/ml</i> (Rocaltrol)	2	
<i>cinacalcet oral tablet 30 mg</i> (Sensipar)	2	QL (60 per 30 days)
<i>cinacalcet oral tablet 60 mg</i> (Sensipar)	5	NDS; QL (60 per 30 days)
<i>cinacalcet oral tablet 90 mg</i> (Sensipar)	5	NDS; QL (120 per 30 days)
FORTEO SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE (600MCG/2.4ML)	3	PA; QL (2.4 per 28 days)
<i>ibandronate intravenous solution 3 mg/3 ml</i>	2	QL (3 per 84 days)
<i>ibandronate intravenous syringe 3 mg/3 ml</i>	2	QL (3 per 84 days)
<i>ibandronate oral tablet 150 mg</i> (Boniva)	2	QL (1 per 28 days)
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	5	PA; NDS; QL (2 per 28 days)
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemplar)	2	
<i>paricalcitol oral capsule 4 mcg</i>	2	
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	3	QL (1 per 180 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RAYALDEE ORAL CAPSULE,EXTENDED RELEASE 24 HR 30 MCG	3	QL (60 per 30 days)
<i>risedronate oral tablet 150 mg</i> (Actonel)	2	QL (1 per 28 days)
<i>risedronate oral tablet 30 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>risedronate oral tablet 35 mg</i> (Actonel)	2	QL (4 per 28 days)
<i>risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)</i>	2	QL (4 per 28 days)
<i>risedronate oral tablet,delayed release (drlec) 35 mg</i> (Atelvia)	2	QL (4 per 28 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	3	PA; QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	5	PA; NDS
<i>zoledronic acid intravenous recon soln 4 mg</i>	2	
<i>zoledronic acid intravenous solution 4 mg/5 ml</i>	2	
<i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i> (Reclast)	2	QL (100 per 300 days)
Miscellaneous Therapeutic Agents		
Miscellaneous Therapeutic Agents		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	5	PA; NDS
<i>betaine oral powder 1 gram/scoop</i> (Cystadane)	5	PA; NDS
<i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	2	
<i>diazoxide oral suspension 50 mg/ml</i> (Proglycem)	2	
ELMIRON ORAL CAPSULE 100 MG	4	QL (90 per 30 days)
ENDARI ORAL POWDER IN PACKET 5 GRAM	5	PA; NDS; QL (180 per 30 days)
EVRYSDI ORAL RECON SOLN 0.75 MG/ML	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO- INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE SUBCUTANEOUS SOLUTION 1 MG/0.2 ML	3	
<i>hydroxyzine pamoate oral capsule</i> 100 mg	2	
<i>hydroxyzine pamoate oral capsule</i> (Vistaril) 25 mg, 50 mg	1	
<i>leucovorin calcium injection recon</i> <i>soln 100 mg, 200 mg, 350 mg, 50</i> <i>mg, 500 mg</i>	2	
<i>leucovorin calcium injection solution</i> 10 mg/ml	2	
<i>leucovorin calcium oral tablet 10</i> <i>mg, 15 mg, 25 mg, 5 mg</i>	2	
<i>levocarnitine (with sugar) oral</i> (Carnitor) <i>solution 100 mg/ml</i>	2	
<i>levocarnitine oral tablet 330 mg</i> (Carnitor)	4	
<i>mesna intravenous solution 100</i> (Mesnex) <i>mg/ml</i>	2	
MESNEX ORAL TABLET 400 MG	5	NDS
OXLUMO SUBCUTANEOUS SOLUTION 94.5 MG/0.5 ML	5	PA; NDS
<i>pyridostigmine bromide oral syrup</i> (Mestinon) <i>60 mg/5 ml</i>	2	
<i>pyridostigmine bromide oral tablet</i> <i>30 mg</i>	2	
<i>pyridostigmine bromide oral tablet</i> (Mestinon) <i>60 mg</i>	2	
RECTIV RECTAL OINTMENT 0.4 % (W/W)	4	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	5	PA; NDS; QL (4 per 28 days)
TAKHZYRO SUBCUTANEOUS SYRINGE 300 MG/2 ML (150 MG/ML)	5	PA; NDS; QL (4 per 28 days)
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NDS; QL (56 per 28 days)
TYBOST ORAL TABLET 150 MG	4	QL (30 per 30 days)
ZEGALOGUE AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 0.6 MG/0.6 ML	3	
ZEGALOGUE SYRINGE SUBCUTANEOUS SYRINGE 0.6 MG/0.6 ML	3	
Ophthalmic Agents		
Antiglaucoma Agents		
<i>acetazolamide oral capsule, extended release 500 mg</i>	2	
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	2	
<i>acetazolamide sodium injection recon soln 500 mg</i>	2	
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %	3	
AZOPT OPHTHALMIC (EYE) DROPS,SUSPENSION 1 % (brinzolamide)	2	
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	2	
<i>brimonidine-timolol ophthalmic (eye) drops 0.2-0.5 %</i> (Combigan)	2	
<i>carteolol ophthalmic (eye) drops 1 %</i>	2	
<i>dorzolamide ophthalmic (eye) drops 2 %</i> (Trusopt)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml</i> (Cosopt)	2	
<i>latanoprost ophthalmic (eye) drops 0.005 %</i> (Xalatan)	1	QL (2.5 per 25 days)
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	1	
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	3	QL (2.5 per 25 days)
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 4 %</i>	2	
<i>pilocarpine hcl ophthalmic (eye) drops 2 %</i> (Isopto Carpine)	2	
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	3	QL (2.5 per 25 days)
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %	3	QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	3	
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i> (Timoptic)	1	
<i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %</i> (Timoptic-XE)	2	
<i>travoprost ophthalmic (eye) drops 0.004 %</i> (Travatan Z)	2	QL (2.5 per 25 days)
Replacement Preparations		
Replacement Preparations		
<i>calcium chloride intravenous syringe 100 mg/ml (10 %)</i>	2	
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>	2	
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>	2	
ISOLYTE S IV SOLUTION-EXCEL SINGLE USE	4	
ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i> (potassium chloride)	2	
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i> (potassium chloride)	2	
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i> (potassium chloride)	2	
<i>magnesium sulfate in d5w intravenous piggyback 1 gram/100 ml</i>	2	
<i>magnesium sulfate in water intravenous parenteral solution 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %)</i>	2	
<i>magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %)</i>	2	
<i>magnesium sulfate injection syringe 4 meq/ml</i>	2	
NORMOSOL-M IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION	4	
PLASMA-LYTE 148 INTRAVENOUS PARENTERAL SOLUTION	4	
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION	4	
<i>potassium chloride intravenous solution 2 meq/ml</i>	1	PA BvD
<i>potassium chloride intravenous solution 2 meq/ml (20 ml)</i>	2	PA BvD
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>	2	
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>potassium chloride oral tablet extended release 10 meq, 20 meq</i> (K-Tab)	2	
<i>potassium chloride oral tablet extended release 8 meq</i> (Klor-Con 8)	2	
<i>potassium chloride oral tablet, er particles/crystals 10 meq</i> (Klor-Con M10)	2	
<i>potassium chloride oral tablet, er particles/crystals 15 meq</i> (Klor-Con M15)	2	
<i>potassium chloride oral tablet, er particles/crystals 20 meq</i> (Klor-Con M20)	2	
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>	2	
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i> (Urocit-K 10)	2	
<i>potassium citrate oral tablet extended release 15 meq</i> (Urocit-K 15)	2	
<i>potassium citrate oral tablet extended release 5 meq (540 mg)</i> (Urocit-K 5)	2	
<i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>	2	
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	4	
<i>sodium chloride 0.9 % intravenous piggyback</i>	2	
<i>sodium chloride 0.9% solution viaflex, single use</i>	2	

Respiratory Tract Agents

Anti-Inflammatories, Inhaled

Corticosteroids

ADVAIR DISKUS INHALATION BLISTER WITH DEVICE 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE (fluticasone propion-salmeterol)	2	QL (60 per 30 days)
---	---	---------------------

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115- 21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	3	QL (12 per 30 days)
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (30 per 30 days)
BREO ELLIPTA INHALATION (fluticasone furoate- BLISTER WITH DEVICE 100-25 vilanterol) MCG/DOSE, 200-25 MCG/DOSE	3	QL (60 per 30 days)
<i>budesonide inhalation suspension for (Pulmicort) nebulization 0.25 mg/2 ml, 0.5 mg/2 ml</i>	2	PA BvD; QL (120 per 30 days)
<i>budesonide inhalation suspension for (Pulmicort) nebulization 1 mg/2 ml</i>	2	PA BvD; QL (60 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (60 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 250 MCG/ACTUATION	3	QL (120 per 30 days)
FLOVENT HFA INHALATION (fluticasone HFA AEROSOL INHALER 110 propionate) MCG/ACTUATION	3	QL (12 per 30 days)
FLOVENT HFA INHALATION (fluticasone HFA AEROSOL INHALER 220 propionate) MCG/ACTUATION	3	QL (24 per 30 days)
FLOVENT HFA INHALATION (fluticasone HFA AEROSOL INHALER 44 propionate) MCG/ACTUATION	3	QL (21.2 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SYMBICORT INHALATION HFA AEROSOL INHALER 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION (budesonide-formoterol)	3	QL (30.6 per 30 days)
Antileukotrienes		
montelukast oral tablet 10 mg (Singulair)	1	
montelukast oral tablet, chewable 4 mg, 5 mg (Singulair)	1	
zafirlukast oral tablet 10 mg, 20 mg (Accolate)	2	
Bronchodilators		
albuterol 5 mg/ml solution	2	PA BvD; QL (120 per 30 days)
albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (Proventil HFA)	2	QL (17 per 30 days)
albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)	2	QL (13.4 per 30 days)
albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)	2	QL (36 per 30 days)
albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg/3 ml (0.083 %)	2	PA BvD; QL (360 per 30 days)
albuterol sulfate inhalation solution for nebulization 2.5 mg/0.5 ml	2	PA BvD; QL (120 per 30 days)
albuterol sulfate oral syrup 2 mg/5 ml	2	
albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg	2	
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	3	QL (60 per 30 days)
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	4	QL (25.8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION	3	QL (10.7 per 30 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	3	QL (8 per 30 days)
<i>ipratropium bromide inhalation solution 0.02 %</i>	2	PA BvD; QL (312.5 per 30 days)
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i>	2	PA BvD; QL (540 per 30 days)
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	3	QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION	3	QL (4 per 30 days)
SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG	3	QL (30 per 30 days)
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	3	QL (4 per 30 days)
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 28 days)
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	2	
<i>theophylline oral solution 80 mg/15 ml</i>	2	
<i>theophylline oral tablet extended release 12 hr 300 mg, 450 mg</i>	2	
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200-62.5-25 MCG	3	QL (60 per 30 days)
Respiratory Tract Agents, Other		
<i>acetylcysteine intravenous solution</i> (Acetadote) 200 mg/ml (20 %)	2	
<i>acetylcysteine solution</i> 100 mg/ml (10 %), 200 mg/ml (20 %)	2	PA BvD
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NDS
<i>cromolyn inhalation solution for nebulization</i> 20 mg/2 ml	2	PA BvD
ESBRIET ORAL CAPSULE 267 MG (pirfenidone)	5	PA; NDS; QL (270 per 30 days)
FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML	5	PA; NDS; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	5	PA; NDS; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 25 MG, 50 MG, 75 MG	5	PA; NDS; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	5	PA; NDS; QL (56 per 28 days)
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML	5	PA; LA; NDS; QL (0.4 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; NDS; QL (60 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG, 75-94 MG	5	PA; NDS; QL (56 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	5	PA; NDS; QL (112 per 28 days)
<i>pirfenidone oral capsule 267 mg</i> (Esbriet)	5	PA; NDS; QL (270 per 30 days)
<i>pirfenidone oral tablet 267 mg</i> (Esbriet)	5	PA; NDS; QL (270 per 30 days)
<i>pirfenidone oral tablet 534 mg</i>	5	PA; NDS; QL (90 per 30 days)
<i>pirfenidone oral tablet 801 mg</i> (Esbriet)	5	PA; NDS; QL (90 per 30 days)
PROLASTIN C 1,000 MG/20 ML VL PRICE/ONE MG,SUV	5	PA BvD; NDS
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	5	PA BvD; NDS
<i>roflumilast oral tablet 250 mcg, 500 mcg</i> (Daliresp)	2	QL (30 per 30 days)
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/150 MG (N), 50-75 MG (D)/75 MG (N)	5	PA; NDS; QL (56 per 28 days)
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D)/150 MG (N), 50-25-37.5 MG (D)/75 MG (N)	5	PA; NDS; QL (84 per 28 days)
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	5	PA; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.5 ML	5	PA; NDS
Skeletal Muscle Relaxants		
Skeletal Muscle Relaxants		
<i>baclofen oral tablet 10 mg, 20 mg, 5 mg</i>	2	
<i>chlorzoxazone oral tablet 500 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	1	PA-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>dantrolene oral capsule 100 mg, 50 mg</i>	2	
<i>dantrolene oral capsule 25 mg</i> (Dantrium)	2	
<i>methocarbamol oral tablet 500 mg, 750 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>revonto intravenous recon soln 20 mg</i> (dantrolene)	2	
<i>tizanidine oral tablet 2 mg</i>	2	
<i>tizanidine oral tablet 4 mg</i> (Zanaflex)	2	
Sleep Disorder Agents		
Sleep Disorder Agents		
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)	2	PA; QL (30 per 30 days)
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)	2	QL (30 per 30 days)
HETLIOZ ORAL CAPSULE 20 MG (tasimelteon)	5	PA; NDS; QL (30 per 30 days)
<i>modafinil oral tablet 100 mg</i> (Provigil)	2	PA; QL (30 per 30 days)
<i>modafinil oral tablet 200 mg</i> (Provigil)	2	PA; QL (60 per 30 days)
<i>sodium oxybate oral solution 500 mg/ml</i> (Xyrem)	5	PA; LA; NDS; QL (540 per 30 days)
SUNOSI ORAL TABLET 150 MG, 75 MG	4	PA; QL (30 per 30 days)
<i>tasimelteon oral capsule 20 mg</i> (HetlioZ)	5	PA; NDS; QL (30 per 30 days)
XYREM ORAL SOLUTION 500 MG/ML (sodium oxybate)	5	PA; LA; NDS; QL (540 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)	1	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Vasodilating Agents		
Vasodilating Agents		
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	5	PA; NDS; QL (90 per 30 days)
<i>alyq oral tablet 20 mg</i> (tadalafil (pulm. hypertension))	2	PA; QL (60 per 30 days)
<i>ambrisentan oral tablet 10 mg, 5 mg</i> (Letairis)	5	PA; NDS; QL (30 per 30 days)
OPSUMIT ORAL TABLET 10 MG	5	PA; NDS; QL (30 per 30 days)
<i>sildenafil (pulm.hypertension) oral tablet 20 mg</i> (Revatio)	1	PA; QL (90 per 30 days)
<i>tadalafil (pulm. hypertension) oral tablet 20 mg</i> (Alyq)	2	PA; QL (60 per 30 days)
TRACLEER ORAL TABLET 125 MG, 62.5 MG (bosentan)	5	PA; LA; NDS; QL (60 per 30 days)
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG	5	PA; NDS; QL (112 per 28 days)
UPTRAVI INTRAVENOUS RECON SOLN 1,800 MCG	5	PA; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	5	PA; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	5	PA; NDS; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	5	PA; NDS
Vitamins And Minerals		
Vitamins And Minerals		
<i>bal-care dha combo pack 27-1-430 mg</i>	2	
<i>bal-care dha essential pack 27 mg iron-1 mg -374 mg</i>	2	
<i>c-nate dha softgel 28 mg iron-1 mg - 200 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>completenate tablet chew 29 mg iron- 1 mg</i>	2	
<i>folivane-ob capsule 85-1 mg</i>	2	
<i>hemenatal ob + dha oral combo pack 28 mg iron-6 mg iron-1 mg</i>	2	
<i>kosher prenatal plus iron tab 30 mg iron- 1 mg</i>	2	
<i>marnatal-f capsule 60 mg iron-1 mg</i>	2	
<i>m-natal plus tablet 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid)	2	
<i>mynatal advance oral tablet 90-1-50 mg</i>	2	
<i>mynatal capsule 65 mg iron- 1 mg</i>	2	
<i>mynatal oral tablet 90-1-50 mg</i>	2	
<i>mynatal plus captab 65 mg iron- 1 mg</i>	2	
<i>mynatal-z captab 65 mg iron- 1 mg</i>	2	
<i>mynate 90 plus oral tablet extended release 90 mg iron-1 mg</i>	2	
<i>newgen tablet 32-1,000 mg-mcg</i>	2	
<i>niva-plus tablet 27 mg iron- 1 mg</i>	2	
<i>obstetrix dha oral combo pack,tablet and cap,dr 29 mg iron-1 mg -50 mg</i>	2	
<i>o-cal prenatal tablet 15 mg iron-1,000 mcg</i>	2	
<i>pnv 29-1 tablet (rx) 29 mg iron- 1 mg</i>	2	
<i>pnv prenatal plus multivit tab</i> (pnv,calcium 72-iron-gluten-free (rx) 27 mg iron- 1 mg) folic acid)	2	
<i>pnv-dha + docusate oral capsule 27-1.25-55-300 mg</i>	2	
<i>pnv-omega softgel 28-1-300 mg</i>	2	
<i>pnv-vp-u oral capsule 106.5-1 mg</i>	2	
<i>pr natal 400 combo pack 29-1-400 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>pr natal 400 ec combo pack 29-1-400 mg</i>	2	
<i>pr natal 430 combo pack 29 mg iron-1 mg -430 mg</i>	2	
<i>pr natal 430 ec combo pack 29-1-430 mg</i>	2	
<i>prenal true combo pack 30 mg iron-1.4 mg-300 mg</i>	2	
<i>prenaissance oral capsule 29-1.25-55-325 mg</i>	2	
<i>prenaissance plus oral capsule 28-1-50-250 mg</i>	2	
<i>prenatabs fa tablet 29-1 mg</i>	2	
<i>prenatal 19 (with docusate) oral tablet 29 mg iron- 1 mg-25 mg</i>	2	
<i>prenatal 19 chewable tablet 29 mg iron- 1 mg</i>	2	
<i>prenatal low iron tablet (rx) 27 mg iron- 1 mg</i>	2	
<i>prenatal plus iron tablet (rx) 29 mg iron- 1 mg</i> (pnv,calcium 72-iron,carb-folic)	2	
<i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid)	2	
<i>prenatal-u capsule 106.5-1 mg</i>	2	
<i>preplus ca-fe 27 mg-fa 1 mg tb (rx) 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid)	2	
<i>pretab 29 mg-1 mg tablet (rx) 29-1 mg</i>	2	
<i>purefe ob plus capsule 106 mg iron- 1 mg</i>	2	
<i>purefe plus capsule 106 mg iron- 1 mg</i>	2	
<i>r-natal ob softgel 20 mg iron- 1 mg-320 mg</i>	2	
<i>select-ob chewable caplet 29 mg iron- 1 mg</i>	2	
<i>select-ob chewable caplet 29 mg iron- 1 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>se-natal 19 chewable tablet 29 mg iron- 1 mg</i>	2	
<i>taron-c dha capsule 35-1-200 mg</i>	2	
<i>taron-prex prenatal-dha oral capsule 30 mg iron-1.2 mg-55 mg-265 mg</i>	2	
<i>triveen-duo dha combo pack 29-1-400 mg</i>	2	
<i>vinate care chewable tablet 40 mg iron- 1 mg</i>	2	
<i>virt-c dha softgel (rx) 35-1-200 mg</i>	2	
<i>virt-nate dha softgel 28 mg iron-1 mg -200 mg</i>	2	
<i>virt-pn dha softgel (rx) 27 mg iron-1 mg -300 mg</i>	2	
<i>virt-pn oral tablet 27-1 mg</i>	2	
<i>virt-pn plus softgel (rx) 28-1-300 mg</i>	2	
<i>vitafol gummies 3.33 mg iron- 0.33 mg</i>	2	
<i>vitafol nano tablet 18 mg iron- 1 mg</i>	2	
<i>vitafol-ob+dha combo pack 65-1-250 mg</i>	2	
<i>vol-nate oral tablet 28 mg iron- 1 mg</i>	2	
<i>vp-ch-pnv oral capsule 30 mg iron-1 mg -50 mg-260 mg</i>	2	
<i>vp-pnv-dha softgel (rx) 28 mg iron-1 mg-200 mg</i>	2	
<i>zatean-pn dha capsule 27 mg iron-1 mg -300 mg</i>	2	
<i>zatean-pn plus softgel 28-1-300 mg</i>	2	
<i>zingiber tablet 1.2 mg-40 mg- 124.1 mg-100 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

INDEX

1ST TIER UNIFINE PENTIPS.....	107	ADVAIR HFA.....	185	<i>amantadine hcl</i>	54
1ST TIER UNIFINE PENTIPS PLUS.....	107	ADVOCATE PEN NEEDLE	108	AMBISOME.....	46
<i>abacavir</i>	61, 62	ADVOCATE SYRINGES	107, 108	<i>ambrisentan</i>	191
<i>abacavir-lamivudine</i>	62	<i>afirmelle</i>	91	<i>amethia</i>	92
<i>abacavir-lamivudine- zidovudine</i>	62	AJOVY AUTOINJECTOR....	49	<i>amiloride</i>	83
ABELCET.....	46	AJOVY SYRINGE.....	49	<i>amiloride-hydrochlorothiazide</i> ..	83
ABILIFY MAINTENA.....	56	AKYNZEO (FOSNETUPITANT).....	51	AMINOSYN-PF 7 % (SULFITE-FREE).....	72
<i>abiraterone</i>	18	AKYNZEO (NETUPITANT).....	51	<i>amiodarone</i>	78
ABOUTTIME PEN NEEDLE.....	107	<i>ala-cort</i>	104	<i>amitriptyline</i>	38
ABRAXANE.....	18	<i>albendazole</i>	53	<i>amlodipine</i>	82
<i>acamprosate</i>	8	<i>albuterol sulfate</i>	186	<i>amlodipine-atorvastatin</i>	84
<i>acarbose</i>	41	<i>alclometasone</i>	104	<i>amlodipine-benazepril</i>	82
<i>accutane</i>	101	ALCOHOL PADS.....	101	<i>amlodipine-olmesartan</i>	82
<i>acebutolol</i>	78	ALCOHOL PREP PADS.....	102	<i>amlodipine-valsartan</i>	82
<i>acetaminophen-codeine</i>	3	ALCOHOL PREP SWABS..	102	<i>amlodipine-valsartan-hcthiazyd</i> ..	82
<i>acetazolamide</i>	181	ALCOHOL SWABS.....	101	<i>ammonium lactate</i>	102
<i>acetazolamide sodium</i>	181	ALCOHOL WIPES.....	103	<i>amoxapine</i>	38
<i>acetic acid</i>	151	ALECENSA.....	18	<i>amoxicillin</i>	15
<i>acetylcysteine</i>	188	<i>alendronate</i>	178	<i>amoxicillin-pot clavulanate</i>	15
<i>acitretin</i>	101	<i>alfuzosin</i>	159	<i>amphotericin b</i>	46
ACTEMRA.....	166	ALIMTA.....	18	<i>amphotericin b liposome</i>	46
ACTEMRA ACTPEN.....	166	<i>aliskiren</i>	86	<i>ampicillin</i>	16
ACTHAR.....	163	<i>allopurinol</i>	48	<i>ampicillin sodium</i>	16
ACTHIB (PF).....	172	<i>alose tron</i>	177	<i>ampicillin-sulbactam</i>	16
ACTIMMUNE.....	179	ALPHAGAN P.....	181	<i>anagrelide</i>	72
<i>acyclovir</i>	68, 101	<i>alprazolam</i>	9	<i>anastrozole</i>	19
<i>acyclovir sodium</i>	68	ALREX.....	153	ANORO ELLIPTA.....	186
ADACEL(TDAP ADOLESN/ADULT)(PF)....	172	<i>altavera (28)</i>	91	<i>apomorphine</i>	54
<i>adapalene</i>	106	ALTRENO.....	106	<i>apraclonidine</i>	150
<i>adefovir</i>	68	ALUNBRIG.....	18, 19	<i>aprepitant</i>	51
ADEMPAS.....	191	<i>alyacen 1/35 (28)</i>	91	APRETUDE.....	62
<i>adrucil</i>	18	<i>alyacen 7/7/7 (28)</i>	92	<i>apri</i>	92
ADVAIR DISKUS.....	184	<i>alyq</i>	191	APTIOM.....	32
		<i>amabelz</i>	161	APTIVUS.....	62
				<i>aranelle (28)</i>	92
				ARCALYST.....	166
				<i>aripiprazole</i>	56

ARISTADA.....	56, 57	<i>aztreonam</i>	14	BD ULTRA-FINE SHORT	
ARISTADA INITIO.....	56	<i>azurette (28)</i>	92	PEN NEEDLE.....	111
<i>armodafinil</i>	190	<i>bacitracin</i>	151	BD VEO INSULIN SYR	
ARNUITY ELLIPTA.....	185	<i>bacitracin-polymyxin b</i>	151	(HALF UNIT).....	111
<i>ascomp with codeine</i>	3	<i>baclofen</i>	189	BD VEO INSULIN	
<i>asenapine maleate</i>	57	<i>bal-care dha</i>	191	SYRINGE UF.....	111
<i>ashlyna</i>	92	<i>bal-care dha essential</i>	191	BELSOMRA.....	190
<i>aspirin-dipyridamole</i>	72	<i>balsalazide</i>	177	<i>benazepril</i>	76
ASSURE ID DUO-SHIELD	108	BALVERSA.....	19	<i>benazepril-hydrochlorothiazide</i>	77
ASSURE ID INSULIN		<i>balziva (28)</i>	92	<i>bendamustine</i>	19
SAFETY.....	108, 109	BCG VACCINE, LIVE (PF)	172	BENDEKA.....	19
ASSURE ID PEN NEEDLE	109	BD ALCOHOL SWABS.....	102	BENLYSTA.....	166
<i>atazanavir</i>	62	BD AUTOSHIELD DUO		<i>benztropine</i>	54
<i>atenolol</i>	79	PEN NEEDLE.....	109	BESREMI.....	166
<i>atenolol-chlorthalidone</i>	79	BD ECLIPSE LUER-LOK...	109	<i>betaine</i>	179
<i>atomoxetine</i>	87	BD INSULIN SYRINGE.....	109	<i>betamethasone acet,sod phos..</i>	162
<i>atorvastatin</i>	84	BD INSULIN SYRINGE		<i>betamethasone dipropionate...</i>	104
<i>atovaquone</i>	53	(HALF UNIT).....	109	<i>betamethasone valerate</i>	104
<i>atovaquone-proguanil</i>	53	BD INSULIN SYRINGE		<i>betamethasone, augmented</i>	
<i>atropine</i>	150	SLIP TIP.....	110	104, 105
ATROVENT HFA.....	186	BD INSULIN SYRINGE U-		BETASERON.....	87
AUBAGIO.....	87	500.....	109	<i>betaxolol</i>	79
<i>aubra eq</i>	92	BD INSULIN SYRINGE		<i>bethanechol chloride</i>	158
<i>aurovela 1.5/30 (21)</i>	92	ULTRA-FINE.....	109	<i>bexarotene</i>	19
<i>aurovela 1/20 (21)</i>	92	BD NANO 2ND GEN PEN		BEXSERO.....	172
<i>aurovela 24 fe</i>	92	NEEDLE.....	110	<i>bicalutamide</i>	19
<i>aurovela fe 1.5/30 (28)</i>	92	BD SAFETYGLIDE		BICILLIN L-A.....	16
<i>aurovela fe 1-20 (28)</i>	92	INSULIN SYRINGE....	110, 111	BIDIL.....	86
AUSTEDO.....	87	BD SAFETYGLIDE		BIKTARVY.....	62
AUVELITY.....	38	NEEDLE.....	110	<i>bisoprolol fumarate</i>	79
<i>aviane</i>	92	BD SAFETYGLIDE		<i>bisoprolol-hydrochlorothiazide</i>	79
AVONEX.....	87	SYRINGE.....	110	<i>bleomycin</i>	19
<i>ayuna</i>	92	BD ULTRA-FINE MICRO		<i>bleph-10</i>	151
AYVAKIT.....	19	PEN NEEDLE.....	111	<i>blisovi 24 fe</i>	92
<i>azacitidine</i>	19	BD ULTRA-FINE MINI		<i>blisovi fe 1.5/30 (28)</i>	92
<i>azathioprine</i>	166	PEN NEEDLE.....	111	<i>blisovi fe 1/20 (28)</i>	92
<i>azathioprine sodium</i>	166	BD ULTRA-FINE NANO		BOOSTRIX TDAP.....	172
<i>azelastine</i>	150	PEN NEEDLE.....	111	BORDERED GAUZE.....	111
<i>azithromycin</i>	14	BD ULTRA-FINE ORIG		<i>bortezomib</i>	19
AZOPT.....	181	PEN NEEDLE.....	111	BORTEZOMIB.....	19

BOSULIF.....	19	CAPLYTA.....	57	CELONTIN.....	33
BRAFTOVI.....	19	CAPRELSA.....	20	<i>cephalexin</i>	13, 14
BREO ELLIPTA.....	185	<i>captopril</i>	77	CERDELGA.....	149
BREZTRI AEROSPHERE..	187	<i>carbamazepine</i>	32, 33	<i>cevimeline</i>	101
<i>brillyn</i>	93	<i>carbidopa-levodopa</i>	54	<i>chateal eq (28)</i>	93
BRILINTA.....	72	<i>carbidopa-levodopa-</i>		<i>chloramphenicol sod succinate</i> ..	11
<i>brimonidine</i>	181	<i>entacapone</i>	54, 55	<i>chlordiazepoxide hcl</i>	9
<i>brimonidine-timolol</i>	181	CAREFINE PEN NEEDLE		<i>chlorhexidine gluconate</i>	101
BRIVIACT.....	32	111, 112	<i>chloroquine phosphate</i>	53
<i>bromocriptine</i>	54	CARETOUCH ALCOHOL		<i>chlorothiazide sodium</i>	83
BROMSITE.....	153	PREP PAD.....	102	<i>chlorpromazine</i>	57
BRUKINSA.....	19	CARETOUCH INSULIN		<i>chlorthalidone</i>	83
<i>budesonide</i>	177, 185	SYRINGE.....	112	<i>chlorzoxazone</i>	189
<i>bumetanide</i>	83	CARETOUCH PEN		<i>cholestyramine (with sugar)</i>	84
<i>buprenorphine hcl</i>	3, 8	NEEDLE.....	112	<i>cholestyramine light</i>	84
<i>buprenorphine-naloxone</i>	8, 9	<i>carglumic acid</i>	156	<i>ciclopirox</i>	46
<i>bupropion hcl</i>	38	<i>carteolol</i>	181	<i>cilostazol</i>	72
<i>bupropion hcl (smoking deter)</i> ...	9	<i>cartia xt</i>	80	CIMDUO.....	62
<i>bupirone</i>	179	<i>carvedilol</i>	79	<i>cimetidine hcl</i>	155
<i>butalbital-acetaminophen-caff</i>	3	<i>casprofungin</i>	46	CIMZIA.....	167
<i>butalbital-aspirin-caffeine</i>	3	CAYSTON.....	15	CIMZIA POWDER FOR	
CABENUVA.....	62	<i>caziant (28)</i>	93	RECONST.....	166
<i>cabergoline</i>	54	<i>cefactor</i>	12	<i>cinacalcet</i>	178
CABLIVI.....	72	<i>cefadroxil</i>	12	CINQAIR.....	188
CABOMETYX.....	20	<i>cefazolin</i>	12	CINRYZE.....	70
<i>cabotegravir</i>	62	<i>cefazolin in dextrose (iso-os)</i> ...	12	<i>ciprofloxacin</i>	17
<i>caffeine citrate</i>	87, 88	<i>cefdinir</i>	13	<i>ciprofloxacin hcl</i>	16, 151
<i>calcipotriene</i>	102	<i>cefepime</i>	13	<i>ciprofloxacin in 5% dextrose</i> ...	17
<i>calcitonin (salmon)</i>	178	<i>cefexime</i>	13	<i>ciprofloxacin-dexamethasone</i> ..	151
<i>calcitriol</i>	178	<i>cefotaxime</i>	13	<i>citalopram</i>	38
<i>calcium acetate (phosphat</i>		<i>cefoxitin</i>	13	<i>clarithromycin</i>	14
<i>bind)</i>	158	<i>cefpodoxime</i>	13	CLENPIQ.....	158
<i>calcium chloride</i>	182	<i>cefprozil</i>	13	CLICKFINE PEN NEEDLE	
CALQUENCE.....	20	<i>ceftazidime</i>	13	113
CALQUENCE		CEFTAZIDIME.....	13	<i>clindamycin hcl</i>	11
(ACALABRUTINIB MAL)....	20	CEFTAZIDIME IN D5W.....	13	<i>clindamycin in 5% dextrose</i>	11
<i>camila</i>	93	<i>ceftriaxone</i>	13	<i>clindamycin pediatric</i>	11
<i>candesartan</i>	75	<i>cefuroxime axetil</i>	13	<i>clindamycin phosphate</i> 11, 49, 103	
<i>candesartan-</i>		<i>cefuroxime sodium</i>	13	<i>clindamycin-benzoyl peroxide</i> ..	103
<i>hydrochlorothiazid</i>	75	<i>celecoxib</i>	6		

CLINIMIX 5%/D15W	<i>c-nate dha</i>	191	<i>cyclophosphamide</i>	20
SULFITE FREE.....	COARTEM.....	53	CYCLOPHOSPHAMIDE.....	20
CLINIMIX 4.25%/D10W	<i>codeine sulfate</i>	3	<i>cyclosporine</i>	167
SULF FREE.....	<i>codeine-butalbital-asa-caff</i>	3	<i>cyclosporine modified</i>	167
CLINIMIX 4.25%/D5W	<i>colchicine</i>	48	<i>cyproheptadine</i>	48
SULFIT FREE.....	<i>colesevelam</i>	84	CYRAMZA.....	20
CLINIMIX 5%-	<i>colestipol</i>	84	<i>cyred eq</i>	93
D20W(SULFITE-FREE).....	<i>colistin (colistimethate na)</i>	11	CYSTARAN.....	150
CLINIMIX 6%-D5W	COMBIVENT RESPIMAT..	187	<i>d5 % and 0.9 % sodium</i>	
(SULFITE-FREE).....	COMETRIQ.....	20	<i>chloride</i>	182
CLINIMIX 8%-	COMFORT EZ INSULIN		<i>d5 %-0.45 % sodium chloride</i> ..	182
D10W(SULFITE-FREE).....	SYRINGE.....	113, 114	<i>dalfampridine</i>	88
CLINIMIX 8%-	COMFORT EZ PEN		<i>danazol</i>	160
D14W(SULFITE-FREE).....	NEEDLES.....	113, 114	<i>dantrolene</i>	190
CLINIMIX E 2.75%/D5W	COMFORT TOUCH PEN		DANYELZA.....	20
SULF FREE.....	NEEDLE.....	115	<i>dapsone</i>	50
CLINIMIX E 4.25%/D10W	COMPLERA.....	62	DAPTACEL (DTAP	
SUL FREE.....	<i>completenate</i>	192	PEDIATRIC) (PF).....	173
CLINIMIX E 4.25%/D5W	<i>compro</i>	51	<i>daptomycin</i>	11
SULF FREE.....	<i>constulose</i>	156	<i>dasetta 1/35 (28)</i>	93
CLINIMIX E 5%/D15W	COPAXONE.....	88	<i>dasetta 7/7/7 (28)</i>	93
SULFIT FREE.....	COPIKTRA.....	20	DAURISMO.....	21
CLINIMIX E 5%/D20W	CORLANOR.....	81	<i>daysee</i>	93
SULFIT FREE.....	CORTROPHIN GEL.....	163	<i>deblitane</i>	93
CLINIMIX E 8%-D10W	COSENTYX.....	167	<i>decitabine</i>	21
SULFITEFREE.....	COSENTYX (2 SYRINGES)		<i>deferasirox</i>	159
CLINIMIX E 8%-D14W	167	<i>deferiprone</i>	159
SULFITEFREE.....	COSENTYX PEN (2 PENS)	167	DELSTRIGO.....	62
<i>clobazam</i>	COTELLIC.....	20	DENGVAXIA (PF).....	173
<i>clobetasol</i>	CREON.....	149	<i>denta 5000 plus</i>	101
<i>clobetasol-emollient</i>	<i>cromolyn</i>	150, 156, 188	<i>dentagel</i>	101
<i>clomipramine</i>	<i>cryselle (28)</i>	93	DERMACEA.....	115
<i>clonazepam</i>	CURAD GAUZE PAD.....	115	DERMACEA NON-	
<i>clonidine</i>	CURITY ALCOHOL		WOVEN.....	115
<i>clonidine hcl</i>	SWABS.....	102	DESCOVY.....	62
<i>clopidogrel</i>	CURITY GAUZE.....	115	<i>desipramine</i>	38
<i>clorazepate dipotassium</i>	<i>cyclafem 1/35 (28)</i>	93	<i>desmopressin</i>	164
<i>clotrimazole</i>	<i>cyclafem 7/7/7 (28)</i>	93	<i>desog-e.estradiolle.estradiol</i>	93
<i>clotrimazole-betamethasone</i>	<i>cyclobenzaprine</i>	189	<i>desogestrel-ethinyl estradiol</i>	93
<i>clozapine</i>	<i>cyclopentolate</i>	150	<i>desoximetasone</i>	105

<i>desvenlafaxine succinate</i>	38	<i>donepezil</i>	37	EASY COMFORT	
<i>dexamethasone</i>	162	DOPTELET (10 TAB PACK)	70	INSULIN SYRINGE....	118, 119
<i>dexamethasone sodium phos</i>		DOPTELET (15 TAB PACK)	70	EASY COMFORT PEN	
(<i>pf</i>).....	162	DOPTELET (30 TAB PACK)	70	NEEDLES.....	118, 119
<i>dexamethasone sodium</i>		<i>dorzolamide</i>	181	EASY GLIDE INSULIN	
<i>phosphate</i>	153, 162	<i>dorzolamide-timolol</i>	182	SYRINGE.....	119
<i>dexmethylphenidate</i>	88	<i>dotti</i>	161	EASY GLIDE PEN	
<i>dextroamphetamine sulfate</i>	88	DOVATO.....	63	NEEDLE.....	119
<i>dextroamphetamine-</i>		<i>doxazosin</i>	75	EASY TOUCH.....	121
<i>amphetamine</i>	88	<i>doxepin</i>	38	EASY TOUCH ALCOHOL	
<i>dextrose 10 % in water (d10w)</i>	74	<i>doxorubicin</i>	21	PREP PADS.....	102
<i>dextrose 5 % in water (d5w)</i>	74	<i>doxorubicin, peg-liposomal</i>	21	EASY TOUCH FLIPLOCK	
DIACOMIT.....	33	<i>doxy-100</i>	17	INSULIN.....	120, 121
<i>diazepam</i>	10, 33	<i>doxycycline hyclate</i>	17	EASY TOUCH FLIPLOCK	
<i>diazepam intensol</i>	10	<i>doxycycline monohydrate</i>	18	SYRINGE.....	120
<i>diazoxide</i>	179	DRIZALMA SPRINKLE	38, 39	EASY TOUCH INSULIN	
<i>diclofenac potassium</i>	6	<i>dronabinol</i>	52	SAFETY SYR.....	119, 120
<i>diclofenac sodium</i>	6, 153	<i>droperidol</i>	52	EASY TOUCH INSULIN	
<i>diclofenac-misoprostol</i>	6	DROPLET INSULIN		SYRINGE.....	119, 120, 121, 122
<i>dicloxacillin</i>	16	SYR(HALF UNIT).....	116	EASY TOUCH LUER	
<i>dicyclomine</i>	156	DROPLET INSULIN		LOCK INSULIN.....	121
<i>didanosine</i>	62	SYRINGE.....	116, 117	EASY TOUCH PEN	
DIFICID.....	14	DROPLET MICRON PEN		NEEDLE.....	121
<i>difluprednate</i>	153	NEEDLE.....	117	EASY TOUCH SAFETY	
<i>digitek</i>	81	DROPLET PEN NEEDLE..	117	PEN NEEDLE.....	121, 122
<i>digox</i>	81	DROPSAFE ALCOHOL		EASY TOUCH	
<i>digoxin</i>	81	PREP PADS.....	102	SHEATHLOCK INSULIN	
<i>dihydroergotamine</i>	49	DROPSAFE PEN NEEDLE		120, 121
<i>diltiazem hcl</i>	80	117, 118	EASY TOUCH UNI-SLIP...	122
<i>dilt-xr</i>	80	<i>drospirenone-ethinyl estradiol</i> ..	93	<i>ec-naproxen</i>	6
<i>dimenhydrinate</i>	52	DROXIA.....	72	<i>econazole</i>	46
<i>dimethyl fumarate</i>	88	<i>droxidopa</i>	75	EDARBI.....	75
DIPENTUM.....	177	DUAVEE.....	161	EDARBYCLOR.....	75
<i>diphenhydramine hcl</i>	48	<i>duloxetine</i>	39	EDURANT.....	63
<i>diphenoxylate-atropine</i>	156	DUPIXENT PEN.....	167	<i>efavirenz</i>	63
<i>dipyridamole</i>	72	DUPIXENT SYRINGE.....	167	<i>efavirenz-emtricitabin-tenofov</i> ..	63
<i>disopyramide phosphate</i>	78	<i>dutasteride</i>	159	<i>efavirenz-lamivu-tenofov disop</i> ..	63
<i>disulfiram</i>	9	EASY COMFORT		EGRIFTA SV.....	164
<i>divalproex</i>	33	ALCOHOL PAD.....	102	ELIGARD.....	21
<i>dofetilide</i>	78			ELIGARD (3 MONTH).....	21

ELIGARD (4 MONTH).....	21	<i>epinephrine</i>	82	<i>exemestane</i>	22
ELIGARD (6 MONTH).....	21	<i>epitol</i>	33	EXKIVITY.....	22
<i>elinest</i>	93	EPIVIR HBV.....	63	EYSUVIS.....	153
ELIQUIS.....	69	<i>eplerenone</i>	86	<i>ezetimibe</i>	84
ELIQUIS DVT-PE TREAT		EPRONTIA.....	33	<i>ezetimibe-simvastatin</i>	84
30D START.....	69	ERBITUX.....	21	<i>falmina (28)</i>	94
ELLA.....	93	<i>ergoloid</i>	37	<i>famciclovir</i>	68
ELMIRON.....	179	ERIVEDGE.....	21	<i>famotidine</i>	155
<i>eluryng</i>	93	ERLEADA.....	21	<i>famotidine (pf)</i>	155
EMBRACE PEN NEEDLE.....	122	<i>erlotinib</i>	21	<i>famotidine (pf)-nacl (iso-os)</i>	155
EMCYT.....	21	<i>errin</i>	94	FANAPT.....	57
EMEND.....	52	<i>ertapenem</i>	15	FARXIGA.....	41
EMGALITY PEN.....	49	<i>ery pads</i>	103	FARYDAK.....	22
EMGALITY SYRINGE.....	49	<i>erythromycin</i>	14, 151	FASENRA.....	188
<i>emoquette</i>	94	<i>erythromycin ethylsuccinate</i>	14	FASENRA PEN.....	188
EMSAM.....	39	<i>erythromycin with ethanol</i>	103	<i>febuxostat</i>	48
<i>emtricitabine</i>	63	ESBRIET.....	188	<i>felbamate</i>	33
<i>emtricitabine-tenofovir (tdf)</i>	63	<i>escitalopram oxalate</i>	39	FEMRING.....	161
EMTRIVA.....	63	<i>esomeprazole magnesium</i>	155	<i>femynor</i>	94
<i>enalapril maleate</i>	77	<i>esomeprazole sodium</i>	155	<i>fenofibrate</i>	85
<i>enalaprilat</i>	77	<i>estarylla</i>	94	<i>fenofibrate micronized</i>	85
<i>enalapril-hydrochlorothiazide</i>	77	<i>estradiol</i>	161	<i>fenofibrate nanocrystallized</i>	85
ENBREL.....	167	<i>estradiol valerate</i>	161	<i>fenofibric acid (choline)</i>	85
ENBREL MINI.....	167	<i>estradiol-norethindrone acet</i>	161	<i>fentanyl</i>	4
ENBREL SURECLICK.....	168	<i>eszopiclone</i>	190	<i>fentanyl citrate</i>	3, 4
ENDARI.....	179	<i>ethambutol</i>	50, 51	FERRIPROX.....	160
<i>endocet</i>	3	<i>ethosuximide</i>	33	FERRIPROX (2 TIMES A	
ENGERIX-B (PF).....	173	<i>ethynodiol diac-eth estradiol</i>	94	DAY).....	160
ENGERIX-B PEDIATRIC		<i>etodolac</i>	6	<i>fesoterodine</i>	159
(PF).....	173	<i>etonogestrel-ethinyl estradiol</i>	94	FETZIMA.....	39
<i>enoxaparin</i>	69	ETOPOPHOS.....	21	FIASP FLEXTOUCH U-100	
<i>enpresse</i>	94	<i>etoposide</i>	21	INSULIN.....	43
<i>enskyce</i>	94	<i>etravirine</i>	63	FIASP PENFILL U-100	
<i>entacapone</i>	55	EUCRISA.....	105	INSULIN.....	43
<i>entecavir</i>	68	<i>everolimus (antineoplastic)</i>	22	FIASP U-100 INSULIN.....	43
ENTRESTO.....	76	<i>everolimus</i>		<i>finasteride</i>	159
<i>enulose</i>	156	<i>(immunosuppressive)</i>	168	<i>fingolimod</i>	88
EPCLUSA.....	67	EVOTAZ.....	63	FINTEPLA.....	33
EPIDIOLEX.....	33	EVRYSDI.....	179	FIRVANQ.....	11
<i>epinastine</i>	150	EXEL INSULIN.....	122	FLEBOGAMMA DIF.....	168

<i>flecainide</i>	78	FUZEON.....	63	<i>glyburide-metformin</i>	45
FLOVENT DISKUS.....	185	FYARRO.....	22	<i>glycopyrrolate</i>	156
FLOVENT HFA.....	185	<i>fyavolv</i>	161	<i>glydo</i>	7
<i>floxuridine</i>	22	FYCOMPA.....	34	GLYXAMBI.....	41
<i>fluconazole</i>	46	<i>gabapentin</i>	34	<i>granisetron (pf)</i>	52
<i>fluconazole in nacl (iso-osm)</i> ...	46	GALAFOLD.....	149	<i>granisetron hcl</i>	52
<i>flucytosine</i>	46	<i>galantamine</i>	37	GRANIX.....	70
<i>fludrocortisone</i>	162	GAMIFANT.....	168	<i>griseofulvin microsize</i>	46
<i>flumazenil</i>	88	GAMMAGARD LIQUID... ..	168	<i>guanfacine</i>	75, 89
<i>flunisolide</i>	153	GAMMAGARD S-D (IGA < 1 MCG/ML).....	168	GVOKE.....	180
<i>fluocinolone</i>	105	GAMMAPLEX.....	168	GVOKE HYPOPEN 2- PACK.....	180
<i>fluocinolone acetonide oil</i>	154	GAMMAPLEX (WITH SORBITOL).....	168	GVOKE PFS 1-PACK SYRINGE.....	180
<i>fluocinonide</i>	105	GARDASIL 9 (PF).....	173	HAEGARDA.....	70, 71
<i>fluocinonide-emollient</i>	105	<i>gatifloxacin</i>	151	<i>hailey</i>	94
<i>fluoride (sodium)</i>	101	GATTEX 30-VIAL.....	156	<i>hailey 24 fe</i>	94
<i>fluorometholone</i>	154	GAUZE PAD.....	123	<i>hailey fe 1.5/30 (28)</i>	94
<i>fluorouracil</i>	22, 102	<i>gavilyte-c</i>	158	<i>hailey fe 1/20 (28)</i>	94
<i>fluoxetine</i>	39	<i>gavilyte-g</i>	158	<i>halobetasol propionate</i>	105
<i>fluphenazine decanoate</i>	57	<i>gavilyte-n</i>	158	<i>haloette</i>	94
<i>fluphenazine hcl</i>	57, 58	GAVRETO.....	22	<i>haloperidol</i>	58
<i>flurbiprofen</i>	6	<i>gemfibrozil</i>	85	<i>haloperidol decanoate</i>	58
<i>flurbiprofen sodium</i>	154	<i>generlac</i>	156	<i>haloperidol lactate</i>	58
<i>flutamide</i>	22	<i>gengraf</i>	168	HARVONI.....	67
<i>fluticasone propionate</i>	105, 154	<i>gentak</i>	151	HAVRIX (PF).....	173
<i>fluvastatin</i>	85	<i>gentamicin</i>	10, 104, 151	HEALTHWISE INSULIN SYRINGE.....	123, 124
<i>fluvoxamine</i>	39	<i>gentamicin sulfate (ped) (pf)</i> ...	10	HEALTHWISE PEN NEEDLE.....	124
<i>folivane-ob</i>	192	<i>gentamicin sulfate (pf)</i>	10	HEALTHY ACCENTS UNIFINE PENTIP.....	124
<i>fondaparinux</i>	69	GENVOYA.....	63	<i>heather</i>	94
FORTEO.....	178	GILENYA.....	89	<i>hemenatal ob + dha</i>	192
<i>fosamprenavir</i>	63	GILOTRIF.....	22	<i>heparin (porcine)</i>	69
<i>fosaprepitant</i>	52	<i>glatiramer</i>	89	<i>heparin, porcine (pf)</i>	69, 70
<i>foscarnet</i>	66	<i>glatopa</i>	89	HERCEPTIN HYLECTA.....	22
<i>fosinopril</i>	77	GLEOSTINE.....	22	HERZUMA.....	22
<i>fosinopril-hydrochlorothiazide</i> ..	77	<i>glimepiride</i>	45	HETLIOZ.....	190
<i>fosphenytoin</i>	34	<i>glipizide</i>	45	HIBERIX (PF).....	173
FOTIVDA.....	22	<i>glipizide-metformin</i>	45		
FREESTYLE PRECISION..	123	<i>glyburide</i>	45		
FULPHILA.....	70	<i>glyburide micronized</i>	45		
<i>fulvestrant</i>	22				
<i>furosemide</i>	83				

HUMIRA.....	168	<i>iclevia</i>	94	INSULIN SYRINGE-	
HUMIRA PEN.....	168	ICLUSIG.....	23	NEEDLE U-100	
HUMIRA PEN CROHNS-		IDHIFA.....	23	110, 112, 122, 123, 125, 126, 134,	
UC-HS START.....	168	<i>ifosfamide</i>	23	138	
HUMIRA PEN PSOR-		ILEVRO.....	154	INSUPEN.....	126, 127
UVEITS-ADOL HS.....	168	<i>imatinib</i>	23	INTELENCE.....	63
HUMIRA(CF).....	169	IMBRUVICA.....	23	INTRALIPID.....	74
HUMIRA(CF) PEDI		<i>imipenem-cilastatin</i>	15	INTRON A.....	68
CROHNS STARTER.....	169	<i>imipramine hcl</i>	39	INVEGA HAFYERA.....	58
HUMIRA(CF) PEN.....	169	<i>imiquimod</i>	102	INVEGA SUSTENNA.....	58
HUMIRA(CF) PEN		IMJUDO.....	23	INVEGA TRINZA.....	58, 59
CROHNS-UC-HS.....	169	IMLYGIC.....	23	INVELTYS.....	154
HUMIRA(CF) PEN		IMOVAX RABIES		INVIRASE.....	63
PEDIATRIC UC.....	169	VACCINE (PF).....	173	IPOL.....	173
HUMIRA(CF) PEN PSOR-		IMPAVIDO.....	53	<i>ipratropium bromide</i>	150, 187
UV-ADOL HS.....	169	INBRIJA.....	55	<i>ipratropium-albuterol</i>	187
HUMULIN R U-500		<i>incassia</i>	94	<i>irbesartan</i>	76
(CONC) INSULIN.....	43	INCONTROL ALCOHOL		<i>irbesartan-hydrochlorothiazide</i>	76
HUMULIN R U-500		PADS.....	102	IRESSA.....	24
(CONC) KWIKPEN.....	43	INCONTROL PEN		ISENTRESS.....	63, 64
<i>hydralazine</i>	82	NEEDLE.....	124, 125	ISENTRESS HD.....	63
<i>hydrochlorothiazide</i>	83	INCRELEX.....	164	<i>isibloom</i>	94
<i>hydrocodone-acetaminophen</i>	4	<i>indapamide</i>	83	ISOLYTE S PH 7.4.....	182
<i>hydrocodone-ibuprofen</i>	4	<i>indomethacin</i>	7	ISOLYTE-P IN 5 %	
<i>hydrocortisone</i>	105, 106, 162, 177	INFANRIX (DTAP) (PF)....	173	DEXTROSE.....	183
<i>hydrocortisone butyrate</i>	105	<i>infliximab</i>	169	ISOLYTE-S.....	182
<i>hydrocortisone valerate</i>	106	INLYTA.....	23	<i>isoniazid</i>	51
<i>hydrocortisone-acetic acid</i>	151	INPEN (FOR HUMALOG)		<i>isosorbide dinitrate</i>	86
<i>hydromorphone</i>	4	BLUE.....	125	<i>isosorbide mononitrate</i>	86, 87
<i>hydromorphone (pf)</i>	4	INPEN (NOVOLOG OR		<i>isosorbide-hydralazine</i>	87
<i>hydroxychloroquine</i>	53	FIASP) BLUE.....	125	<i>isradipine</i>	82
<i>hydroxyurea</i>	22	INQOVI.....	23	<i>itraconazole</i>	47
<i>hydroxyzine hcl</i>	48	INREBIC.....	23	IV PREP WIPES.....	102
<i>hydroxyzine pamoate</i>	180	INSULIN SYR/NDL U100		<i>ivermectin</i>	53
<i>ibandronate</i>	178	HALF MARK.....	125	IXIARO (PF).....	174
IBRANCE.....	23	INSULIN SYRINGE.....	110	<i>jaimiess</i>	95
<i>ibu</i>	6	INSULIN SYRINGE		JAKAFI.....	24
<i>ibuprofen</i>	7	MICROFINE.....	110	<i>jantoven</i>	70
<i>ibuprofen-famotidine</i>	7	INSULIN SYRINGE		JARDIANCE.....	41
<i>icatibant</i>	82	NEEDLELESS.....	110	<i>jasmiel (28)</i>	95

<i>javygtor</i>	149	KRAZATI.....	24	<i>levonest (28)</i>	96
JEMPERLI.....	24	KRINTAFEL.....	53	<i>levonorgestrel-ethinyl estrad</i>	96
<i>jencycla</i>	95	<i>kurvelo (28)</i>	95	<i>levonorg-eth estrad triphasic</i>	96
JENTADUETO.....	41	KYNMOBI.....	55	<i>levora-28</i>	96
JENTADUETO XR.....	41	<i>l norgestle.estradiol-e.estrad</i>	95	<i>levothyroxine</i>	166
<i>jinteli</i>	161	<i>labetalol</i>	79	LEXIVA.....	64
<i>juleber</i>	95	<i>lacosamide</i>	34	<i>lidocaine</i>	8
JULUCA.....	64	<i>lactulose</i>	156	<i>lidocaine (pf)</i>	8, 78
<i>junel 1.5/30 (21)</i>	95	<i>lagevrio (eua)</i>	68	<i>lidocaine hcl</i>	8
<i>junel 1/20 (21)</i>	95	<i>lamivudine</i>	64	<i>lidocaine viscous</i>	8
<i>junel fe 1.5/30 (28)</i>	95	<i>lamivudine-zidovudine</i>	64	<i>lidocaine-prilocaine</i>	8
<i>junel fe 1/20 (28)</i>	95	<i>lamotrigine</i>	34	<i>lillow (28)</i>	96
<i>junel fe 24</i>	95	<i>lanreotide</i>	164	<i>linezolid</i>	11
JUXTAPID.....	85	<i>lansoprazole</i>	155	<i>linezolid in dextrose 5%</i>	11
JYNNEOS		<i>lapatinib</i>	24	LINZESS.....	156
(PF)(STOCKPILE).....	174	<i>larin 1.5/30 (21)</i>	95	<i>liothyronine</i>	166
<i>kalliga</i>	95	<i>larin 1/20 (21)</i>	96	LISCO.....	127
KALYDECO.....	188	<i>larin 24 fe</i>	96	<i>lisinopril</i>	77
<i>kariva (28)</i>	95	<i>larin fe 1.5/30 (28)</i>	96	<i>lisinopril-hydrochlorothiazide</i> ...	77
<i>kelnor 1/35 (28)</i>	95	<i>larin fe 1/20 (28)</i>	96	LITE TOUCH INSULIN	
<i>kelnor 1-50 (28)</i>	95	<i>larissia</i>	96	PEN NEEDLES.....	127
KERENDIA.....	86	<i>latanoprost</i>	182	LITE TOUCH INSULIN	
KESIMPTA PEN.....	89	LATUDA.....	59	SYRINGE.....	127, 128
<i>ketoconazole</i>	47	<i>leflunomide</i>	169	<i>lithium carbonate</i>	89
<i>ketorolac</i>	7, 154	<i>lenalidomide</i>	24	LIVALO.....	85
KEVZARA.....	169	LENVIMA.....	25	<i>lojaimiess</i>	96
KEYTRUDA.....	24	<i>lessina</i>	96	LOKELMA.....	157
KIMMTRAK.....	24	<i>letrozole</i>	25	LONSURF.....	25
KINRIX (PF).....	174	<i>leucovorin calcium</i>	180	<i>loperamide</i>	157
KISQALI.....	24	LEUKERAN.....	25	<i>lopinavir-ritonavir</i>	64
KISQALI FEMARA CO-		LEUKINE.....	71	<i>lorazepam</i>	10
PACK.....	24	<i>leuprolide</i>	25	LORBRENA.....	25
KLISYRI.....	102	<i>leuprolide (3 month)</i>	25	<i>loryna (28)</i>	96
<i>klor-con m10</i>	183	<i>levetiracetam</i>	34	<i>losartan</i>	76
<i>klor-con m15</i>	183	<i>levobunolol</i>	182	<i>losartan-hydrochlorothiazide</i>	76
<i>klor-con m20</i>	183	<i>levocarnitine</i>	180	LOTEMAX.....	154
KLOXXADO.....	9	<i>levocarnitine (with sugar)</i>	180	LOTEMAX SM.....	154
KORLYM.....	41	<i>levocetirizine</i>	48	<i>loteprednol etabonate</i>	154
KOSELUGO.....	24	<i>levofloxacin</i>	17, 151	<i>lovastatin</i>	85
<i>kosher prenatal plus iron</i>	192	<i>levofloxacin in d5w</i>	17	<i>low-ogestrel (28)</i>	96

<i>loxapine succinate</i>	59	MAVENCLAD (5 TABLET PACK).....	89	<i>merzee</i>	97
<i>lo-zumandimine (28)</i>	96	MAVENCLAD (6 TABLET PACK).....	89	<i>mesalamine</i>	177
<i>lubiprostone</i>	157	MAVENCLAD (7 TABLET PACK).....	89	<i>mesna</i>	180
LUMAKRAS.....	25	MAVENCLAD (8 TABLET PACK).....	89	MESNEX.....	180
LUMIGAN.....	182	MAVENCLAD (9 TABLET PACK).....	89	<i>metformin</i>	41
LUNSUMIO.....	25	MAXICOMFORT II PEN NEEDLE.....	128	<i>methadone</i>	4
LUPRON DEPOT.....	164	MAXICOMFORT INSULIN SYRINGE.....	128	<i>methadose</i>	4
LUPRON DEPOT (3 MONTH).....	25, 164	MAXI-COMFORT INSULIN SYRINGE.....	128	<i>methenamine hippurate</i>	12
LUPRON DEPOT (4 MONTH).....	25	MAXICOMFORT SAFETY PEN NEEDLE.....	129	<i>methimazole</i>	166
LUPRON DEPOT (6 MONTH).....	25	MAYZENT.....	89, 90	<i>methocarbamol</i>	190
<i>lutea (28)</i>	97	MAYZENT STARTER(FOR 1MG MAINT).....	90	<i>methotrexate sodium</i>	26
LYBALVI.....	59	MAYZENT STARTER(FOR 2MG MAINT).....	90	<i>methotrexate sodium (pf)</i>	26
<i>lyleq</i>	97	<i>meclizine</i>	52	<i>methoxsalen</i>	102
<i>lyllana</i>	161	<i>medroxyprogesterone</i>	165	<i>methscopolamine</i>	157
LYNPARZA.....	25	<i>mefenamic acid</i>	7	<i>methyl dopa</i>	75
LYSODREN.....	26	<i>mefloquine</i>	53	<i>methylphenidate hcl</i>	90, 91
LYTGOBI.....	26	<i>megestrol</i>	26, 165	<i>methylprednisolone</i>	163
<i>lyza</i>	97	MEKINIST.....	26	<i>methylprednisolone acetate</i>	163
MAGELLAN INSULIN SAFETY SYRNG.....	128	MEKTOVI.....	26	<i>methylprednisolone sodium succ</i>	163
MAGELLAN SYRINGE.....	128	<i>meloxicam</i>	7	<i>metoclopramide hcl</i>	157
<i>magnesium sulfate</i>	183	<i>mementine</i>	37	<i>metolazone</i>	83
<i>magnesium sulfate in d5w</i>	183	MENACTRA (PF).....	174	<i>metoprolol succinate</i>	79
<i>magnesium sulfate in water</i>	183	MENQUADFI (PF).....	174	<i>metoprolol ta-hydrochlorothiaz</i>	79
<i>malathion</i>	107	MENVEO A-C-Y-W-135- DIP (PF).....	174	<i>metoprolol tartrate</i>	79
<i>maprotiline</i>	39	<i>mercaptopurine</i>	26	<i>metronidazole</i>	12, 49, 104
<i>maraviroc</i>	64	<i>meropenem</i>	15	<i>metronidazole in nacl (iso-os)</i> ..	12
MARGENZA.....	26			<i>metryrosine</i>	82
<i>marlissa (28)</i>	97			<i>mexiletine</i>	78
<i>marnatal-f</i>	192			<i>miconazole-3</i>	47
MARPLAN.....	39			MICRODOT INSULIN PEN NEEDLE.....	129
MATULANE.....	26			<i>microgestin fe 1/20 (28)</i>	97
<i>matzim la</i>	81			<i>midodrine</i>	75
MAVENCLAD (10 TABLET PACK).....	89			<i>miglustat</i>	149
MAVENCLAD (4 TABLET PACK).....	89			<i>mili</i>	97

<i>minoxidil</i>	87	<i>naloxone</i>	9	<i>nitisinone</i>	149
<i>mirtazapine</i>	39	<i>naltrexone</i>	9	<i>nitrofurantoin macrocrystal</i>	12
<i>misoprostol</i>	155	<i>naproxen</i>	7	<i>nitrofurantoin monohydlm-</i>	
MITIGARE	48	<i>naratriptan</i>	49	<i>cryst</i>	12
<i>mitoxantrone</i>	26	NATACYN	152	<i>nitroglycerin</i>	87
M-M-R II (PF)	174	<i>nateglinide</i>	41	<i>niva-plus</i>	192
<i>m-natal plus</i>	192	NATPARA	178	NIVESTYM	71
<i>modafinil</i>	190	NAYZILAM	35	<i>nizatidine</i>	155
<i>moexipril</i>	77	<i>nebivolol</i>	79	NORDITROPIN FLEXPRO	
<i>molindone</i>	59	<i>necon 0.5/35 (28)</i>	97	164
<i>mometasone</i>	106, 154	<i>nefazodone</i>	40	<i>norethindrone (contraceptive)</i> ..	97
<i>mondoxyne nl</i>	18	<i>neomycin</i>	10	<i>norethindrone acetate</i>	165
MONOJECT INSULIN		<i>neomycin-bacitracin-poly-hc</i> ...	152	<i>norethindrone ac-eth estradiol</i>	
SAFETY SYRINGE	130	<i>neomycin-bacitracin-</i>		97, 162
MONOJECT INSULIN		<i>polymyxin</i>	152	<i>norethindrone-e.estradiol-iron</i> ..	97
SYRINGE	129, 130	<i>neomycin-polymyxin b gu</i>	104	<i>norgestimate-ethinyl estradiol</i> ..	98
MONOJECT SYRINGE	129	<i>neomycin-polymyxin b-</i>		<i>norlyda</i>	98
MONOJECT ULTRA		<i>dexameth</i>	152	NORMOSOL-M IN 5 %	
COMFORT INSULIN	144	<i>neomycin-polymyxin-</i>		DEXTROSE	183
<i>mono-linyuh</i>	97	<i>gramicidin</i>	152	<i>nortrel 0.5/35 (28)</i>	98
<i>montelukast</i>	186	<i>neomycin-polymyxin-hc</i>	152	<i>nortrel 1/35 (21)</i>	98
<i>morphine</i>	4, 5	<i>neo-polycin</i>	152	<i>nortrel 1/35 (28)</i>	98
MORPHINE	4	<i>neo-polycin hc</i>	152	<i>nortrel 7/7/7 (28)</i>	98
<i>morphine concentrate</i>	4	NERLYNX	26	<i>nortriptyline</i>	40
MOVANTIK	157	NEULASTA	71	NORVIR	64
<i>moxifloxacin</i>	17, 151	NEULASTA ONPRO	71	NOVOFINE 30	130
MULTAQ	78	NEUPRO	55	NOVOFINE 32	130
<i>mupirocin</i>	104	<i>nevirapine</i>	64	NOVOFINE PLUS	131
MVASI	26	<i>newgen</i>	192	NOVOLIN 70/30 U-100	
<i>mycophenolate mofetil</i>	169, 170	NEXLETOL	85	INSULIN	43
<i>mycophenolate mofetil (hcl)</i> ...	169	NEXLIZET	85	NOVOLIN 70-30 FLEXPEN	
<i>mynatal</i>	192	<i>niacin</i>	85	U-100	44
<i>mynatal advance</i>	192	<i>niacor</i>	85	NOVOLIN N FLEXPEN	44
<i>mynatal plus</i>	192	<i>nicardipine</i>	83	NOVOLIN N NPH U-100	
<i>mynatal-z</i>	192	NICOTROL	9	INSULIN	44
<i>mynate 90 plus</i>	192	<i>nifedipine</i>	83	NOVOLIN R FLEXPEN	44
MYRBETRIQ	159	<i>nikki (28)</i>	97	NOVOLIN R REGULAR U-	
<i>nabumetone</i>	7	<i>nilutamide</i>	26	100 INSULN	44
<i>nafcillin</i>	16	NINLARO	26	NOVOLOG FLEXPEN U-	
<i>nafcillin in dextrose iso-osm</i>	16	<i>nitazoxanide</i>	53	100 INSULIN	44

NOVOLOG MIX 70-30 U-100 INSULIN.....	44	<i>olmesartan-hydrochlorothiazide</i>	76	<i>oseltamivir</i>	66
NOVOLOG MIX 70-30FLEXPEN U-100.....	44	<i>olopatadine</i>	151	OSMOLEX ER.....	55
NOVOLOG PENFILL U-100 INSULIN.....	44	OLUMIANT.....	170	OTEZLA.....	170
NOVOLOG U-100 INSULIN ASPART.....	44	<i>omega-3 acid ethyl esters</i>	85	OTEZLA STARTER.....	170
NOVOTWIST.....	131	<i>omeprazole</i>	156	<i>oxandrolone</i>	160
NOXAFIL.....	47	<i>omeprazole-sodium bicarbonate</i>	156	<i>oxazepam</i>	10
NUBEQA.....	26	OMNIPOD 5 G6 INTRO KIT (GEN 5).....	131	<i>oxcarbazepine</i>	35
NUCALA.....	188	OMNIPOD 5 G6 PODS (GEN 5).....	131	OXLUMO.....	180
NULOJIX.....	170	OMNIPOD CLASSIC PDM KIT(GEN 3).....	131	<i>oxybutynin chloride</i>	159
NUPLAZID.....	59	OMNIPOD CLASSIC PODS (GEN 3).....	131	<i>oxycodone</i>	5
NURTEC ODT.....	49	OMNIPOD DASH INTRO KIT (GEN 4).....	131	<i>oxycodone-acetaminophen</i>	5
NUTRILIPID.....	74	OMNIPOD DASH PDM KIT (GEN 4).....	131	OXYCONTIN.....	5
<i>nyamyc</i>	47	OMNIPOD DASH PODS (GEN 4).....	131	<i>oxymorphone</i>	5
<i>nylia 1/35 (28)</i>	98	<i>ondansetron</i>	52	OZEMPIC.....	42
<i>nylia 7/7/7 (28)</i>	98	<i>ondansetron hcl</i>	52	<i>pacerone</i>	78
<i>nymyo</i>	98	<i>ondansetron hcl (pf)</i>	52	<i>paclitaxel protein-bound</i>	27
<i>nystatin</i>	47	ONTRUZANT.....	27	<i>paliperidone</i>	59
<i>nystatin-triamcinolone</i>	47	ONUREG.....	27	PALYNZIQ.....	149
<i>nystop</i>	47	OPDIVO.....	27	PANRETIN.....	102
NYVEPRIA.....	71	OPDUALAG.....	27	<i>pantoprazole</i>	156
<i>obstetrix dha</i>	192	OPSUMIT.....	191	<i>paricalcitol</i>	178
<i>o-cal prenatal</i>	192	<i>oralone</i>	101	<i>paroex oral rinse</i>	101
OICALIVA.....	157	ORENCIA.....	170	<i>paromomycin</i>	53
OCREVUS.....	91	ORENCIA (WITH MALTOSE).....	170	<i>paroxetine hcl</i>	40
OCTAGAM.....	170	ORENCIA CLICKJECT.....	170	PAXLOVID (EUA).....	67
<i>octreotide acetate</i>	164	ORFADIN.....	149	PEDIARIX (PF).....	174
ODEFSEY.....	64	ORGOVYX.....	164	PEDVAX HIB (PF).....	174
ODOMZO.....	26	ORILISSA.....	164, 165	PEGASYS.....	68
OFEV.....	188	ORKAMBI.....	188, 189	<i>peg-electrolyte soln</i>	158
<i>ofloxacin</i>	152	<i>orsythia</i>	98	PEMAZYRE.....	27
OGIVRI.....	27			<i>pemetrexed</i>	27
<i>olanzapine</i>	59			<i>pemetrexed disodium</i>	27
<i>olmesartan</i>	76			PEN NEEDLE123, 131, 132, 134	
<i>olmesartan-amlodipin-hcthiazid</i>	76			PEN NEEDLE, DIABETIC	
			 115, 129, 131, 132, 133, 134	
				PEN NEEDLE, DIABETIC, SAFETY.....	134
				<i>penicillamine</i>	160
				<i>penicillin g potassium</i>	16
				<i>penicillin g procaine</i>	16

<i>penicillin v potassium</i>	16	<i>pnv-vp-u</i>	192	<i>prenatal plus (calcium carb)</i> ..	192
PENTACEL (PF)	174	<i>podofilox</i>	103	<i>prenatal vitamin plus low iron</i> .	193
<i>pentamidine</i>	54	<i>polycin</i>	152	<i>prenatal-u</i>	193
PENTIPS	132	<i>polymyxin b sulfate</i>	12	<i>preplus</i>	193
<i>pentoxifylline</i>	72	<i>polymyxin b sulf-trimethoprim</i>	153	<i>pretab</i>	193
<i>perindopril erbumine</i>	77	POMALYST	27	PRETOMANID	51
<i>perio gard</i>	101	<i>portia 28</i>	98	<i>prevalite</i>	86
<i>permethrin</i>	107	<i>posaconazole</i>	47	PREVENT DROPSAFE	
<i>perphenazine</i>	59	<i>potassium chloride</i>	183, 184	PEN NEEDLE	132
<i>perphenazine-amitriptyline</i>	40	<i>potassium chloride-0.45 % nacl</i>		<i>previfem</i>	98
PERSERIS	60	184	PREVYMIS	67
<i>pfizerpen-g</i>	16	<i>potassium citrate</i>	184	PREZCOBIX	65
<i>phenelzine</i>	40	<i>pr natal 400</i>	192	PREZISTA	65
<i>phenobarbital</i>	35	<i>pr natal 400 ec</i>	193	PRIFTIN	51
<i>phenylephrine hcl</i>	75	<i>pr natal 430</i>	193	PRIMAQUINE	54
<i>phenytoin</i>	35	<i>pr natal 430 ec</i>	193	<i>primidone</i>	35
<i>phenytoin sodium</i>	35	PRALUENT PEN	85	PRIORIX (PF)	175
<i>phenytoin sodium extended</i>	35	<i>pramipexole</i>	55	PRIVIGEN	170
<i>philith</i>	98	<i>prasugrel</i>	72	PRO COMFORT	
PHOSLYRA	158	<i>pravastatin</i>	86	ALCOHOL PADS	103
PIFELTRO	64	<i>prazosin</i>	75	PRO COMFORT INSULIN	
<i>pilocarpine hcl</i>	101, 182	<i>prednicarbate</i>	106	SYRINGE	132, 133
<i>pimecrolimus</i>	106	<i>prednisolone</i>	163	PRO COMFORT PEN	
<i>pimozide</i>	60	<i>prednisolone acetate</i>	154	NEEDLE	133
<i>pimtree (28)</i>	98	<i>prednisolone sodium phosphate</i>		<i>probenecid</i>	48
<i>pindolol</i>	79	154, 163	<i>probenecid-colchicine</i>	48
<i>pioglitazone</i>	42	<i>prednisone</i>	163	<i>procainamide</i>	78
<i>pioglitazone-metformin</i>	42	<i>pregabalin</i>	35	PROCALAMINE 3%	74
PIP PEN NEEDLE	132	PREHEVBRIO (PF)	174	<i>prochlorperazine</i>	52
<i>piperacillin-tazobactam</i>	16	PREMARIN	162	<i>prochlorperazine edisylate</i>	52
PIQRAY	27	PREMPHASE	162	<i>prochlorperazine maleate</i>	52
<i>pirfenidone</i>	189	PREMPRO	162	<i>proctosol hc</i>	106
<i>pirmella</i>	98	<i>prenal true</i>	193	<i>proctozone-hc</i>	106
<i>piroxicam</i>	7	<i>prenaissance</i>	193	PRODIGY INSULIN	
PLASMA-LYTE 148	183	<i>prenaissance plus</i>	193	SYRINGE	133
PLASMA-LYTE A	183	<i>prenatabs fa</i>	193	<i>progesterone</i>	165
PLEGRIDY	91	<i>prenatal 19</i>	193	<i>progesterone micronized</i>	165
<i>pnv 29-1</i>	192	<i>prenatal 19 (with docusate)</i> ...	193	PROGRAF	170
<i>pnv-dha + docusate</i>	192	<i>prenatal low iron</i>	193	PROLASTIN-C	189
<i>pnv-omega</i>	192	<i>prenatal plus</i>	193	PROLENSA	154

PROLIA.....	178	RAVICTI.....	157	<i>rizatriptan</i>	50
PROMACTA.....	71	RAYALDEE.....	179	<i>r-natal ob</i>	193
<i>promethazine</i>	48, 53	<i>reclipsen (28)</i>	98	ROCKLATAN.....	182
<i>promethegan</i>	53	RECOMBIVAX HB (PF).....	175	<i>roflumilast</i>	189
<i>propafenone</i>	78	RECTIV.....	180	<i>ropinirole</i>	55
<i>proparacaine</i>	151	RELENZA DISKHALER.....	67	<i>rosadan</i>	104
<i>propranolol</i>	79, 80	RELEUKO.....	71	<i>rosuvastatin</i>	86
<i>propranolol-hydrochlorothiazid</i>	80	RELION NEEDLES.....	134	ROTARIX.....	175
<i>propylthiouracil</i>	166	RELION PEN NEEDLES.....	134	ROTATEQ VACCINE.....	175
PROQUAD (PF).....	175	<i>repaglinide</i>	42	ROZLYTREK.....	28
PROSOL 20 %.....	74	REPATHA PUSHTRONEX.....	86	RUBRACA.....	28
<i>protamine</i>	72	REPATHA SURECLICK.....	86	<i>rufinamide</i>	35
<i>protriptyline</i>	40	REPATHA SYRINGE.....	86	RUKOBIA.....	65
PULMOZYME.....	149	RESTASIS.....	154	RUXIENCE.....	28
PURE COMFORT		RESTASIS MULTIDOSE.....	154	RYBELSUS.....	42
ALCOHOL PADS.....	103	RETACRIT.....	71, 72	RYBREVANT.....	28
PURE COMFORT PEN		RETEVMO.....	27	RYDAPT.....	28
NEEDLE.....	133	RETROVIR.....	65	SAFESNAP INSULIN	
<i>purefe ob plus</i>	193	<i>revonto</i>	190	SYRINGE.....	134
<i>purefe plus</i>	193	REXULTI.....	60	SAFETY PEN NEEDLE.....	135
PURIXAN.....	27	REYATAZ.....	65	<i>sajazir</i>	82
<i>pyrazinamide</i>	51	REZLIDHIA.....	28	SANTYL.....	103
<i>pyridostigmine bromide</i>	180	REZUROCK.....	170	<i>sapropterin</i>	149
<i>pyrimethamine</i>	54	RHOPRESSA.....	182	SAVELLA.....	91
QINLOCK.....	27	RIABNI.....	28	SCSEMBLIX.....	28
QUADRACEL (PF).....	175	<i>ribavirin</i>	68	<i>scopolamine base</i>	53
<i>quetiapine</i>	60	RIDAURA.....	170	SECUADO.....	61
<i>quinapril</i>	77	<i>rifabutin</i>	51	SECURESAFE PEN	
<i>quinapril-hydrochlorothiazide</i>	77	<i>rifampin</i>	51	NEEDLE.....	135
<i>quinidine gluconate</i>	78	<i>rilpivirine</i>	65	<i>select-ob</i>	193
<i>quinidine sulfate</i>	78	<i>riluzole</i>	91	<i>select-ob (folic acid)</i>	193
<i>quinine sulfate</i>	54	<i>rimantadine</i>	67	<i>selegiline hcl</i>	55, 56
QULIPTA.....	50	RINVOQ.....	171	<i>selenium sulfide</i>	104
RABAVERT (PF).....	175	<i>risedronate</i>	179	SELZENTRY.....	65
<i>rabeprazole</i>	156	RISPERDAL CONSTA.....	60	SEMGLEE(INSULIN	
<i>raloxifene</i>	162	<i>risperidone</i>	60, 61	GLARGINE-YFGN).....	44
<i>ramipril</i>	77	<i>ritonavir</i>	65	SEMGLEE(INSULIN	
<i>ranolazine</i>	82	RITUXAN HYCELA.....	28	GLARG-YFGN)PEN.....	45
<i>rasagiline</i>	55	<i>rivastigmine</i>	38	<i>se-natal 19 chewable</i>	194
RASUVO (PF).....	170	<i>rivastigmine tartrate</i>	37	SEREVENT DISKUS.....	187

SEROSTIM.....	165	SPIRIVA RESPIMAT.....	187	SURE COMFORT INS.	
<i>sertraline</i>	40	SPIRIVA WITH		SYR. U-100.....	135
<i>setlakin</i>	99	HANDHALER.....	187	SURE COMFORT	
<i>sevelamer carbonate</i>	158	<i>spironolactone</i>	83	INSULIN SYRINGE....	135, 136
<i>sevelamer hcl</i>	158	SPRAVATO.....	40	SURE COMFORT PEN	
SEZABY.....	35	<i>sprintec (28)</i>	99	NEEDLE.....	136
<i>sf 5000 plus</i>	101	SPRITAM.....	35, 36	SURE COMFORT SAFETY	
<i>sharobel</i>	99	SPRYCEL.....	28	PEN NEEDLE.....	135
SHINGRIX (PF).....	175	<i>sps (with sorbitol)</i>	157	SURE-FINE PEN	
SIGNIFOR.....	165	<i>sronyx</i>	99	NEEDLES.....	136
SIKLOS.....	72	<i>ssd</i>	104	SURE-JECT INSULIN	
<i>sildenafil (pulm.hypertension)</i>	191	<i>stavudine</i>	65	SYRINGE.....	136, 137
<i>silver sulfadiazine</i>	104	STELARA.....	171	SURE-PREP ALCOHOL	
SIMBRINZA.....	182	STERILE PADS.....	135	PREP PADS.....	103
<i>simliya (28)</i>	99	STIOLTO RESPIMAT.....	187	SUTAB.....	158
<i>simpanse</i>	99	STIVARGA.....	28	<i>syeda</i>	99
<i>simvastatin</i>	86	STRENSIQ.....	150	SYMBICORT.....	186
<i>sirolimus</i>	171	<i>streptomycin</i>	10	SYMDEKO.....	189
SIRTURO.....	51	STRIBILD.....	65	SYMLINPEN 120.....	42
SKY SAFETY PEN		STRIVERDI RESPIMAT....	187	SYMLINPEN 60.....	42
NEEDLE.....	135	<i>subvenite</i>	36	SYMPAZAN.....	36
SKYRIZI.....	171	<i>sucralfate</i>	156	SYMTUZA.....	65
<i>sodium chloride 0.45 %</i>	184	<i>sulfacetamide sodium</i>	153	SYNAREL.....	165
<i>sodium chloride 0.9 %</i>	184	<i>sulfacetamide sodium (acne)</i> ..	104	SYNJARDY.....	42
<i>sodium fluoride-pot nitrate</i>	101	<i>sulfacetamide-prednisolone</i>	153	SYNJARDY XR.....	42
<i>sodium oxybate</i>	190	<i>sulfadiazine</i>	17	SYNRIBO.....	28
<i>sodium phenylbutyrate</i>	157	<i>sulfamethoxazole-</i>		TABLOID.....	29
<i>sodium polystyrene sulfonate</i> ..	157	<i>trimethoprim</i>	17	TABRECTA.....	29
<i>sodium,potassium,mag sulfates</i>		<i>sulfasalazine</i>	177	<i>tacrolimus</i>	106, 171
.....	158	<i>sulindac</i>	7	<i>tadalafil (pulm. hypertension)</i>	191
SOLIQUA 100/33.....	45	<i>sumatriptan</i>	50	TAFINLAR.....	29
SOLTAMOX.....	28	<i>sumatriptan succinate</i>	50	TAGRISSO.....	29
SOLU-CORTEF ACT-O-		<i>sumatriptan-naproxen</i>	50	TAKHZYRO.....	181
VIAL (PF).....	163	<i>sunitinib</i>	28	TALTZ AUTOINJECTOR..	171
SOMATULINE DEPOT.....	165	SUNLENCA.....	65	TALTZ SYRINGE.....	171
SOMAVERT.....	165	SUNOSI.....	190	TALZENNA.....	29
<i>sorafenib</i>	28	SUPREP BOWEL PREP		<i>tamoxifen</i>	29
<i>sorine</i>	80	KIT.....	158	<i>tamsulosin</i>	159
<i>sotalol</i>	80	SURE COMFORT		<i>tarina 24 fe</i>	99
<i>sotalol af</i>	80	ALCOHOL PREP PADS.....	103	<i>tarina fe 1-20 eq (28)</i>	99

<i>taron-c dha</i>	194	THINPRO INSULIN		TRAVASOL 10 %.....	74
<i>taron-prex prenatal-dha</i>	194	SYRINGE.....	138, 139	<i>travoprost</i>	182
TASCENSO ODT.....	91	<i>thioridazine</i>	61	TRAZIMERA.....	29
TASIGNA.....	29	<i>thiothixene</i>	61	<i>trazodone</i>	40
<i>tasimelteon</i>	190	<i>tiadylt er</i>	81	TRECTOR.....	51
<i>tazarotene</i>	106	<i>tiagabine</i>	36	TRELEGY ELLIPTA.....	188
TAZORAC.....	106	TIBSOVO.....	29	TRELSTAR.....	30
<i>taztia xt</i>	81	TICE BCG.....	29	TREMFYA.....	171, 172
TAZVERIK.....	29	TICOVAC.....	176	<i>tretinoin</i>	106, 107
TDVAX.....	176	<i>tigecycline</i>	18	<i>tretinoin (antineoplastic)</i>	30
TECHLITE INSULIN		<i>timolol maleate</i>	80, 182	<i>tri femynor</i>	99
SYRINGE.....	137, 138	<i>tiopronin</i>	159	<i>triamcinolone acetonide</i>	
TECHLITE INSULN		TIVDAK.....	29	101, 106, 163
SYR(HALF UNIT).....	137	TIVICAY.....	66	<i>triamterene-hydrochlorothiazid</i>	84
TECHLITE PEN NEEDLE.	138	TIVICAY PD.....	66	<i>trientine</i>	160
TECVAYLI.....	29	<i>tizanidine</i>	190	<i>tri-estarylla</i>	99
TEFLARO.....	14	<i>tobramycin</i>	11, 153	<i>trifluoperazine</i>	61
<i>telmisartan</i>	76	<i>tobramycin in 0.225 % nacl</i>	11	<i>trifluridine</i>	153
<i>telmisartan-hydrochlorothiazid</i> .	76	<i>tobramycin sulfate</i>	11	<i>trihexyphenidyl</i>	56
<i>temazepam</i>	10	<i>tobramycin-dexamethasone</i>	153	TRIJARDY XR.....	42, 43
TEMIXYS.....	65	<i>tolterodine</i>	159	TRIKAFTA.....	189
TENIVAC (PF).....	176	TOPCARE CLICKFINE.....	139	<i>tri-legest fe</i>	99
<i>tenofovir disoproxil fumarate</i> ...	66	TOPCARE ULTRA		<i>tri-linyah</i>	99
TEPMETKO.....	29	COMFORT.....	139	<i>tri-lo-estarylla</i>	99
<i>terazosin</i>	159	<i>topiramate</i>	36	<i>tri-lo-marzia</i>	99
<i>terbinafine hcl</i>	47	<i>toposar</i>	29	<i>tri-lo-mili</i>	99
<i>terbutaline</i>	187	<i>toremifene</i>	29	<i>tri-lo-sprintec</i>	99
<i>terconazole</i>	49	<i>torse mide</i>	84	<i>trimethoprim</i>	12
TERUMO INSULIN		TOUJEO MAX U-300		<i>tri-mili</i>	99
SYRINGE.....	138	SOLOSTAR.....	45	<i>trimipramine</i>	40
<i>testosterone</i>	160	TOUJEO SOLOSTAR U-300		TRINTELLIX.....	40
<i>testosterone cypionate</i>	160	INSULIN.....	45	<i>tri-nymyo</i>	100
<i>testosterone enanthate</i>	160	TRACLEER.....	191	<i>tri-previfem (28)</i>	100
TETANUS,DIPHThERIA		TRADJENTA.....	42	<i>tri-sprintec (28)</i>	100
TOX PED(PF).....	176	<i>tramadol</i>	5	TRIUMEQ.....	66
<i>tetrabenazine</i>	91	<i>tramadol-acetaminophen</i>	5	TRIUMEQ PD.....	66
<i>tetracycline</i>	18	<i>trandolapril</i>	77	<i>triveen-duo dha</i>	194
THALOMID.....	181	<i>trandolapril-verapamil</i>	78	<i>trivora (28)</i>	100
<i>theophylline</i>	187	<i>tranexamic acid</i>	72	<i>tri-vylibra</i>	100
		<i>tranlycypromine</i>	40	<i>tri-vylibra lo</i>	100

TRIZIVIR.....	66	ULTICARE SAFETY PEN		UNIFINE PENTIPS PLUS	
TROGARZO.....	66	NEEDLE.....	142, 143	147, 148
TROPHAMINE 10 %.....	75	ULTIGUARD SAFEPAK-		UNIFINE PENTIPS PLUS	
<i>trosipium</i>	159	INSULIN SYR.....	143, 144	MAXFLOW.....	147
TRUE COMFORT		ULTIGUARD SAFEPAK-		UNIFINE SAFECONTROL	148
ALCOHOL PADS.....	103	PEN NEEDLE.....	143	UNIFINE ULTRA PEN	
TRUE COMFORT		ULTILET ALCOHOL		NEEDLE.....	148
INSULIN SYRINGE.....	140	SWAB.....	103	UPTRAVI.....	191
TRUE COMFORT PEN		ULTILET INSULIN		<i>ursodiol</i>	157
NEEDLE.....	140	SYRINGE.....	125, 126, 144	<i>valacyclovir</i>	68
TRUE COMFORT PRO		ULTILET PEN NEEDLE....	144	VALCHLOR.....	103
ALCOHOL PADS.....	103	ULTRA CMFT INS SYR		<i>valganciclovir</i>	68
TRUE COMFORT PRO INS		(HALF UNIT).....	123, 135, 142	<i>valproate sodium</i>	36
SYRINGE.....	139, 140, 141	ULTRA COMFORT		<i>valproic acid</i>	36
TRUE COMFORT SAFETY		INSULIN SYRINGE		<i>valproic acid (as sodium salt)</i> ...	36
PEN NEEDLE.....	139, 140	118, 123, 144	<i>valsartan</i>	76
TRUEPLUS INSULIN.	141, 142	ULTRA FLO INSUL		<i>valsartan-hydrochlorothiazide</i> ..	76
TRUEPLUS PEN NEEDLE	141	SYR(HALF UNIT).....	144, 145	VALTOCO.....	36
TRULICITY.....	43	ULTRA FLO INSULIN		<i>vancomycin</i>	12
TRUMENBA.....	176	SYRINGE.....	145	VANISHPOINT INSULIN	
TRUSELTIQ.....	30	ULTRA FLO PEN NEEDLE		SYRINGE.....	148
TRUXIMA.....	30	145	VANISHPOINT SYRINGE.	148
TUKYSA.....	30	ULTRA THIN PEN		VAQTA (PF).....	176
<i>tulana</i>	100	NEEDLE.....	145	<i>varenicline</i>	9
TURALIO.....	30	ULTRACARE INSULIN		VARIVAX (PF).....	177
TWINRIX (PF).....	176	SYRINGE.....	145, 146	VASCEPA.....	86
<i>tyblume</i>	100	ULTRACARE PEN		VELCADE.....	30
TYBOST.....	181	NEEDLE.....	146	<i>velivet triphasic regimen (28)</i> ..	100
TYMLOS.....	179	ULTRA-THIN II (SHORT)		VELPHORO.....	158
TYPHIM VI.....	176	INS SYR.....	146, 147	VELTASSA.....	157
TYSABRI.....	172	ULTRA-THIN II (SHORT)		VEMLIDY.....	66
UBRELVY.....	50	PEN NDL.....	147	VENCLEXTA.....	30
UCERIS.....	177	ULTRA-THIN II INS PEN		VENCLEXTA STARTING	
UDENYCA.....	72	NEEDLES.....	147	PACK.....	30
ULTICARE.....	142, 143	ULTRA-THIN II INSULIN		<i>venlafaxine</i>	40
ULTICARE INSULIN		SYRINGE.....	146, 147	<i>venlafaxine besylate</i>	40
SYRINGE.....	142	UNIFINE PEN NEEDLE....	147	<i>verapamil</i>	81
ULTICARE INSULN		UNIFINE PENTIPS.....	131, 147	VERIFINE PEN NEEDLE	
SYR(HALF UNIT).....	142	UNIFINE PENTIPS		148, 149
ULTICARE PEN NEEDLE	142	MAXFLOW.....	147	VERSACLOZ.....	61

VERSALON.....	149	<i>vylibra</i>	100	<i>zarah</i>	100
VERZENIO.....	30	<i>warfarin</i>	70	ZARXIO.....	72
<i>vestura (28)</i>	100	WEBCOL.....	103	<i>zatean-pn dha</i>	194
V-GO 20.....	149	WELIREG.....	31	<i>zatean-pn plus</i>	194
V-GO 30.....	149	<i>wera (28)</i>	100	ZEGALOGUE	
V-GO 40.....	149	XALKORI.....	31	AUTOINJECTOR.....	181
VICTOZA.....	43	XARELTO.....	70	ZEGALOGUE SYRINGE...	181
<i>vienna</i>	100	XARELTO DVT-PE TREAT		ZEJULA.....	32
<i>vigabatrin</i>	36	30D START.....	70	ZELBORAF.....	32
<i>vigadrone</i>	36	XATMEP.....	31	<i>zenatane</i>	103
VIIBRYD.....	41	XCOPRI.....	37	ZENPEP.....	150
<i>vilazodone</i>	41	XCOPRI MAINTENANCE		<i>zidovudine</i>	66
VIMPAT.....	36	PACK.....	37	<i>zingiber</i>	194
<i>vinate care</i>	194	XCOPRI TITRATION		<i>ziprasidone hcl</i>	61
<i>vinorelbine</i>	30	PACK.....	37	<i>ziprasidone mesylate</i>	61
<i>viorele (28)</i>	100	XELJANZ.....	172	ZIRABEV.....	32
VIRACEPT.....	66	XELJANZ XR.....	172	ZIRGAN.....	153
VIREAD.....	66	XERMELO.....	157	ZOLADEX.....	32
<i>virt-c dha</i>	194	XGEVA.....	179	<i>zoledronic acid</i>	179
<i>virt-nate dha</i>	194	XHANCE.....	154	<i>zoledronic acid-mannitol-water</i>	
<i>virt-pn</i>	194	XIFAXAN.....	12	179
<i>virt-pn dha</i>	194	XIGDUO XR.....	43	ZOLINZA.....	32
<i>virt-pn plus</i>	194	XIIDRA.....	155	<i>zolmitriptan</i>	50
<i>vitafol gummies</i>	194	XOFLUZA.....	67	<i>zolpidem</i>	190
<i>vitafol nano</i>	194	XOLAIR.....	189	ZONISADE.....	37
<i>vitafol-ob+dha</i>	194	XOSPATA.....	31	<i>zonisamide</i>	37
VITRAKVI.....	30, 31	XPOVIO.....	31	<i>zovia 1-35 (28)</i>	101
VIZIMPRO.....	31	XTAMPZA ER.....	5	ZTALMY.....	37
VOCABRIA.....	66	XTANDI.....	31	ZTLIDO.....	8
<i>vol-nate</i>	194	<i>xulane</i>	100	<i>zumandimine (28)</i>	101
<i>volnea (28)</i>	100	XULTOPHY 100/3.6.....	45	ZYDELIG.....	32
VONJO.....	31	XYOSTED.....	160	ZYKADIA.....	32
<i>voriconazole</i>	47, 48	XYREM.....	190	ZYLET.....	153
VOSEVI.....	68	YERVOY.....	31	ZYNLONTA.....	32
VOTRIENT.....	31	YF-VAX (PF).....	177	ZYPREXA RELPREVV.....	61
<i>vp-ch-pnv</i>	194	YONSA.....	31		
<i>vp-pnv-dha</i>	194	<i>yuvafem</i>	162		
VRAYLAR.....	61	<i>zafemy</i>	100		
VUMERITY.....	91	<i>zafirlukast</i>	186		
<i>vyfemla (28)</i>	100	<i>zaleplon</i>	190		