

## Table of Contents

Analgesics.....	3
Anesthetics.....	9
Anti-Addiction/Substance Abuse Treatment Agents.....	10
Antianxiety Agents.....	11
Antibacterials.....	12
Anticancer Agents.....	21
Anticonvulsants.....	35
Antidementia Agents.....	41
Antidepressants.....	41
Antidiabetic Agents.....	45
Antifungals.....	50
Antigout Agents.....	52
Antihistamines.....	52
Anti-Infectives (Skin And Mucous Membrane).....	53
Antimigraine Agents.....	53
Antimycobacterials.....	55
Antinausea Agents.....	55
Antiparasite Agents.....	57
Antiparkinsonian Agents.....	58
Antipsychotic Agents.....	60
Antivirals (Systemic).....	66
Blood Products/Modifiers/Volume Expanders.....	73
Caloric Agents.....	77
Cardiovascular Agents.....	79
Central Nervous System Agents.....	92
Contraceptives.....	97
Dental And Oral Agents.....	106
Dermatological Agents.....	107
Devices.....	113
Enzyme Replacement/Modifiers.....	154
Eye, Ear, Nose, Throat Agents.....	156
Gastrointestinal Agents.....	161
Genitourinary Agents.....	165
Heavy Metal Antagonists.....	166
Hormonal Agents, Stimulant/Replacement/Modifying.....	167
Immunological Agents.....	173

Inflammatory Bowel Disease Agents.....	185
Metabolic Bone Disease Agents.....	185
Miscellaneous Therapeutic Agents.....	187
Ophthalmic Agents.....	190
Replacement Preparations.....	191
Respiratory Tract Agents.....	193
Skeletal Muscle Relaxants.....	198
Sleep Disorder Agents.....	199
Vasodilating Agents.....	199
Vitamins And Minerals.....	200

Drug Name	Drug Tier	Requirements/Limits	
<b>Analgesics</b>			
<b>Analgesics, Miscellaneous</b>			
<i>acetaminophen-codeine oral solution</i> 120-12 mg/5 ml	2	QL (4500 per 30 days)	
<i>acetaminophen-codeine oral tablet</i> 300-15 mg, 300-30 mg	2	QL (360 per 30 days)	
<i>acetaminophen-codeine oral tablet</i> 300-60 mg	2	QL (180 per 30 days)	
<i>ascomp with codeine oral capsule</i> 30-50-325-40 mg	(codeine-butalbital-asa-caff)	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>buprenorphine hcl injection solution</i> 0.3 mg/ml	(Buprenex)	2	
<i>buprenorphine hcl injection syringe</i> 0.3 mg/ml		2	
<i>buprenorphine transdermal patch</i> weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour	(Butrans)	2	QL (4 per 28 days)
<i>butalbital-acetaminop-caf-cod oral</i> <i>capsule 50-300-40-30 mg</i>	(Fioricet with Codeine)	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-acetaminop-caf-cod oral</i> <i>capsule 50-325-40-30 mg</i>		2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-acetaminophen oral tablet</i> 50-325 mg	(Tencon)	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-acetaminophen-caff oral</i> <i>capsule 50-325-40 mg</i>	(Zebutal)	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-acetaminophen-caff oral</i> <i>tablet 50-325-40 mg</i>	(Esgic)	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-aspirin-caffeine oral</i> <i>capsule 50-325-40 mg</i>		2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-aspirin-caffeine oral</i> <i>tablet 50-325-40 mg</i>		2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>butorphanol nasal spray, non-aerosol 10 mg/ml</i>		2	QL (5 per 28 days)
<i>codeine sulfate oral tablet 30 mg, 60 mg</i>		2	QL (180 per 30 days)
<i>codeine-butalbital-asa-caff oral capsule 30-50-325-40 mg</i>	(Ascomp with Codeine)	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>endocet oral tablet 10-325 mg</i>	(oxycodone-acetaminophen)	2	QL (180 per 30 days)
<i>endocet oral tablet 2.5-325 mg, 5-325 mg</i>	(oxycodone-acetaminophen)	2	QL (360 per 30 days)
<i>endocet oral tablet 7.5-325 mg</i>	(oxycodone-acetaminophen)	2	QL (240 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg</i>	(Actiq)	5	PA; NDS; QL (120 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 200 mcg</i>	(Actiq)	2	PA; QL (120 per 30 days)
<i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i>		2	QL (10 per 30 days)
<i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i>		2	QL (2700 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-300 mg, 10-325 mg, 7.5-300 mg, 7.5-325 mg</i>		2	QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 2.5-325 mg, 5-300 mg, 5-325 mg</i>		2	QL (240 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg</i>		2	QL (150 per 30 days)
<i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i>		2	
<i>hydromorphone oral liquid 1 mg/ml</i>	(Dilaudid)	2	QL (1200 per 30 days)
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i>	(Dilaudid)	2	QL (180 per 30 days)
<i>methadone injection solution 10 mg/ml</i>		2	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>methadone oral solution 10 mg/5 ml</i>	2	QL (600 per 30 days)
<i>methadone oral solution 5 mg/5 ml</i>	2	QL (1200 per 30 days)
<i>methadone oral tablet 10 mg</i>	2	QL (120 per 30 days)
<i>methadone oral tablet 5 mg</i>	2	QL (180 per 30 days)
<i>methadose oral tablet, soluble 40 mg</i> (methadone)	2	QL (30 per 30 days)
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	2	PA; QL (180 per 30 days)
<i>morphine oral solution 10 mg/5 ml</i>	2	QL (700 per 30 days)
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG	4	QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG	4	QL (120 per 30 days)
<i>morphine oral tablet extended release 100 mg, 200 mg, 60 mg</i> (MS Contin)	2	QL (60 per 30 days)
<i>morphine oral tablet extended release 15 mg, 30 mg</i> (MS Contin)	2	QL (90 per 30 days)
<i>oxycodone oral capsule 5 mg</i>	2	QL (180 per 30 days)
<i>oxycodone oral concentrate 20 mg/ml</i>	2	PA; QL (120 per 30 days)
<i>oxycodone oral solution 5 mg/5 ml</i>	2	QL (1300 per 30 days)
<i>oxycodone oral tablet 10 mg, 5 mg</i>	2	QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg</i> (Roxicodone)	2	QL (120 per 30 days)
<i>oxycodone oral tablet 20 mg</i>	2	QL (120 per 30 days)
<i>oxycodone oral tablet, oral only, ext. rel. 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg</i> (OxyContin)	3	QL (60 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg</i> (Endocet)	2	QL (180 per 30 days)
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i> (Endocet)	2	QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i> (Endocet)	2	QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
OXYCONTIN ORAL (oxycodone) TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG	3	QL (60 per 30 days)
<i>oxymorphone oral tablet 10 mg</i>	2	QL (120 per 30 days)
<i>oxymorphone oral tablet 5 mg</i>	2	QL (180 per 30 days)
<i>oxymorphone oral tablet extended release 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 5 mg, 7.5 mg</i>	2	QL (60 per 30 days)
<i>tencon oral tablet 50-325 mg</i> (butalbital- acetaminophen)	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>tramadol oral tablet 50 mg</i>	1	QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>	2	QL (300 per 30 days)
<i>vicodin hp oral tablet 10-300 mg</i> (hydrocodone- acetaminophen)	2	QL (180 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 13.5 MG, 18 MG, 9 MG	3	QL (60 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 27 MG	3	QL (120 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 36 MG	3	QL (240 per 30 days)
<i>zebutal oral capsule 50-325-40 mg</i> (butalbital- acetaminophen-caff)	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<b>Nonsteroidal Anti-Inflammatory Agents</b>		
<i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i> (Celebrex)	2	QL (60 per 30 days)
<i>diclofenac potassium oral tablet 50 mg</i>	2	QL (120 per 30 days)
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>	2	QL (60 per 30 days)
<i>diclofenac sodium oral tablet,delayed release (drlec) 25 mg</i>	2	QL (150 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>diclofenac sodium oral tablet, delayed release (drlec) 50 mg</i>	2	QL (120 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (drlec) 75 mg</i>	2	QL (60 per 30 days)
<i>diclofenac sodium topical drops 1.5 %</i>	2	QL (300 per 30 days)
<i>diclofenac sodium topical gel 1 %</i> (Arthritis Pain (diclofenac))	2	QL (1000 per 30 days)
<i>diclofenac sodium topical gel 3 %</i>	2	PA; QL (100 per 28 days)
<i>diclofenac sodium topical solution in metered-dose pump 20 mg/gram lactuation(2 %)</i> (Pennsaid)	5	PA; NDS; QL (224 per 28 days)
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 50-200 mg-mcg</i> (Arthrotec 50)	2	
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 75-200 mg-mcg</i> (Arthrotec 75)	2	
<i>diflunisal oral tablet 500 mg</i>	2	
<i>ec-naproxen dr 500 mg tablet</i> (naproxen)	2	
<i>etodolac oral capsule 200 mg, 300 mg</i>	2	
<i>etodolac oral tablet 400 mg</i> (Lodine)	2	
<i>etodolac oral tablet 500 mg</i>	2	
<i>fenoprofen oral tablet 600 mg</i> (Nalfon)	2	
<i>flurbiprofen oral tablet 100 mg</i>	2	
<i>ibu oral tablet 400 mg, 600 mg, 800 mg</i> (ibuprofen)	1	
<i>ibuprofen oral suspension 100 mg/5 ml</i> (Children's Advil)	2	
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> (IBU)	1	
<i>ibuprofen-famotidine oral tablet 800-26.6 mg</i> (Duexis)	2	PA; QL (90 per 30 days)
<i>indomethacin oral capsule 25 mg</i>	1	PA-HRM; QL (240 per 30 days); AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>indomethacin oral capsule 50 mg</i>	1	PA-HRM; QL (120 per 30 days); AGE (Max 64 Years)
<i>indomethacin oral capsule, extended release 75 mg</i>	2	PA-HRM; QL (60 per 30 days); AGE (Max 64 Years)
<i>ketoprofen oral capsule 50 mg, 75 mg</i>	2	
<i>ketoprofen oral capsule, ext rel. pellets 24 hr 200 mg</i>	2	
<i>ketorolac injection cartridge 15 mg/ml</i>	2	PA-HRM; QL (40 per 30 days); AGE (Max 64 Years)
<i>ketorolac injection solution 15 mg/ml</i>	2	PA-HRM; QL (40 per 30 days); AGE (Max 64 Years)
<i>ketorolac injection solution 30 mg/ml, 30 mg/ml (1 ml)</i>	2	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)
<i>ketorolac injection syringe 15 mg/ml</i>	2	PA-HRM; QL (40 per 30 days); AGE (Max 64 Years)
<i>ketorolac injection syringe 30 mg/ml</i>	2	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)
<i>ketorolac intramuscular solution 60 mg/2 ml</i>	2	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)
<i>ketorolac intramuscular syringe 60 mg/2 ml</i>	2	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)
<i>ketorolac oral tablet 10 mg</i>	2	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)
<i>mefenamic acid oral capsule 250 mg</i>	2	
<i>meloxicam oral tablet 15 mg, 7.5 mg</i>	1	
<i>nabumetone oral tablet 500 mg, 750 mg</i>	2	
<i>naproxen oral tablet 250 mg, 375 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>naproxen oral tablet 500 mg</i> (Naprosyn)	1	
<i>naproxen oral tablet, delayed release (drlec) 375 mg</i> (EC-Naprosyn)	2	
<i>naproxen oral tablet, delayed release (drlec) 500 mg</i> (EC-Naproxen)	2	
<i>piroxicam oral capsule 10 mg, 20 mg</i> (Feldene)	2	
<i>sulindac oral tablet 150 mg, 200 mg</i>	2	
<i>tolmetin oral capsule 400 mg</i>	2	
<i>tolmetin oral tablet 200 mg, 600 mg</i>	2	
<b>Anesthetics</b>		
<b>Local Anesthetics</b>		
<i>glydo mucous membrane jelly in applicator 2 %</i> (lidocaine hcl)	2	QL (30 per 30 days)
<i>lidocaine (pf) injection solution 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i> (Xylocaine-MPF)	1	
<i>lidocaine (pf) injection solution 40 mg/ml (4 %)</i>	1	
<i>lidocaine hcl 1% 50 mg/5 ml vial sdv, plf 10 mg/ml (1 %)</i> (Xylocaine-MPF)	2	
<i>lidocaine hcl 2% ampul outer, plf, sdv 20 mg/ml (2 %)</i> (Xylocaine-MPF)	2	
<i>lidocaine hcl injection solution 10 mg/ml (1 %), 20 mg/ml (2 %)</i> (Xylocaine)	2	
<i>lidocaine hcl injection solution 5 mg/ml (0.5 %)</i> (Xylocaine)	1	
<i>lidocaine hcl mucous membrane jelly 2 %</i>	2	QL (30 per 30 days)
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	2	PA
<i>lidocaine topical adhesive patch, medicated 5 %</i> (Lidoderm)	2	PA; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	2	PA; QL (90 per 30 days)
<i>lidocaine viscous mucous membrane solution 2 %</i> (lidocaine hcl)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>lidocaine-prilocaine topical cream</i> 2.5-2.5 %	2	PA; QL (30 per 30 days)
ZTLIDO TOPICAL ADHESIVE PATCH, MEDICATED 1.8 %	3	PA; QL (90 per 30 days)
<b>Anti-Addiction/Substance Abuse Treatment Agents</b>		
<b>Anti-Addiction/Substance Abuse Treatment Agents</b>		
<i>acamprosate oral tablet, delayed release (drlec) 333 mg</i>	2	
<i>buprenorphine hcl sublingual tablet</i> 2 mg, 8 mg	2	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual film</i> 12-3 mg (Suboxone)	2	QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film</i> 2-0.5 mg, 4-1 mg, 8-2 mg (Suboxone)	2	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual tablet</i> 2-0.5 mg, 8-2 mg	2	QL (90 per 30 days)
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr</i> 150 mg	2	
<i>disulfiram oral tablet</i> 250 mg, 500 mg	2	
KLOXXADO NASAL SPRAY, NON-AEROSOL 8 MG/ACTUATION	3	QL (4 per 30 days)
<i>naloxone injection solution</i> 0.4 mg/ml	1	
<i>naloxone injection syringe</i> 0.4 mg/ml, 1 mg/ml	2	
<i>naloxone nasal spray, non-aerosol</i> 4 mg/actuation (Narcan)	2	QL (4 per 30 days)
<i>naltrexone oral tablet</i> 50 mg	2	
NICOTROL INHALATION CARTRIDGE 10 MG	4	ST; QL (2688 per 365 days)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 100 MG/0.5 ML	5	NDS; QL (0.5 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 300 MG/1.5 ML	5	NDS; QL (1.5 per 30 days)
<i>varenicline oral tablet 0.5 mg</i>	2	QL (336 per 365 days)
<i>varenicline oral tablet 1 mg</i> (Chantix)	2	QL (336 per 365 days)
<i>varenicline oral tablets, dose pack</i> <i>0.5 mg (11)- 1 mg (42)</i> (Chantix Starting Month Box)	2	
<b>Antianxiety Agents</b>		
<b>Benzodiazepines</b>		
<i>alprazolam oral tablet 0.25 mg, 0.5</i> <i>mg, 1 mg</i> (Xanax)	1	QL (120 per 30 days)
<i>alprazolam oral tablet 2 mg</i> (Xanax)	1	QL (150 per 30 days)
<i>alprazolam oral tablet extended</i> <i>release 24 hr 0.5 mg, 1 mg, 2 mg</i> (Xanax XR)	2	QL (120 per 30 days)
<i>alprazolam oral tablet extended</i> <i>release 24 hr 3 mg</i> (Xanax XR)	2	QL (90 per 30 days)
<i>chlordiazepoxide hcl oral capsule 10</i> <i>mg, 25 mg, 5 mg</i>	1	QL (120 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin)	1	QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i> (Klonopin)	1	QL (300 per 30 days)
<i>clonazepam oral</i> <i>tablet, disintegrating 0.125 mg, 0.25</i> <i>mg, 0.5 mg, 1 mg</i>	2	QL (90 per 30 days)
<i>clonazepam oral</i> <i>tablet, disintegrating 2 mg</i>	2	QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet</i> <i>15 mg, 3.75 mg</i>	2	QL (180 per 30 days)
<i>clorazepate dipotassium oral tablet</i> <i>7.5 mg</i> (Tranxene T-Tab)	2	QL (180 per 30 days)
<i>diazepam injection solution 5 mg/ml</i>	2	QL (10 per 28 days)
<i>diazepam injection syringe 5 mg/ml</i>	2	
<i>diazepam intensol oral concentrate 5</i> <i>mg/ml</i> (diazepam)	2	QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1</i> <i>mg/ml)</i>	2	QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5</i> <i>mg</i> (Valium)	1	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>estazolam oral tablet 1 mg</i>	2	QL (60 per 30 days)
<i>estazolam oral tablet 2 mg</i>	2	QL (30 per 30 days)
<i>flurazepam oral capsule 15 mg</i>	2	QL (60 per 30 days)
<i>flurazepam oral capsule 30 mg</i>	2	QL (30 per 30 days)
<i>lorazepam 2 mg/ml oral concent</i> (Lorazepam Intensol)	2	QL (150 per 30 days)
<i>lorazepam 4 mg/ml vial inner</i> (Ativan)	1	
<i>lorazepam injection solution 2 mg/ml</i> (Ativan)	2	QL (2 per 30 days)
<i>lorazepam injection solution 4 mg/ml</i> (Ativan)	4	QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml</i>	1	QL (2 per 30 days)
<i>lorazepam intensol oral concentrate 2 mg/ml</i> (lorazepam)	2	QL (150 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg</i> (Ativan)	1	QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg</i> (Ativan)	1	QL (150 per 30 days)
<i>midazolam oral syrup 2 mg/ml</i>	2	QL (10 per 30 days)
<i>oxazepam oral capsule 10 mg, 15 mg, 30 mg</i>	2	QL (120 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg</i> (Restoril)	1	QL (30 per 30 days)
<i>triazolam oral tablet 0.125 mg</i>	2	QL (120 per 30 days)
<i>triazolam oral tablet 0.25 mg</i> (Halcion)	2	QL (60 per 30 days)
<b>Antibacterials</b>		
<b>Aminoglycosides</b>		
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>	2	
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	2	
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml</i>	2	
<i>neomycin oral tablet 500 mg</i>	2	
<i>streptomycin intramuscular recon soln 1 gram</i>	5	NDS
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	5	NDS; QL (224 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>tobramycin in 0.225 % nacl (Tobi) inhalation solution for nebulization 300 mg/5 ml</i>	5	PA BvD; NDS
<i>tobramycin inhalation solution for (Bethkis) nebulization 300 mg/4 ml</i>	5	PA BvD; NDS
<i>tobramycin sulfate injection solution 40 mg/ml</i>	2	
<b>Antibacterials, Miscellaneous</b>		
<i>bacitracin intramuscular recon soln 50,000 unit</i>	2	
<i>chloramphenicol sod succinate intravenous recon soln 1 gram</i>	2	
<i>clindamycin 600 mg/4 ml addvan sdv, outer</i>	2	
<i>clindamycin hcl oral capsule 150 mg, (Cleocin HCl) 300 mg, 75 mg</i>	1	
<i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml</i>	2	
<i>clindamycin pediatric oral recon (clindamycin palmitate soln 75 mg/5 ml hcl)</i>	2	
<i>clindamycin phosphate injection solution 150 (mg/ml) (6 ml)</i>	2	
<i>clindamycin phosphate injection (Cleocin) solution 150 mg/ml</i>	2	
<i>clindamycin phosphate intravenous solution 300 mg/2 ml, 900 mg/6 ml</i>	2	
<i>clindamycin phosphate intravenous solution 600 mg/4 ml</i>	2	
<i>colistin (colistimethate na) injection (Coly-Mycin M recon soln 150 mg Parenteral)</i>	5	NDS
<i>daptomycin intravenous recon soln (Cubicin RF) 500 mg</i>	5	NDS
<b>FIRVANQ ORAL RECON SOLN 25 MG/ML</b>	4	
<i>linezolid in dextrose 5% intravenous (Zyvox) piggyback 600 mg/300 ml</i>	2	
<i>linezolid oral suspension for (Zyvox) reconstitution 100 mg/5 ml</i>	5	NDS
<i>linezolid oral tablet 600 mg (Zyvox)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>methenamine hippurate oral tablet 1 gram</i> (Hiprex)	2	
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i> (Metro I.V.)	2	
<i>metronidazole oral tablet 250 mg, 500 mg</i>	1	
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i> (Macrochantin)	2	QL (120 per 30 days)
<i>nitrofurantoin monohydlm-cryst oral capsule 100 mg</i> (Macrobid)	2	QL (60 per 30 days)
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>	2	
<b>SYNERCID INTRAVENOUS RECON SOLN 500 MG</b>	5	NDS
<i>trimethoprim oral tablet 100 mg</i>	1	
<i>vancomycin intravenous recon soln 1,000 mg, 10 gram, 5 gram, 500 mg, 750 mg</i>	2	
<i>vancomycin oral capsule 125 mg</i> (Vancocin)	2	QL (56 per 14 days)
<i>vancomycin oral capsule 250 mg</i> (Vancocin)	2	QL (112 per 14 days)
<b>XIFAXAN ORAL TABLET 200 MG</b>	5	PA; NDS; QL (9 per 30 days)
<b>XIFAXAN ORAL TABLET 550 MG</b>	5	PA; NDS; QL (90 per 30 days)
<b>Cephalosporins</b>		
<i>cefactor oral capsule 250 mg, 500 mg</i>	2	
<i>cefactor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	2	
<i>cefactor oral tablet extended release 12 hr 500 mg</i>	2	
<i>cefadroxil oral capsule 500 mg</i>	2	
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	2	
<i>cefadroxil oral tablet 1 gram</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>cefazolin in dextrose (iso-os) intravenous piggyback 2 gram/50 ml</i>	2	
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	2	
<i>cefdinir oral capsule 300 mg</i>	2	
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cefepime injection recon soln 1 gram, 2 gram</i>	2	
<i>cefixime oral capsule 400 mg</i> (Suprax)	2	
<i>cefixime oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Suprax)	2	
<i>cefotaxime injection recon soln 1 gram</i>	2	
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	2	
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	2	
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	2	
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cefprozil oral tablet 250 mg, 500 mg</i>	2	
<b>CEFTAZIDIME 2 GM PIGGYBACK 2 GRAM/50 ML</b>	2	
<i>ceftazidime injection recon soln 1 gram, 6 gram</i> (Tazicef)	2	
<b>CEFTAZIDIME INJECTION RECON SOLN 2 GRAM</b> (Tazicef)	2	
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	2	
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>cefuroxime sodium injection recon soln 750 mg</i>	2	
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	2	
<i>cephalexin oral capsule 250 mg, 500 mg</i>	1	
<i>cephalexin oral capsule 750 mg</i>	2	
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cephalexin oral tablet 250 mg, 500 mg</i>	2	
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	5	NDS
<b>Macrolides</b>		
<i>azithromycin intravenous recon soln 500 mg</i> (Zithromax)	2	
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Zithromax)	2	
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack)</i>	1	
<i>azithromycin oral tablet 250 mg, 500 mg</i> (Zithromax)	1	
<i>azithromycin oral tablet 600 mg</i>	2	
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	2	
<i>clarithromycin oral tablet extended release 24 hr 500 mg</i>	2	
DIFICID ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML	5	NDS; QL (136 per 10 days)
DIFICID ORAL TABLET 200 MG	5	NDS; QL (20 per 10 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules)	2	
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i> (EryPed 400)	2	
<i>erythromycin oral tablet 250 mg, 500 mg</i>	2	
<b>Miscellaneous B-Lactam Antibiotics</b>		
<i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam)	2	
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	5	PA; LA; NDS
<i>ertapenem injection recon soln 1 gram</i> (Invanz)	2	
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>	2	
<i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV)	2	
<i>meropenem intravenous recon soln 1 gram, 500 mg</i>	2	
<b>Penicillins</b>		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i> (Augmentin)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600)	2	
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg</i>	2	
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg</i> (Augmentin)	1	
<i>amoxicillin-pot clavulanate oral tablet 875-125 mg</i>	1	
<i>amoxicillin-pot clavulanate oral tablet extended release 12 hr 1,000-62.5 mg</i> (Augmentin XR)	2	
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	2	
<i>ampicillin oral capsule 500 mg</i>	2	
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i>	2	
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i> (Unasyn)	2	
<b>BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML</b>	4	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	2	
<i>nafcillin 1 g/ml 50 ml inj 1 gram/50 ml</i>	2	
<i>nafcillin injection recon soln 1 gram</i>	2	
<i>nafcillin injection recon soln 10 gram</i>	5	NDS
<i>nafcillin injection recon soln 2 gram</i>	2	
<i>penicillin g potassium injection recon soln 20 million unit</i> (Pfizerpen-G)	2	
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	
<i>pfizerpen-g injection recon soln 20 million unit</i> (penicillin g potassium)	2	
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>	2	
<b>Quinolones</b>		
<i>ciprofloxacin hcl oral tablet 100 mg</i>	2	
<i>ciprofloxacin hcl oral tablet 250 mg, 500 mg</i> (Cipro)	1	
<i>ciprofloxacin hcl oral tablet 750 mg</i>	1	
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	2	
<i>ciprofloxacin oral suspension, microcapsule recon 250 mg/5 ml, 500 mg/5 ml</i> (Cipro)	2	
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	2	
<i>levofloxacin intravenous solution 25 mg/ml</i>	2	
<i>levofloxacin oral solution 250 mg/10 ml</i>	2	
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>	1	
<i>moxifloxacin oral tablet 400 mg</i>	2	
<b>Sulfonamides</b>		
<i>sulfadiazine oral tablet 500 mg</i>	2	
<i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i>	2	
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i> (Sulfatrim)	2	
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i> (Bactrim)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i> (Bactrim DS)	1	
<b>Tetracyclines</b>		
<i>demeclocycline oral tablet 150 mg, 300 mg</i>	2	
<i>doxy-100 intravenous recon soln 100 mg</i> (doxycycline hyclate)	2	
<i>doxycycline hyclate intravenous recon soln 100 mg</i> (Doxy-100)	2	
<i>doxycycline hyclate oral capsule 100 mg, 50 mg</i> (Morgidox)	2	
<i>doxycycline hyclate oral tablet 100 mg</i> (LymePak)	2	
<i>doxycycline hyclate oral tablet 20 mg</i>	2	
<i>doxycycline hyclate oral tablet, delayed release (drlec) 100 mg, 150 mg, 75 mg</i>	2	
<i>doxycycline hyclate oral tablet, delayed release (drlec) 200 mg, 50 mg</i> (Doryx)	2	
<i>doxycycline monohydrate oral capsule 100 mg</i> (Mondoxyne NL)	2	
<i>doxycycline monohydrate oral capsule 50 mg</i> (Monodox)	2	
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i> (Vibramycin (mono))	2	
<i>doxycycline monohydrate oral tablet 100 mg</i> (Avidoxy)	2	
<i>doxycycline monohydrate oral tablet 150 mg, 50 mg, 75 mg</i>	2	
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>	2	
<i>minocycline oral tablet 100 mg, 50 mg, 75 mg</i>	2	
<i>mondoxyne nl oral capsule 100 mg</i> (doxycycline monohydrate)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>mondoxyne nl oral capsule 75 mg</i> (doxycycline monohydrate)	2	QL (60 per 30 days)
<i>tetracycline oral capsule 250 mg, 500 mg</i>	2	
<i>tigecycline intravenous recon soln 50 mg</i> (Tygacil)	5	NDS
<b>Anticancer Agents</b>		
<b>Anticancer Agents</b>		
<i>abiraterone oral tablet 250 mg, 500 mg</i> (Zytiga)	5	PA NSO; NDS; QL (120 per 30 days)
ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG (paclitaxel protein-bound)	5	PA BvD; NDS
<i>adrucil intravenous solution 2.5 gram/50 ml</i> (fluorouracil)	2	PA BvD
ALECENSA ORAL CAPSULE 150 MG	5	PA NSO; NDS; QL (240 per 30 days)
ALIMTA INTRAVENOUS RECON SOLN 100 MG, 500 MG (pemetrexed disodium)	5	NDS
ALUNBRIG ORAL TABLET 180 MG, 90 MG	5	PA NSO; NDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	5	PA NSO; NDS; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23)	5	PA NSO; NDS
<i>anastrozole oral tablet 1 mg</i> (Arimidex)	1	
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>azacitidine injection recon soln 100 mg</i> (Vidaza)	5	NDS
BALVERSA ORAL TABLET 3 MG	5	PA NSO; NDS; QL (84 per 28 days)
BALVERSA ORAL TABLET 4 MG	5	PA NSO; NDS; QL (56 per 28 days)
BALVERSA ORAL TABLET 5 MG	5	PA NSO; NDS; QL (28 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>bendamustine intravenous recon soln</i> (Treanda) 100 mg, 25 mg	5	PA NSO; NDS
<b>BENDEKA INTRAVENOUS SOLUTION 25 MG/ML</b> (bendamustine)	5	PA NSO; NDS
<i>bexarotene oral capsule 75 mg</i> (Targretin)	5	PA NSO; NDS
<i>bexarotene topical gel 1%</i> (Targretin)	5	PA NSO; NDS
<i>bicalutamide oral tablet 50 mg</i> (Casodex)	2	
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	2	
<i>bortezomib injection recon soln 1 mg</i>	4	PA NSO
<i>bortezomib injection recon soln 2.5 mg</i>	5	PA NSO; NDS
<b>BORTEZOMIB INTRAVENOUS RECON SOLN 3.5 MG</b>	5	PA NSO; NDS
<b>BOSULIF ORAL TABLET 100 MG</b>	5	PA NSO; NDS; QL (90 per 30 days)
<b>BOSULIF ORAL TABLET 400 MG, 500 MG</b>	5	PA NSO; NDS; QL (30 per 30 days)
<b>BRAFTOVI ORAL CAPSULE 75 MG</b>	5	PA NSO; NDS; QL (180 per 30 days)
<b>BRUKINSA ORAL CAPSULE 80 MG</b>	5	PA NSO; NDS; QL (120 per 30 days)
<b>CABOMETYX ORAL TABLET 20 MG, 60 MG</b>	5	PA NSO; NDS; QL (30 per 30 days)
<b>CABOMETYX ORAL TABLET 40 MG</b>	5	PA NSO; NDS; QL (60 per 30 days)
<b>CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG</b>	5	PA NSO; NDS; QL (60 per 30 days)
<b>CALQUENCE ORAL CAPSULE 100 MG</b>	5	PA NSO; NDS; QL (60 per 30 days)
<b>CAPRELSA ORAL TABLET 100 MG</b> (vandetanib)	5	PA NSO; NDS; QL (60 per 30 days)
<b>CAPRELSA ORAL TABLET 300 MG</b> (vandetanib)	5	PA NSO; NDS; QL (30 per 30 days)
<i>carboplatin intravenous solution 10 mg/ml</i> (Paraplatin)	2	
<i>cladribine intravenous solution 10 mg/10 ml</i>	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 60 MG/DAY (20 MG X 3/DAY)	5	PA NSO; NDS
COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3)	5	PA NSO; NDS; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	5	PA NSO; NDS; QL (56 per 28 days)
COTELLIC ORAL TABLET 20 MG	5	PA NSO; LA; NDS; QL (63 per 28 days)
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	5	PA BvD; NDS
<i>cyclophosphamide intravenous solution 200 mg/ml</i>	5	PA BvD; NDS
CYCLOPHOSPHAMIDE ORAL CAPSULE 25 MG	4	PA BvD; ST
<i>cyclophosphamide oral capsule 50 mg</i>	4	PA BvD; ST
<i>cyclophosphamide oral tablet 25 mg, 50 mg</i>	3	PA BvD; ST
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
DANYELZA INTRAVENOUS SOLUTION 4 MG/ML	5	PA NSO; NDS; QL (120 per 28 days)
DARZALEX FASPRO SUBCUTANEOUS SOLUTION 1,800 MG-30,000 UNIT/15 ML	5	PA NSO; NDS
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; LA; NDS
DAURISMO ORAL TABLET 100 MG	5	PA NSO; NDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	5	PA NSO; NDS; QL (60 per 30 days)
<i>decitabine intravenous recon soln 50 (Dacogen) mg</i>	5	NDS
<i>docetaxel intravenous solution 160 mg/16 ml (10 mg/ml), 80 mg/4 ml (20 mg/ml)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i>	2	PA BvD
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Doxil)	5	PA BvD; NDS
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	4	PA NSO
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	4	PA NSO
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	4	PA NSO
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	4	PA NSO
EMCYT ORAL CAPSULE 140 MG	5	NDS
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML	5	PA NSO; NDS
ERIVEDGE ORAL CAPSULE 150 MG	5	PA NSO; NDS; QL (28 per 28 days)
ERLEADA ORAL TABLET 60 MG	5	PA NSO; NDS; QL (120 per 30 days)
<i>erlotinib oral tablet 100 mg, 25 mg</i> (Tarceva)	5	PA NSO; NDS; QL (60 per 30 days)
<i>erlotinib oral tablet 150 mg</i> (Tarceva)	5	PA NSO; NDS; QL (90 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	4	
<i>etoposide intravenous solution 20 mg/ml</i> (Toposar)	2	
<i>everolimus (antineoplastic) oral tablet 10 mg</i> (Afinitor)	5	PA NSO; NDS; QL (56 per 28 days)
<i>everolimus (antineoplastic) oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (Afinitor)	5	PA NSO; NDS; QL (28 per 28 days)
<i>everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg</i> (Afinitor Disperz)	5	PA NSO; NDS; QL (112 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>exemestane oral tablet 25 mg</i> (Aromasin)	2	
EXKIVITY ORAL CAPSULE 40 MG	5	PA NSO; NDS; QL (120 per 30 days)
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG	5	PA NSO; NDS
<i>floxuridine injection recon soln 0.5 gram</i>	2	PA BvD
<i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>	2	PA BvD
<i>flutamide oral capsule 125 mg</i> (Eulexin)	2	
FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG	5	PA NSO; NDS; QL (21 per 28 days)
<i>fulvestrant intramuscular syringe 250 mg/5 ml</i> (Faslodex)	5	NDS
FYARRO INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	5	PA NSO; NDS
GAVRETO ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (120 per 30 days)
<i>gemcitabine intravenous recon soln 1 gram, 2 gram, 200 mg</i>	2	PA BvD
<i>gemcitabine intravenous solution 2 gram/52.6 ml (38 mg/ml)</i>	2	PA BvD
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	5	PA NSO; NDS; QL (30 per 30 days)
GLEOSTINE ORAL CAPSULE (lomustine) 10 MG, 100 MG, 40 MG	4	
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	5	PA NSO; NDS; QL (5 per 21 days)
HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	2	
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA NSO; NDS; QL (21 per 28 days)
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	5	PA NSO; NDS; QL (21 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG	5	PA NSO; NDS; QL (30 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln 1 gram</i> (Ifex)	2	
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	2	
<i>imatinib oral tablet 100 mg</i> (Gleevec)	2	PA NSO; QL (180 per 30 days)
<i>imatinib oral tablet 400 mg</i> (Gleevec)	2	PA NSO; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	5	PA NSO; NDS; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG	5	PA NSO; NDS; QL (28 per 28 days)
IMBRUVICA ORAL SUSPENSION 70 MG/ML	5	PA NSO; NDS; QL (240 per 30 days)
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	5	PA NSO; NDS; QL (28 per 28 days)
IMJUDO INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NDS
IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML	4	PA NSO; QL (4 per 365 days)
INLYTA ORAL TABLET 1 MG	5	PA NSO; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	5	PA NSO; NDS; QL (120 per 30 days)
INQOVI ORAL TABLET 35-100 MG	5	PA NSO; NDS; QL (5 per 28 days)
INREBIC ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (120 per 30 days)
IRESSA ORAL TABLET 250 MG	5	PA NSO; NDS; QL (60 per 30 days)
<i>irinotecan intravenous solution 100 mg/5 ml, 300 mg/15 ml, 40 mg/2 ml</i> (Camptosar)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>irinotecan intravenous solution 500 mg/25 ml</i>	2	
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NDS; QL (60 per 30 days)
JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NDS
KANJINTI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS; QL (8 per 21 days)
KIMMTRAK INTRAVENOUS SOLUTION 100 MCG/0.5 ML	5	PA NSO; NDS; QL (2 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA NSO; NDS; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA NSO; NDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NDS; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA NSO; NDS; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA NSO; NDS; QL (63 per 28 days)
KOSELUGO ORAL CAPSULE 10 MG	5	PA NSO; NDS; QL (300 per 30 days)
KOSELUGO ORAL CAPSULE 25 MG	5	PA NSO; NDS; QL (120 per 30 days)
KRAZATI ORAL TABLET 200 MG	5	PA NSO; NDS; QL (180 per 30 days)
<i>lapatinib oral tablet 250 mg</i> (Tykerb)	5	PA NSO; NDS
<i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg</i> (Revlimid)	5	PA NSO; NDS; QL (28 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	5	PA NSO; NDS
<i>letrozole oral tablet 2.5 mg</i> (Femara)	1	
LEUKERAN ORAL TABLET 2 MG	5	NDS
<i>leuprolide (3 month) intramuscular suspension for reconstitution 22.5 mg</i>	4	PA NSO
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	5	PA NSO; NDS
LONSURF ORAL TABLET 15-6.14 MG	5	PA NSO; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	5	PA NSO; NDS; QL (80 per 28 days)
LORBRENA ORAL TABLET 100 MG	5	PA NSO; NDS; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	5	PA NSO; NDS; QL (90 per 30 days)
LUMAKRAS ORAL TABLET 120 MG	5	PA NSO; NDS; QL (240 per 30 days)
LUNSUMIO INTRAVENOUS SOLUTION 1 MG/ML	5	PA NSO; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	5	PA NSO; NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	PA NSO; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	PA NSO; NDS
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
LYSODREN ORAL TABLET 500 MG	5	NDS
LYTGOBI ORAL TABLET 4 MG	5	PA NSO; NDS; QL (140 per 28 days)
MARGENZA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
MATULANE ORAL CAPSULE 50 MG	5	NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	2	PA NSO-HRM; AGE (Max 64 Years)
MEKINIST ORAL TABLET 0.5 MG	5	PA NSO; NDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA NSO; NDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	5	PA NSO; NDS; QL (180 per 30 days)
<i>mercaptopurine oral tablet 50 mg</i>	2	
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	2	
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	2	
<i>methotrexate sodium injection solution 25 mg/ml</i>	2	
<i>methotrexate sodium oral tablet 2.5 mg</i>	2	PA BvD; ST
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	2	
MVASI INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
NERLYNX ORAL TABLET 40 MG	5	PA NSO; NDS; QL (180 per 30 days)
<i>nilutamide oral tablet 150 mg</i> (Nilandron)	5	NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA NSO; NDS; QL (3 per 28 days)
NUBEQA ORAL TABLET 300 MG	5	PA NSO; NDS; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	5	PA NSO; LA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
ONUREG ORAL TABLET 200 MG, 300 MG	5	PA NSO; NDS; QL (14 per 28 days)
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 120 MG/12 ML, 240 MG/24 ML, 40 MG/4 ML	5	PA NSO; NDS
OPDUALAG INTRAVENOUS SOLUTION 240-80 MG/20 ML	5	PA NSO; NDS
<i>oxaliplatin intravenous recon soln 100 mg, 50 mg</i>	2	
<i>oxaliplatin intravenous solution 100 mg/20 ml, 200 mg/40 ml, 50 mg/10 ml (5 mg/ml)</i>	2	
<i>paclitaxel intravenous concentrate 6 mg/ml</i>	2	PA BvD
<i>paclitaxel protein-bound intravenous (Abraxane) suspension for reconstitution 100 mg</i>	5	PA BvD; NDS
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>pemetrexed disodium intravenous recon soln 750 mg</i>	5	NDS
<i>pemetrexed disodium intravenous solution 25 mg/ml</i>	5	NDS
<i>pemetrexed intravenous recon soln 1 gram, 100 mg, 500 mg</i>	5	NDS
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NDS; QL (28 per 28 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	5	PA NSO; NDS; QL (56 per 28 days)
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA NSO; NDS; QL (21 per 28 days)
PURIXAN ORAL SUSPENSION 20 MG/ML	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
QINLOCK ORAL TABLET 50 MG	5	PA NSO; NDS; QL (90 per 30 days)
RETEVMO ORAL CAPSULE 40 MG	5	PA NSO; NDS; QL (180 per 30 days)
RETEVMO ORAL CAPSULE 80 MG	5	PA NSO; NDS; QL (120 per 30 days)
REZLIDHIA ORAL CAPSULE 150 MG	5	PA NSO; NDS; QL (60 per 30 days)
RIABNI INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	5	PA NSO; NDS
ROZLYTREK ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (180 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	5	PA NSO; NDS; QL (90 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; NDS; QL (120 per 30 days)
RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
RYBREVANT INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NDS
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; NDS; QL (224 per 28 days)
SCEMBLIX ORAL TABLET 20 MG, 40 MG	5	PA NSO; NDS
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	5	NDS
<i>sorafenib oral tablet 200 mg</i> (Nexavar)	5	PA NSO; NDS; QL (120 per 30 days)
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	5	PA NSO; NDS; QL (30 per 30 days)
SPRYCEL ORAL TABLET 20 MG	5	PA NSO; NDS; QL (90 per 30 days)
STIVARGA ORAL TABLET 40 MG	5	PA NSO; NDS; QL (84 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>sunitinib oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> (Sutent)	5	PA NSO; NDS; QL (28 per 28 days)
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	5	PA NSO; NDS
TABLOID ORAL TABLET 40 MG (thioguanine)	4	
TABRECTA ORAL TABLET 150 MG, 200 MG	5	PA NSO; NDS; QL (112 per 28 days)
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; NDS; QL (120 per 30 days)
TAGRISSE ORAL TABLET 40 MG, 80 MG	5	PA NSO; LA; NDS; QL (30 per 30 days)
TALZENNA ORAL CAPSULE 0.25 MG, 0.5 MG, 0.75 MG, 1 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	2	
TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA NSO; NDS; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG	5	PA NSO; NDS; QL (120 per 30 days)
TAZVERIK ORAL TABLET 200 MG	5	PA NSO; NDS; QL (240 per 30 days)
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML), 840 MG/14 ML (60 MG/ML)	5	PA NSO; NDS
TECVAYLI SUBCUTANEOUS SOLUTION 10 MG/ML, 90 MG/ML	5	PA NSO; NDS
TEPMETKO ORAL TABLET 225 MG	5	PA NSO; NDS; QL (60 per 30 days)
TIBSOVO ORAL TABLET 250 MG	5	PA NSO; NDS; QL (60 per 30 days)
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	4	
TIVDAK INTRAVENOUS RECON SOLN 40 MG	5	PA NSO; NDS; QL (5 per 21 days)
<i>toposar intravenous solution 20 mg/ml</i> (etoposide)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>toremifene oral tablet 60 mg</i> (Fareston)	5	NDS
TRAZIMERA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG, 22.5 MG, 3.75 MG	5	PA NSO; NDS
<i>tretinoin (antineoplastic) oral capsule 10 mg</i>	5	NDS
TRUSELTIQ ORAL CAPSULE 100 MG/DAY (100 MG X 1), 125 MG/DAY(100 MG X1-25MG X1), 50 MG/DAY (25 MG X 2), 75 MG/DAY (25 MG X 3)	5	PA NSO; NDS
TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
TUKYSA ORAL TABLET 150 MG	5	PA NSO; NDS; QL (120 per 30 days)
TUKYSA ORAL TABLET 50 MG	5	PA NSO; NDS; QL (300 per 30 days)
TURALIO ORAL CAPSULE 200 MG	5	PA NSO; NDS; QL (120 per 30 days)
VELCADE INJECTION RECON SOLN 3.5 MG (bortezomib)	5	PA NSO; NDS
VENCLEXTA ORAL TABLET 10 MG	3	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; LA; NDS; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	5	PA NSO; LA; NDS; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	5	PA NSO; LA; NDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NDS; QL (56 per 28 days)
<i>vinblastine intravenous solution 1 mg/ml</i>	2	PA BvD
<i>vincasar pfs intravenous solution 1 mg/ml, 2 mg/2 ml</i> (vincristine)	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>vincristine intravenous solution 1 mg/ml, 2 mg/2 ml</i> (Vincasar PFS)	2	PA BvD
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i> (Navelbine)	2	
VITRAKVI ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	5	PA NSO; NDS; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	5	PA NSO; NDS; QL (300 per 30 days)
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA NSO; NDS; QL (30 per 30 days)
VONJO ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (120 per 30 days)
VOTRIENT ORAL TABLET 200 MG	5	PA NSO; NDS; QL (120 per 30 days)
WELIREG ORAL TABLET 40 MG	5	PA NSO; NDS; QL (90 per 30 days)
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; NDS; QL (120 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	5	PA NSO; NDS; QL (90 per 30 days)
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2)	5	PA NSO; NDS; QL (8 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)	5	PA NSO; NDS; QL (4 per 28 days)
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	5	PA NSO; NDS; QL (24 per 28 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	5	PA NSO; NDS; QL (32 per 28 days)
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 40 MG	5	PA NSO; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
XTANDI ORAL TABLET 80 MG	5	PA NSO; NDS; QL (60 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	5	PA NSO; NDS
YONSA ORAL TABLET 125 MG	5	PA NSO; NDS; QL (120 per 30 days)
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (90 per 30 days)
ZELBORAF ORAL TABLET 240 MG	5	PA NSO; NDS; QL (240 per 30 days)
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG, 3.6 MG	4	PA NSO
ZOLINZA ORAL CAPSULE 100 MG	5	NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA NSO; NDS; QL (60 per 30 days)
ZYKADIA ORAL TABLET 150 MG	5	PA NSO; NDS; QL (84 per 28 days)
ZYNLONTA INTRAVENOUS RECON SOLN 10 MG	5	PA NSO; NDS
<b>Anticonvulsants</b>		
<b>Anticonvulsants</b>		
APTIOM ORAL TABLET 200 MG, 400 MG	5	ST; NDS; QL (30 per 30 days)
APTIOM ORAL TABLET 600 MG, 800 MG	5	ST; NDS; QL (60 per 30 days)
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	3	QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	3	QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i> (Carbatrol)	2	
<i>carbamazepine oral suspension 100 mg/5 ml</i> (Tegretol)	2	
<i>carbamazepine oral tablet 200 mg</i> (Epitol)	2	
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR)	2	
<i>carbamazepine oral tablet, chewable 100 mg</i>	2	
CELONTIN ORAL CAPSULE 300 MG	4	
<i>clobazam oral suspension 2.5 mg/ml</i> (Onfi)	2	QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi)	2	QL (60 per 30 days)
DIACOMIT ORAL CAPSULE 250 MG	5	PA NSO; NDS; QL (360 per 30 days)
DIACOMIT ORAL CAPSULE 500 MG	5	PA NSO; NDS; QL (180 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 250 MG	5	PA NSO; NDS; QL (360 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 500 MG	5	PA NSO; NDS; QL (180 per 30 days)
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 5-7.5-10 mg</i> (Diastat AcuDial)	4	
<i>diazepam rectal kit 2.5 mg</i> (Diastat)	4	
DILANTIN ORAL CAPSULE 30 MG	4	
<i>divalproex oral capsule, delayed rel sprinkle 125 mg</i> (Depakote Sprinkles)	2	
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER)	2	
<i>divalproex oral tablet, delayed release (drlec) 125 mg, 250 mg, 500 mg</i> (Depakote)	2	
EPIDIOLEX ORAL SOLUTION 100 MG/ML	5	PA NSO; NDS
<i>epitol oral tablet 200 mg</i> (carbamazepine)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
EPRONTIA ORAL SOLUTION 25 MG/ML	4	ST; QL (480 per 30 days)
<i>ethosuximide oral capsule 250 mg</i> (Zarontin)	2	
<i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)	2	
<i>felbamate oral suspension 600 mg/5 ml</i> (Felbatol)	5	NDS
<i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)	2	
FINTEPLA ORAL SOLUTION 2.2 MG/ML	5	PA NSO; NDS
<i>fosphephenytoin injection solution 100 mg per 2 ml, 500 mg per 10 ml</i> (Cerebyx)	2	
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	5	ST; NDS; QL (720 per 30 days)
FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG	5	ST; NDS; QL (30 per 30 days)
FYCOMPA ORAL TABLET 2 MG	4	ST; QL (30 per 30 days)
FYCOMPA ORAL TABLET 4 MG, 6 MG	5	ST; NDS; QL (60 per 30 days)
<i>gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin)	1	QL (360 per 30 days)
<i>gabapentin oral capsule 400 mg</i> (Neurontin)	1	QL (270 per 30 days)
<i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)	2	QL (2160 per 30 days)
<i>gabapentin oral tablet 600 mg</i> (Neurontin)	2	QL (180 per 30 days)
<i>gabapentin oral tablet 800 mg</i> (Neurontin)	2	QL (120 per 30 days)
<i>lacosamide intravenous solution 200 mg/20 ml</i> (Vimpat)	2	QL (200 per 5 days)
<i>lacosamide oral solution 10 mg/ml</i> (Vimpat)	2	QL (1200 per 30 days)
<i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Vimpat)	2	QL (60 per 30 days)
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Subvenite)	1	
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg (21) - 50 mg (7)</i> (Lamictal ODT Starter (Blue))	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg(14)-50 mg (14)-100 mg (7)</i> (Lamictal ODT Starter (Orange))	2	
<i>lamotrigine oral tablet disintegrating, dose pk 50 mg (42) - 100 mg (14)</i> (Lamictal ODT Starter (Green))	2	
<i>lamotrigine oral tablet extended release 24hr 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg</i> (Lamictal XR)	2	
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal)	2	
<i>lamotrigine oral tablet, disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i> (Lamictal ODT)	2	
<i>levetiracetam intravenous solution 500 mg/5 ml</i> (Keppra)	2	
<i>levetiracetam oral solution 100 mg/ml</i> (Keppra)	2	
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra)	2	
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR)	2	
<b>NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)</b>	4	QL (10 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal)	2	
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal)	2	
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	2	PA NSO-HRM; AGE (Max 64 Years)
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	2	PA NSO-HRM; AGE (Max 64 Years)
<i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)	2	
<i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs)	2	
<i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek)	2	
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	2	
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	2	
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i> (Lyrica)	2	QL (90 per 30 days)
<i>pregabalin oral capsule 225 mg, 300 mg</i> (Lyrica)	2	QL (60 per 30 days)
<i>pregabalin oral solution 20 mg/ml</i> (Lyrica)	2	QL (900 per 30 days)
<i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)	2	
<i>rufinamide oral suspension 40 mg/ml</i> (Banzel)	5	NDS
<i>rufinamide oral tablet 200 mg</i> (Banzel)	2	
<i>rufinamide oral tablet 400 mg</i> (Banzel)	5	NDS
SEZABY INTRAVENOUS RECON SOLN 100 MG	5	PA BvD; NDS
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG	4	ST; QL (60 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG	4	ST; QL (120 per 30 days)
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (lamotrigine)	1	
SYMPAZAN ORAL FILM 10 MG, 20 MG	5	PA NSO; NDS; QL (60 per 30 days)
SYMPAZAN ORAL FILM 5 MG	4	PA NSO; QL (60 per 30 days)
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i> (Gabitril)	2	
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax)	2	
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax)	1	
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>	2	
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	2	
<i>valproic acid oral capsule 250 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 5 MG/SPRAY (0.1 ML)	4	
VALTOCO NASAL SPRAY, NON-AEROSOL 20 MG/2 SPRAY (10MG/0.1ML X2)	5	NDS
<i>vigabatrin oral powder in packet 500 mg</i> (Vigadrone)	5	PA NSO; NDS; QL (180 per 30 days)
<i>vigabatrin oral tablet 500 mg</i> (Sabril)	5	PA NSO; NDS; QL (180 per 30 days)
<i>vigadrone oral powder in packet 500 mg</i> (vigabatrin)	5	PA NSO; NDS; QL (180 per 30 days)
VIMPAT INTRAVENOUS SOLUTION 200 MG/20 ML (lacosamide)	3	QL (200 per 5 days)
XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1- 150MG X1)	4	ST; QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG, 50 MG	4	ST; QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	4	ST; QL (60 per 30 days)
XCOPRI TITRATION PACK ORAL TABLETS, DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	4	ST
ZONISADE ORAL SUSPENSION 100 MG/5 ML	4	
<i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)	2	
<i>zonisamide oral capsule 50 mg</i>	2	
ZTALMY ORAL SUSPENSION 50 MG/ML	5	PA NSO; NDS; QL (1080 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
<b>Antidementia Agents</b>		
<b>Antidementia Agents</b>		
<i>donepezil oral tablet 10 mg, 5 mg</i> (Aricept)	1	QL (30 per 30 days)
<i>donepezil oral tablet 23 mg</i> (Aricept)	2	QL (30 per 30 days)
<i>donepezil oral tablet, disintegrating 10 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	2	
<i>galantamine oral capsule, ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i> (Razadyne ER)	2	QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	2	QL (200 per 30 days)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>	2	QL (60 per 30 days)
<i>memantine oral capsule, sprinkle, er 24hr 14 mg, 21 mg, 28 mg, 7 mg</i> (Namenda XR)	2	ST; QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	2	QL (300 per 30 days)
<i>memantine oral tablet 10 mg, 5 mg</i> (Namenda)	2	QL (60 per 30 days)
NAMZARIC ORAL CAP, SPRINKLE, ER 24HR DOSE PACK 7/14/21/28 MG-10 MG	4	ST
NAMZARIC ORAL CAPSULE, SPRINKLE, ER 24HR 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG	4	ST; QL (30 per 30 days)
<i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>	2	QL (60 per 30 days)
<i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour</i> (Exelon Patch)	2	QL (30 per 30 days)
<b>Antidepressants</b>		
<b>Antidepressants</b>		
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	
<i>amitriptyline-chlordiazepoxide oral tablet 12.5-5 mg, 25-10 mg</i>	2	
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
AUVELITY ORAL TABLET, IR AND ER, BIPHASIC 45-105 MG	5	ST; NDS
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	2	
<i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i> (Wellbutrin XL)	2	
<i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i> (Wellbutrin SR)	2	
<i>citalopram oral solution 10 mg/5 ml</i>	2	QL (600 per 30 days)
<i>citalopram oral tablet 10 mg</i> (Celexa)	1	QL (120 per 30 days)
<i>citalopram oral tablet 20 mg, 40 mg</i> (Celexa)	1	QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i> (Anafranil)	2	
<i>desipramine oral tablet 10 mg, 25 mg</i> (Norpramin)	2	
<i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>	2	
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> (Pristiq)	2	QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	
<i>doxepin oral concentrate 10 mg/ml</i>	1	
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	4	ST; QL (60 per 30 days)
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	4	ST; QL (30 per 30 days)
<i>duloxetine oral capsule, delayed release(drlec) 20 mg, 30 mg, 60 mg</i> (Cymbalta)	2	QL (60 per 30 days)
<i>duloxetine oral capsule, delayed release(drlec) 40 mg</i>	2	QL (30 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	5	ST; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	2	
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> (Lexapro)	1	
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	4	ST
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	4	ST; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i> (Prozac)	1	
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	2	
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	
<i>imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg</i>	2	
<i>maprotiline oral tablet 25 mg, 50 mg, 75 mg</i>	2	
MARPLAN ORAL TABLET 10 MG	4	
<i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron)	2	
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	2	
<i>mirtazapine oral tablet, disintegrating 15 mg, 30 mg, 45 mg</i> (Remeron SolTab)	2	
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	2	
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i> (Pamelor)	1	
<i>nortriptyline oral solution 10 mg/5 ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>paroxetine hcl oral suspension 10 mg/5 ml</i> (Paxil)	2	PA NSO-HRM; AGE (Max 64 Years)
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> (Paxil)	1	PA NSO-HRM; AGE (Max 64 Years)
<i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg, 25 mg, 37.5 mg</i> (Paxil CR)	2	PA NSO-HRM; AGE (Max 64 Years)
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	2	
<i>phenelzine oral tablet 15 mg</i> (Nardil)	2	
<i>protriptyline oral tablet 10 mg, 5 mg</i>	2	
<i>sertraline oral concentrate 20 mg/ml</i> (Zoloft)	2	
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i> (Zoloft)	1	
SPRAVATO NASAL SPRAY, NON-AEROSOL 28 MG	4	PA NSO
SPRAVATO NASAL SPRAY, NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3)	5	PA NSO; NDS
<i>tranylcypromine oral tablet 10 mg</i> (Parnate)	2	
<i>trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i>	1	
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	2	
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>venlafaxine besylate oral tablet extended release 24hr 112.5 mg</i>	4	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 150 mg</i> (Effexor XR)	2	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i> (Effexor XR)	2	QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	2	
<i>venlafaxine oral tablet extended release 24hr 150 mg, 225 mg, 37.5 mg</i>	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>venlafaxine oral tablet extended release 24hr 75 mg</i>	2	QL (90 per 30 days)
VIIBRYD ORAL TABLETS,DOSE PACK 10 MG (7)- 20 MG (23)	3	
<i>vilazodone oral tablet 10 mg, 20 mg, 40 mg</i> (Viibryd)	2	QL (30 per 30 days)
<b>Antidiabetic Agents</b>		
<b>Antidiabetic Agents, Miscellaneous</b>		
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose)	2	QL (90 per 30 days)
FARXIGA ORAL TABLET 10 MG, 5 MG	3	QL (30 per 30 days)
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG	3	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	3	QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	3	QL (30 per 30 days)
KORLYM ORAL TABLET 300 MG	5	PA; NDS; QL (112 per 28 days)
<i>metformin oral solution 500 mg/5 ml</i> (Riomet)	2	QL (765 per 30 days)
<i>metformin oral tablet 1,000 mg</i>	1	QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i>	1	QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i>	1	QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i>	1	QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i>	1	QL (60 per 30 days)
<i>miglitol oral tablet 100 mg, 25 mg, 50 mg</i>	2	QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>nateglinide oral tablet 120 mg, 60 mg</i>	2	QL (90 per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML)	3	QL (3 per 28 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML)	3	QL (1.5 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)	1	QL (30 per 30 days)
<i>pioglitazone-metformin oral tablet 15-500 mg</i>	2	QL (90 per 30 days)
<i>pioglitazone-metformin oral tablet 15-850 mg</i> (Actoplus MET)	2	QL (90 per 30 days)
<i>repaglinide oral tablet 0.5 mg, 1 mg</i>	2	QL (120 per 30 days)
<i>repaglinide oral tablet 2 mg</i>	2	QL (240 per 30 days)
<i>repaglinide-metformin oral tablet 1-500 mg, 2-500 mg</i>	2	QL (150 per 30 days)
RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG	3	QL (30 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	5	PA; NDS; QL (10.8 per 28 days)
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	5	PA; NDS; QL (10.8 per 28 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	3	QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	3	QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5- 1,000 MG, 25-5-1,000 MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5- 2.5-1,000 MG, 5-2.5-1,000 MG	3	QL (60 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	3	QL (2 per 28 days)
VICTOZA SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML)	3	QL (9 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10- 1,000 MG, 10-500 MG	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5- 1,000 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
<b>Insulins</b>		
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	3	QL (40 per 28 days)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	3	QL (24 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	3	QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	3	QL (30 per 28 days)
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	3	QL (40 per 28 days)
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
NOVOLIN R REGULAR U-100 INSULIN INJECTION SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
NOVOLOG FLEXPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) (insulin aspart u-100)	2	QL (30 per 28 days)
NOVOLOG MIX 70-30 U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70-30) (insulin asp prt-insulin aspart)	2	QL (40 per 28 days)
NOVOLOG MIX 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30) (insulin asp prt-insulin aspart)	2	QL (30 per 28 days)
NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (insulin aspart u-100)	2	QL (30 per 28 days)
NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML (insulin aspart u-100)	2	QL (40 per 28 days)
SEMGLEE (INSULIN GLARGINE-YFGN) SUBCUTANEOUS SOLUTION 100 UNIT/ML (insulin glargine-yfgn)	3	QL (40 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SEMGLEE(INSULIN GLARG-YFGN)PEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	3	QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	3	QL (18 per 28 days)
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	3	QL (13.5 per 28 days)
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	3	QL (15 per 28 days)
<b>Sulfonylureas</b>		
<i>glimepiride oral tablet 1 mg, 2 mg</i> (Amaryl)	1	QL (30 per 30 days)
<i>glimepiride oral tablet 4 mg</i> (Amaryl)	1	QL (60 per 30 days)
<i>glipizide oral tablet 10 mg</i>	1	QL (120 per 30 days)
<i>glipizide oral tablet 5 mg</i>	1	QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 10 mg</i> (Glucotrol XL)	1	QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 2.5 mg, 5 mg</i> (Glucotrol XL)	1	QL (30 per 30 days)
<i>glipizide-metformin oral tablet 2.5-250 mg</i>	2	QL (240 per 30 days)
<i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>	2	QL (120 per 30 days)
<i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i> (Glynase)	1	PA-HRM; AGE (Max 64 Years)
<i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>	1	PA-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Antifungals</b>		
<b>Antifungals</b>		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	4	PA BvD
AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG (amphotericin b liposome)	5	PA BvD; NDS
<i>amphotericin b injection recon soln 50 mg</i>	2	PA BvD
<i>amphotericin b liposome intravenous suspension for reconstitution 50 mg</i> (AmBisome)	5	PA BvD; NDS
<i>casposfungin intravenous recon soln 50 mg, 70 mg</i> (Cancidas)	2	
<i>ciclopirox topical cream 0.77 %</i> (Ciclodan)	2	QL (180 per 30 days)
<i>ciclopirox topical gel 0.77 %</i>	2	QL (300 per 30 days)
<i>ciclopirox topical shampoo 1 %</i> (Loprox)	2	
<i>ciclopirox topical solution 8 %</i> (Ciclodan)	2	QL (19.8 per 30 days)
<i>ciclopirox topical suspension 0.77 %</i> (Loprox (as olamine))	2	QL (180 per 30 days)
<i>clotrimazole mucous membrane troche 10 mg</i>	2	
<i>clotrimazole topical cream 1 %</i> (Antifungal (clotrimazole))	2	
<i>clotrimazole topical solution 1 %</i>	2	
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i>	2	QL (90 per 30 days)
<i>clotrimazole-betamethasone topical lotion 1-0.05 %</i>	2	QL (90 per 30 days)
<i>econazole topical cream 1 %</i>	2	QL (170 per 30 days)
<i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml</i>	2	
<i>fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml</i> (Diflucan)	2	
<i>fluconazole oral tablet 100 mg, 150 mg, 200 mg</i> (Diflucan)	2	
<i>fluconazole oral tablet 50 mg</i>	2	
<i>flucytosine oral capsule 250 mg, 500 mg</i> (Ancobon)	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>	2	
<i>griseofulvin microsize oral tablet 500 mg</i>	2	
<i>griseofulvin ultramicrosize oral tablet 125 mg, 250 mg</i>	2	
<i>itraconazole oral capsule 100 mg</i> (Sporanox)	2	
<i>itraconazole oral solution 10 mg/ml</i> (Sporanox)	5	PA; NDS
<i>ketoconazole oral tablet 200 mg</i>	2	
<i>ketoconazole topical cream 2 %</i>	2	QL (180 per 30 days)
<i>ketoconazole topical foam 2 %</i> (Extina)	2	ST; QL (100 per 30 days)
<i>ketoconazole topical shampoo 2 %</i>	2	QL (360 per 30 days)
<i>miconazole-3 vaginal suppository 200 mg</i>	2	
NOXAFIL INTRAVENOUS SOLUTION 300 MG/16.7 ML	5	NDS
NOXAFIL ORAL SUSP, DELAYED RELEASE FOR RECON 300 MG	5	PA; NDS
NOXAFIL ORAL SUSPENSION (posaconazole) 200 MG/5 ML (40 MG/ML)	5	PA; NDS
<i>nyamyc topical powder 100,000 unit/gram</i> (nystatin)	2	QL (60 per 30 days)
<i>nystatin oral suspension 100,000 unit/ml</i>	2	QL (900 per 30 days)
<i>nystatin oral tablet 500,000 unit</i>	2	
<i>nystatin topical cream 100,000 unit/gram</i>	2	QL (60 per 30 days)
<i>nystatin topical ointment 100,000 unit/gram</i>	2	QL (60 per 30 days)
<i>nystatin topical powder 100,000 unit/gram</i> (Nyamyc)	2	QL (60 per 30 days)
<i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i>	2	
<i>nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%</i>	2	
<i>nystop topical powder 100,000 unit/gram</i> (nystatin)	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>posaconazole oral tablet, delayed release (drlec) 100 mg</i> (Noxafil)	5	PA; NDS
<i>terbinafine hcl oral tablet 250 mg</i>	1	
<i>voriconazole intravenous recon soln 200 mg</i> (Vfend IV)	5	PA BvD; NDS
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i> (Vfend)	5	PA; NDS
<i>voriconazole oral tablet 200 mg, 50 mg</i> (Vfend)	2	
<b>Antigout Agents</b>		
<b>Antigout Agents, Other</b>		
<i>allopurinol oral tablet 100 mg</i> (Zyloprim)	1	
<i>allopurinol oral tablet 300 mg</i>	1	
<i>colchicine oral tablet 0.6 mg</i> (Colcris)	4	PA; QL (120 per 30 days)
<i>febuxostat oral tablet 40 mg, 80 mg</i> (Uloric)	2	ST; QL (30 per 30 days)
MITIGARE ORAL CAPSULE 0.6 MG (colchicine)	2	QL (60 per 30 days)
<i>probenecid oral tablet 500 mg</i>	2	
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>	2	
<b>Antihistamines</b>		
<b>Antihistamines</b>		
<i>carbinoxamine maleate oral liquid 4 mg/5 ml</i>	2	PA-HRM; AGE (Max 64 Years)
<i>carbinoxamine maleate oral tablet 4 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>clemastine oral tablet 2.68 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>cyproheptadine oral syrup 2 mg/5 ml</i>	2	PA-HRM; AGE (Max 64 Years)
<i>cyproheptadine oral tablet 4 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	2	
<i>diphenhydramine hcl injection syringe 50 mg/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>diphenhydramine hcl oral elixir 12.5 mg/5 ml</i> (Diphen)	2	PA-HRM; AGE (Max 64 Years)
<i>hydroxyzine hcl intramuscular solution 25 mg/ml, 50 mg/ml</i>	2	
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	2	
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	1	
<i>levocetirizine oral solution 2.5 mg/5 ml</i> (Xyzal)	2	
<i>levocetirizine oral tablet 5 mg</i> (24HR Allergy Relief)	1	
<i>promethazine oral syrup 6.25 mg/5 ml</i>	2	PA-HRM; AGE (Max 64 Years)
<b>Anti-Infectives (Skin And Mucous Membrane)</b>		
<b>Anti-Infectives (Skin And Mucous Membrane)</b>		
<i>clindamycin phosphate vaginal cream 2%</i> (Cleocin)	2	
<i>metronidazole vaginal gel 0.75% (37.5mg/5 gram)</i> (Vandazole)	2	
<i>terconazole vaginal cream 0.4%, 0.8%</i>	2	
<i>terconazole vaginal suppository 80 mg</i>	2	
<b>Antimigraine Agents</b>		
<b>Antimigraine Agents</b>		
AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
<i>dihydroergotamine injection solution 1 mg/ml</i>	2	QL (24 per 28 days)
<i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i> (Migranal)	5	NDS; QL (8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	3	PA; QL (3 per 30 days)
<i>naratriptan oral tablet 1 mg, 2.5 mg</i>	2	QL (9 per 30 days)
NURTEC ODT ORAL TABLET,DISINTEGRATING 75 MG	3	PA; QL (18 per 30 days)
QULIPTA ORAL TABLET 10 MG, 30 MG, 60 MG	3	PA; QL (30 per 30 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)	2	QL (12 per 30 days)
<i>rizatriptan oral tablet 5 mg</i>	2	QL (12 per 30 days)
<i>rizatriptan oral tablet,disintegrating</i> (Maxalt-MLT) <i>10 mg</i>	2	QL (12 per 30 days)
<i>rizatriptan oral tablet,disintegrating</i> <i>5 mg</i>	2	QL (12 per 30 days)
<i>sumatriptan nasal spray,non-aerosol</i> (Imitrex) <i>20 mg/lactuation</i>	2	QL (12 per 30 days)
<i>sumatriptan nasal spray,non-aerosol</i> (Imitrex) <i>5 mg/lactuation</i>	2	QL (18 per 30 days)
<i>sumatriptan succinate oral tablet</i> (Imitrex) <i>100 mg</i>	2	QL (9 per 30 days)
<i>sumatriptan succinate oral tablet 25</i> (Imitrex) <i>mg, 50 mg</i>	2	QL (18 per 30 days)
<i>sumatriptan succinate subcutaneous</i> (Imitrex STATdose <i>cartridge 4 mg/0.5 ml, 6 mg/0.5 ml</i> Refill)	4	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous</i> (Imitrex STATdose <i>pen injector 4 mg/0.5 ml, 6 mg/0.5</i> Pen) <i>ml</i>	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous</i> (Imitrex) <i>solution 6 mg/0.5 ml</i>	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous</i> <i>syringe 6 mg/0.5 ml</i>	2	QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>sumatriptan-naproxen oral tablet 85-500 mg</i> (Treximet)	2	QL (9 per 27 days)
UBRELVY ORAL TABLET 100 MG, 50 MG	3	PA; QL (16 per 30 days)
<i>zolmitriptan oral tablet 2.5 mg, 5 mg</i> (Zomig)	2	QL (6 per 30 days)
<i>zolmitriptan oral tablet, disintegrating 2.5 mg, 5 mg</i>	2	QL (6 per 30 days)
<b>Antimycobacterials</b>		
<b>Antimycobacterials</b>		
<i>dapsone oral tablet 100 mg, 25 mg</i>	2	
<i>ethambutol oral tablet 100 mg</i>	2	
<i>ethambutol oral tablet 400 mg</i> (Myambutol)	2	
<i>isoniazid oral solution 50 mg/5 ml</i>	2	
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	
PRETOMANID ORAL TABLET 200 MG	4	QL (30 per 30 days)
PRIFTIN ORAL TABLET 150 MG	4	
<i>pyrazinamide oral tablet 500 mg</i>	2	
<i>rifabutin oral capsule 150 mg</i> (Mycobutin)	2	
<i>rifampin intravenous recon soln 600 mg</i> (Rifadin)	2	
<i>rifampin oral capsule 150 mg, 300 mg</i>	2	
SIRTURO ORAL TABLET 100 MG, 20 MG	5	PA; NDS
TRECTOR ORAL TABLET 250 MG	4	
<b>Antinausea Agents</b>		
<b>Antinausea Agents</b>		
AKYNZEO (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235-0.25 MG	4	
AKYNZEO (FOSNETUPITANT) INTRAVENOUS SOLUTION 235 MG-0.25 MG /20 ML	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG	4	PA BvD
<i>aprepitant oral capsule 125 mg</i>	2	PA BvD; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg</i>	2	PA BvD; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg</i> (Emend)	2	PA BvD; QL (4 per 28 days)
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend)	2	PA BvD
<i>compro rectal suppository 25 mg</i> (prochlorperazine)	2	
<i>dimenhydrinate injection solution 50 mg/ml</i>	2	
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)	2	PA; QL (60 per 30 days)
<i>droperidol injection solution 2.5 mg/ml</i>	2	
EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)	4	PA BvD; QL (6 per 28 days)
<i>fosaprepitant intravenous recon soln 150 mg</i> (Emend (fosaprepitant))	2	QL (2 per 28 days)
<i>granisetron (pf) intravenous solution 100 mcg/ml</i>	2	
<i>granisetron hcl intravenous solution 1 mg/ml, 1 mg/ml (1 ml)</i>	2	
<i>granisetron hcl oral tablet 1 mg</i>	2	PA BvD
<i>meclizine oral tablet 12.5 mg</i>	2	
<i>meclizine oral tablet 25 mg</i> (Dramamine (meclizine))	2	
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>	2	
<i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>	1	
<i>ondansetron hcl intravenous solution 2 mg/ml</i>	2	
<i>ondansetron hcl oral solution 4 mg/5 ml</i>	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i>	2	PA BvD
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>	2	PA BvD
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i>	2	
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i> (Compazine)	2	
<i>prochlorperazine rectal suppository 25 mg</i> (Compro)	2	
<i>promethazine injection solution 25 mg/ml</i> (Phenergan)	2	PA-HRM; AGE (Max 64 Years)
<i>promethazine injection solution 50 mg/ml</i> (Phenergan)	2	PA-HRM; AGE (Max 64 Years)
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>promethazine rectal suppository 12.5 mg, 25 mg, 50 mg</i> (Promethegan)	2	PA-HRM; AGE (Max 64 Years)
<i>promethegan rectal suppository 12.5 mg, 25 mg, 50 mg</i> (promethazine)	2	PA-HRM; AGE (Max 64 Years)
<i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i> (Transderm-Scop)	2	PA-HRM; QL (10 per 30 days); AGE (Max 64 Years)
<b>Antiparasite Agents</b>		
<b>Antiparasite Agents</b>		
<i>albendazole oral tablet 200 mg</i>	5	NDS
<i>atovaquone oral suspension 750 mg/5 ml</i> (Mepron)	2	
<i>atovaquone-proguanil oral tablet 250-100 mg</i> (Malarone)	2	
<i>atovaquone-proguanil oral tablet 62.5-25 mg</i> (Malarone Pediatric)	2	
<i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>	2	
COARTEM ORAL TABLET 20-120 MG	4	
<i>hydroxychloroquine oral tablet 200 mg</i> (Plaquenil)	2	QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
IMPAVIDO ORAL CAPSULE 50 MG	5	PA; NDS; QL (84 per 28 days)
<i>ivermectin oral tablet 3 mg</i> (Stromectol)	2	
KRINTAFEL ORAL TABLET 150 MG	4	
<i>mefloquine oral tablet 250 mg</i>	2	
<i>nitazoxanide oral tablet 500 mg</i> (Alinia)	5	NDS
<i>paromomycin oral capsule 250 mg</i> (Humatin)	2	
<i>pentamidine inhalation recon soln 300 mg</i> (Nebupent)	2	PA BvD
<i>pentamidine injection recon soln 300 mg</i> (Pentam)	2	
PRIMAQUINE ORAL TABLET 26.3 MG	4	
<i>pyrimethamine oral tablet 25 mg</i> (Daraprim)	5	PA; NDS
<i>quinine sulfate oral capsule 324 mg</i> (Qualaquin)	2	PA; QL (42 per 7 days)
<i>tinidazole oral tablet 250 mg, 500 mg</i>	2	
<b>Antiparkinsonian Agents</b>		
<b>Antiparkinsonian Agents</b>		
<i>amantadine hcl oral capsule 100 mg</i>	2	
<i>amantadine hcl oral solution 50 mg/5 ml</i>	1	
<i>amantadine hcl oral tablet 100 mg</i>	2	
<i>apomorphine subcutaneous cartridge 10 mg/ml</i> (APOKYN)	5	PA; NDS; QL (60 per 30 days)
<i>benztropine injection solution 1 mg/ml</i>	2	
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	
<i>bromocriptine oral capsule 5 mg</i> (Parlodel)	2	
<i>bromocriptine oral tablet 2.5 mg</i> (Parlodel)	2	
<i>cabergoline oral tablet 0.5 mg</i>	2	
<i>carbidopa oral tablet 25 mg</i> (Lodosyn)	2	
<i>carbidopa-levodopa oral tablet 10-100 mg</i> (Sinemet)	2	
<i>carbidopa-levodopa oral tablet 25-100 mg</i> (Dhivy)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>carbidopa-levodopa oral tablet 25-250 mg</i>	2	
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	2	
<i>carbidopa-levodopa oral tablet, disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i>	2	
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg</i> (Stalevo 50)	4	
<i>carbidopa-levodopa-entacapone oral tablet 18.75-75-200 mg</i> (Stalevo 75)	4	
<i>carbidopa-levodopa-entacapone oral tablet 25-100-200 mg</i> (Stalevo 100)	4	
<i>carbidopa-levodopa-entacapone oral tablet 31.25-125-200 mg</i> (Stalevo 125)	4	
<i>carbidopa-levodopa-entacapone oral tablet 37.5-150-200 mg</i> (Stalevo 150)	4	
<i>carbidopa-levodopa-entacapone oral tablet 50-200-200 mg</i> (Stalevo 200)	4	
<i>entacapone oral tablet 200 mg</i> (Comtan)	2	
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG	5	PA; NDS; QL (300 per 30 days)
KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NDS; QL (150 per 30 days)
KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG	5	PA; NDS
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	3	QL (30 per 30 days)
ONGENTYS ORAL CAPSULE 25 MG, 50 MG	4	PA; QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG	4	ST; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 322 MG/DAY(129 MG X1-193MG X1)	4	ST; QL (60 per 30 days)
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i> (Mirapex)	1	
<i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)	2	
<i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>	2	
<i>ropinirole oral tablet extended release 24 hr 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i>	2	
<i>selegiline hcl oral capsule 5 mg</i>	2	
<i>selegiline hcl oral tablet 5 mg</i>	2	
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	2	
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	1	
XADAGO ORAL TABLET 100 MG, 50 MG	5	PA; NDS; QL (30 per 30 days)
<b>Antipsychotic Agents</b>		
<b>Antipsychotic Agents</b>		
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	5	NDS; QL (1 per 28 days)
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	5	NDS; QL (1 per 28 days)
<i>aripiprazole oral solution 1 mg/ml</i>	2	QL (900 per 30 days)
<i>aripiprazole oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)	2	QL (30 per 30 days)
<i>aripiprazole oral tablet 2 mg</i> (Abilify)	2	QL (60 per 30 days)
<i>aripiprazole oral tablet, disintegrating 10 mg</i>	5	ST; NDS; QL (90 per 30 days)
<i>aripiprazole oral tablet, disintegrating 15 mg</i>	5	ST; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML	5	NDS; QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	5	NDS; QL (3.9 per 56 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	5	NDS; QL (1.6 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	5	NDS; QL (2.4 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	5	NDS; QL (3.2 per 28 days)
<i>asenapine maleate sublingual tablet</i> (Saphris) <i>10 mg, 2.5 mg, 5 mg</i>	2	QL (60 per 30 days)
CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG	5	ST; NDS; QL (30 per 30 days)
<i>chlorpromazine injection solution 25 mg/ml</i>	2	
<i>chlorpromazine oral concentrate 100 mg/ml, 30 mg/ml</i>	2	
<i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>	2	
<i>clozapine oral tablet 100 mg</i> (Clozaril)	2	QL (270 per 30 days)
<i>clozapine oral tablet 200 mg</i> (Clozaril)	2	QL (135 per 30 days)
<i>clozapine oral tablet 25 mg, 50 mg</i> (Clozaril)	2	QL (90 per 30 days)
<i>clozapine oral tablet, disintegrating 100 mg, 12.5 mg, 25 mg</i>	2	ST; QL (90 per 30 days)
<i>clozapine oral tablet, disintegrating 150 mg</i>	2	ST; QL (180 per 30 days)
<i>clozapine oral tablet, disintegrating 200 mg</i>	5	ST; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	5	ST; NDS; QL (60 per 30 days)
FANAPT ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2)	4	ST
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	2	
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	2	
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	2	
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	2	
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	2	
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml), 50 mg/ml(1ml)</i>	2	
<i>haloperidol decanoate intramuscular solution 100 mg/ml, 50 mg/ml</i> (Haldol Decanoate)	2	
<i>haloperidol lactate injection solution 5 mg/ml</i>	2	
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	2	
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	2	
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	2	
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML	5	NDS; QL (3.5 per 180 days)
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML	5	NDS; QL (5 per 180 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NDS; QL (0.75 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	NDS; QL (1 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NDS; QL (1.5 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	3	QL (0.25 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NDS; QL (0.5 per 28 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML	5	NDS; QL (0.88 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML	5	NDS; QL (1.32 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	NDS; QL (1.75 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML	5	NDS; QL (2.63 per 84 days)
LATUDA ORAL TABLET 120 (lurasidone) MG, 20 MG, 40 MG, 60 MG	3	QL (30 per 30 days)
LATUDA ORAL TABLET 80 (lurasidone) MG	3	QL (60 per 30 days)
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	2	
LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>molindone oral tablet 10 mg</i>	2	QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	2	QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	2	QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	5	PA NSO; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	5	PA NSO; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>olanzapine intramuscular recon soln</i> (Zyprexa) 10 mg	2	QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg,</i> (Zyprexa) <i>2.5 mg, 20 mg, 5 mg, 7.5 mg</i>	2	QL (30 per 30 days)
<i>olanzapine oral tablet, disintegrating</i> (Zyprexa Zydis) <i>10 mg, 15 mg, 20 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>paliperidone oral tablet extended</i> (Invega) <i>release 24hr 1.5 mg, 3 mg, 9 mg</i>	2	QL (30 per 30 days)
<i>paliperidone oral tablet extended</i> (Invega) <i>release 24hr 6 mg</i>	2	QL (60 per 30 days)
<i>perphenazine oral tablet 16 mg, 2</i> <i>mg, 4 mg, 8 mg</i>	2	
PERSERIS ABDOMINAL SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 120 MG, 90 MG	5	NDS; QL (1 per 30 days)
<i>pimozide oral tablet 1 mg, 2 mg</i>	2	
<i>quetiapine oral tablet 100 mg, 200</i> (Seroquel) <i>mg, 25 mg, 50 mg</i>	2	QL (90 per 30 days)
<i>quetiapine oral tablet 150 mg</i>	2	QL (30 per 30 days)
<i>quetiapine oral tablet 300 mg, 400</i> (Seroquel) <i>mg</i>	2	QL (60 per 30 days)
<i>quetiapine oral tablet extended</i> (Seroquel XR) <i>release 24 hr 150 mg, 200 mg, 50 mg</i>	2	QL (30 per 30 days)
<i>quetiapine oral tablet extended</i> (Seroquel XR) <i>release 24 hr 300 mg, 400 mg</i>	2	QL (60 per 30 days)
REXULTI ORAL TABLET 0.25 MG	5	ST; NDS; QL (120 per 30 days)
REXULTI ORAL TABLET 0.5 MG	5	ST; NDS; QL (60 per 30 days)
REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG	5	ST; NDS; QL (30 per 30 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 12.5 MG/2 ML, 25 MG/2 ML	4	QL (2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 37.5 MG/2 ML, 50 MG/2 ML	5	NDS; QL (2 per 28 days)
<i>risperidone oral solution 1 mg/ml</i> (Risperdal)	2	QL (480 per 30 days)
<i>risperidone oral tablet 0.25 mg</i>	2	QL (60 per 30 days)
<i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg</i> (Risperdal)	2	QL (60 per 30 days)
<i>risperidone oral tablet 4 mg</i> (Risperdal)	2	QL (120 per 30 days)
<i>risperidone oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>	2	QL (60 per 30 days)
<i>risperidone oral tablet, disintegrating 3 mg, 4 mg</i>	2	QL (120 per 30 days)
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	5	ST; NDS; QL (30 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	2	
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	2	
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	ST; NDS; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	ST; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	4	ST
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> (Geodon)	2	QL (60 per 30 days)
<i>ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.)</i> (Geodon)	2	QL (6 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	QL (2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	5	NDS; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	5	NDS; QL (1 per 28 days)
<b>Antivirals (Systemic)</b>		
<b>Antiretrovirals</b>		
<i>abacavir oral solution 20 mg/ml</i> (Ziagen)	2	
<i>abacavir oral tablet 300 mg</i> (Ziagen)	2	
<i>abacavir-lamivudine oral tablet 600-300 mg</i> (Epzicom)	2	
<i>abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg</i> (Trizivir)	5	NDS
APRETUDE (cabotegravir) INTRAMUSCULAR SUSPENSION, EXTENDED RELEASE 600 MG/3 ML (200 MG/ML)	5	NDS; QL (24 per 365 days)
APTIVUS ORAL CAPSULE 250 MG	5	NDS
<i>atazanavir oral capsule 150 mg</i>	2	
<i>atazanavir oral capsule 200 mg, 300 mg</i> (Reyataz)	2	
BIKTARVY ORAL TABLET 30- 120-15 MG, 50-200-25 MG	5	NDS; QL (30 per 30 days)
CABENUVA INTRAMUSCULAR SUSPENSION, EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML	5	NDS
<i>cabotegravir intramuscular suspension, extended release 400 mg/2 ml (200 mg/ml)</i>	5	NDS; QL (24 per 365 days)
<i>cabotegravir intramuscular suspension, extended release 600 mg/3 ml (200 mg/ml)</i> (Apretude)	5	NDS; QL (24 per 365 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CIMDUO ORAL TABLET 300-300 MG	5	NDS
COMPLERA ORAL TABLET 200-25-300 MG	5	NDS
DELSTRIGO ORAL TABLET 100-300-300 MG	5	NDS
DESCOVY ORAL TABLET 120-15 MG, 200-25 MG	5	NDS
<i>didanosine oral capsule, delayed release(drlec) 250 mg, 400 mg</i>	2	
DOVATO ORAL TABLET 50-300 MG	5	NDS
EDURANT ORAL TABLET 25 MG	5	NDS
<i>efavirenz oral capsule 200 mg, 50 mg</i> (Sustiva)	2	
<i>efavirenz oral tablet 600 mg</i>	2	
<i>efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg</i> (Atripla)	5	NDS
<i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 400-300-300 mg</i> (Symfi Lo)	5	NDS
<i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 600-300-300 mg</i> (Symfi)	5	NDS
<i>emtricitabine oral capsule 200 mg</i> (Emtriva)	2	
<i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg, 200-300 mg</i> (Truvada)	5	NDS
EMTRIVA ORAL SOLUTION 10 MG/ML	4	
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	4	
<i>etravirine oral tablet 100 mg, 200 mg</i> (Intelence)	5	NDS
EVOTAZ ORAL TABLET 300-150 MG	5	NDS
<i>fosamprenavir oral tablet 700 mg</i> (Lexiva)	5	NDS
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
GENVOYA ORAL TABLET 150-150-200-10 MG	5	NDS
INTELENCE ORAL TABLET 25 MG	4	
INVIRASE ORAL TABLET 500 MG	5	NDS
ISENTRESS HD ORAL TABLET 600 MG	5	NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	4	
ISENTRESS ORAL TABLET 400 MG	5	NDS
ISENTRESS ORAL TABLET,CHEWABLE 100 MG	5	NDS
ISENTRESS ORAL TABLET,CHEWABLE 25 MG	4	
JULUCA ORAL TABLET 50-25 MG	5	NDS
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	2	
<i>lamivudine oral tablet 100 mg</i> (Epivir HBV)	2	
<i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)	2	
<i>lamivudine-zidovudine oral tablet 150-300 mg</i> (Combivir)	2	
LEXIVA ORAL SUSPENSION 50 MG/ML	4	
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra)	2	QL (480 per 30 days)
<i>lopinavir-ritonavir oral tablet 100-25 mg</i> (Kaletra)	2	QL (300 per 30 days)
<i>lopinavir-ritonavir oral tablet 200-50 mg</i> (Kaletra)	5	NDS; QL (120 per 30 days)
<i>maraviroc oral tablet 150 mg, 300 mg</i> (Selzentry)	5	NDS
<i>nevirapine oral suspension 50 mg/5 ml</i>	2	
<i>nevirapine oral tablet 200 mg</i>	2	
<i>nevirapine oral tablet extended release 24 hr 100 mg, 400 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NORVIR ORAL POWDER IN PACKET 100 MG	4	
NORVIR ORAL SOLUTION 80 MG/ML	4	
ODEFSEY ORAL TABLET 200-25-25 MG	5	NDS
PIFELTRO ORAL TABLET 100 MG	5	NDS
PREZCOBIX ORAL TABLET 800-150 MG-MG	5	NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	5	NDS
PREZISTA ORAL TABLET 150 MG, 600 MG, 800 MG	5	NDS
PREZISTA ORAL TABLET 75 MG	4	
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	4	
REYATAZ ORAL POWDER IN PACKET 50 MG	5	NDS
<i>rilpivirine intramuscular suspension, extended release 600 mg/2 ml (300 mg/ml), 900 mg/3 ml (300 mg/ml)</i>	5	NDS
<i>ritonavir oral tablet 100 mg</i> (Norvir)	2	
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	5	NDS
SELZENTRY ORAL SOLUTION 20 MG/ML	5	NDS
SELZENTRY ORAL TABLET 25 MG	3	
SELZENTRY ORAL TABLET 75 MG	5	NDS
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	2	
STRIBILD ORAL TABLET 150-150-200-300 MG	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SUNLENCA ORAL TABLET 300 MG	5	NDS
SUNLENCA SUBCUTANEOUS SOLUTION 309 MG/ML	5	PA BvD; NDS
SYMTUZA ORAL TABLET 800-150-200-10 MG	5	NDS
TEMIXYS ORAL TABLET 300-300 MG	5	NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	2	
TIVICAY ORAL TABLET 10 MG	4	
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NDS
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	4	
TRIUMEQ ORAL TABLET 600-50-300 MG	5	NDS; QL (30 per 30 days)
TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG	5	NDS
TRIZIVIR ORAL TABLET 300-150-300 MG (abacavir-lamivudine-zidovudine)	5	NDS
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	5	NDS
VEMLIDY ORAL TABLET 25 MG	5	NDS; QL (30 per 30 days)
VIRACEPT ORAL TABLET 250 MG, 625 MG	5	NDS
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	5	NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	NDS
VOCABRIA ORAL TABLET 30 MG	4	
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	2	
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	2	
<i>zidovudine oral tablet 300 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Antivirals, Miscellaneous</b>		
<i>foscarnet intravenous solution 24 mg/ml</i> (Foscavir)	2	PA BvD
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	2	QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	2	QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	2	QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	2	QL (540 per 180 days)
PAXLOVID (EUA) ORAL TABLETS,DOSE PACK 150-100 MG, 300 MG (150 MG X 2)-100 MG	4	QL (30 per 5 days)
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML	5	PA; NDS; QL (336 per 28 days)
PREVYMIS INTRAVENOUS SOLUTION 480 MG/24 ML	5	PA; NDS; QL (672 per 28 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	5	PA; NDS; QL (28 per 28 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	4	QL (60 per 180 days)
<i>rimantadine oral tablet 100 mg</i> (Flumadine)	2	
SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/0.5 ML	5	PA; NDS
XOFLUZA 40 MG TAB (80 MG DOSE)	4	QL (4 per 180 days)
XOFLUZA ORAL TABLET 20 MG, 40 MG	4	QL (4 per 180 days)
XOFLUZA ORAL TABLET 80 MG	4	QL (2 per 180 days)
<b>Hcv Antivirals</b>		
EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG	5	PA; NDS; QL (28 per 28 days)
EPCLUSA ORAL PELLETS IN PACKET 200-50 MG	5	PA; NDS; QL (56 per 28 days)
EPCLUSA ORAL TABLET 200-50 MG	5	PA; NDS; QL (28 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
EPCLUSA ORAL TABLET 400-100 MG (sofosbuvir-velpatasvir)	5	PA; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	5	PA; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 45-200 MG	5	PA; NDS; QL (56 per 28 days)
HARVONI ORAL TABLET 45-200 MG	5	PA; NDS; QL (28 per 28 days)
HARVONI ORAL TABLET 90-400 MG (ledipasvir-sofosbuvir)	5	PA; NDS; QL (28 per 28 days)
MAVYRET ORAL TABLET 100-40 MG	5	PA; NDS; QL (84 per 28 days)
VOSEVI ORAL TABLET 400-100-100 MG	5	PA; NDS; QL (28 per 28 days)
<b>Interferons</b>		
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	5	PA NSO; NDS
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	5	NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	5	NDS
<b>Nucleosides And Nucleotides</b>		
<i>acyclovir oral capsule 200 mg</i>	2	
<i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax)	2	
<i>acyclovir oral tablet 400 mg, 800 mg</i>	2	
<i>acyclovir sodium intravenous recon soln 1,000 mg, 500 mg</i>	2	PA BvD
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	2	PA BvD
<i>adefovir oral tablet 10 mg</i> (Hepsera)	2	
<i>cidofovir intravenous solution 75 mg/ml</i>	5	NDS
<i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)	2	
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ganciclovir sodium intravenous recon soln 500 mg</i>	5	PA BvD; NDS
<i>ganciclovir sodium intravenous solution 50 mg/ml</i>	5	PA BvD; NDS
<i>lagevrio (eua) oral capsule 200 mg</i>	4	QL (40 per 5 days)
<i>ribavirin inhalation recon soln 6 gram</i> (Virazole)	5	PA BvD; NDS
<i>ribavirin oral capsule 200 mg</i>	2	
<i>ribavirin oral tablet 200 mg</i>	2	
<i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)	2	
<i>valganciclovir oral recon soln 50 mg/ml</i> (Valcyte)	5	NDS
<i>valganciclovir oral tablet 450 mg</i> (Valcyte)	2	
VEKLURY INTRAVENOUS RECON SOLN 100 MG (remdesivir)	5	PA BvD; NDS
<b>Blood Products/Modifiers/Volume Expanders</b>		
<b>Anticoagulants</b>		
ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	3	
ELIQUIS ORAL TABLET 2.5 MG	3	QL (60 per 30 days)
ELIQUIS ORAL TABLET 5 MG	3	QL (74 per 30 days)
<i>enoxaparin subcutaneous solution 300 mg/3 ml</i> (Lovenox)	2	QL (30 per 30 days)
<i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i> (Lovenox)	2	QL (60 per 30 days)
<i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i> (Lovenox)	2	QL (48 per 30 days)
<i>enoxaparin subcutaneous syringe 30 mg/0.3 ml</i> (Lovenox)	2	QL (18 per 30 days)
<i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i> (Lovenox)	2	QL (24 per 30 days)
<i>enoxaparin subcutaneous syringe 60 mg/0.6 ml</i> (Lovenox)	2	QL (36 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>fondaparinux subcutaneous syringe</i> (Arixtra) 10 mg/0.8 ml	5	NDS; QL (24 per 30 days)
<i>fondaparinux subcutaneous syringe</i> (Arixtra) 2.5 mg/0.5 ml	2	QL (15 per 30 days)
<i>fondaparinux subcutaneous syringe</i> (Arixtra) 5 mg/0.4 ml	5	NDS; QL (12 per 30 days)
<i>fondaparinux subcutaneous syringe</i> (Arixtra) 7.5 mg/0.6 ml	5	NDS; QL (18 per 30 days)
<i>heparin (porcine) injection cartridge</i> 5,000 unit/ml (1 ml)	2	
<i>heparin (porcine) injection solution</i> 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml	2	
<i>heparin, porcine (pf) injection</i> solution 1,000 unit/ml	2	
<i>heparin, porcine (pf) injection</i> syringe 5,000 unit/0.5 ml, 5,000 unit/ml	2	
<i>jantoven oral tablet 1 mg, 10 mg, 2</i> (warfarin) <i>mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg,</i> <i>7.5 mg</i>	1	
<i>warfarin oral tablet 1 mg, 10 mg, 2</i> (Jantoven) <i>mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg,</i> <i>7.5 mg</i>	1	
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	3	
XARELTO ORAL SUSPENSION FOR RECONSTITUTION 1 MG/ML	3	QL (600 per 30 days)
XARELTO ORAL TABLET 10 MG, 20 MG	3	QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG, 2.5 MG	3	QL (60 per 30 days)
<b>Blood Formation Modifiers</b>		
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	5	PA; NDS
DOPTELET (10 TAB PACK) ORAL TABLET 20 MG	5	PA; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DOPTELET (15 TAB PACK) ORAL TABLET 20 MG	5	PA; NDS; QL (60 per 30 days)
DOPTELET (30 TAB PACK) ORAL TABLET 20 MG	5	PA; NDS; QL (60 per 30 days)
FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
FYLNETRA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
GRANIX SUBCUTANEOUS SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NDS
GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NDS
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	5	PA; NDS; QL (30 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	5	PA; NDS; QL (20 per 30 days)
LEUKINE INJECTION RECON SOLN 250 MCG	5	NDS
MOZOBIL SUBCUTANEOUS SOLUTION 24 MG/1.2 ML (20 MG/ML)	5	NDS
NEULASTA ONPRO SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML	5	PA; NDS
NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NDS
NPLATE SUBCUTANEOUS RECON SOLN 125 MCG, 250 MCG, 500 MCG	5	PA; NDS
NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PROMACTA ORAL POWDER IN PACKET 12.5 MG	5	PA; NDS; QL (90 per 30 days)
PROMACTA ORAL POWDER IN PACKET 25 MG	5	PA; NDS; QL (180 per 30 days)
PROMACTA ORAL TABLET 12.5 MG	5	PA; NDS; QL (90 per 30 days)
PROMACTA ORAL TABLET 25 MG	5	PA; NDS; QL (30 per 30 days)
PROMACTA ORAL TABLET 50 MG, 75 MG	5	PA; NDS; QL (60 per 30 days)
RELEUKO INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NDS
RELEUKO SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NDS
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	3	PA; QL (4 per 28 days)
ROLVEDON SUBCUTANEOUS SYRINGE 13.2 MG/0.6 ML	5	PA; NDS
UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NDS
ZIEXTENZO SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
<b>Hematologic Agents, Miscellaneous</b>		
ADAKVEO INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NDS
<i>anagrelide oral capsule 0.5 mg</i> (Agrylin)	2	
<i>anagrelide oral capsule 1 mg</i>	2	
CABLIVI INJECTION KIT 11 MG	5	PA; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	4	
GIVLAARI SUBCUTANEOUS SOLUTION 189 MG/ML	5	PA; NDS
<i>protamine intravenous solution 10 mg/ml</i>	2	
SIKLOS ORAL TABLET 100 MG	4	PA
TAVALISSE ORAL TABLET 100 MG, 150 MG	5	PA; NDS; QL (60 per 30 days)
<i>tranexamic acid intravenous solution (Cyklokapron) 1,000 mg/10 ml (100 mg/ml)</i>	2	
<i>tranexamic acid oral tablet 650 mg (Lysteda)</i>	2	
<b>Platelet-Aggregation Inhibitors</b>		
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	2	QL (60 per 30 days)
BRILINTA ORAL TABLET 60 MG, 90 MG	3	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	2	
<i>clopidogrel oral tablet 75 mg (Plavix)</i>	1	
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>pentoxifylline oral tablet extended release 400 mg</i>	2	
<i>prasugrel oral tablet 10 mg, 5 mg (Effient)</i>	2	QL (30 per 30 days)
<b>Caloric Agents</b>		
<b>Caloric Agents</b>		
AMINOSYN-PF 7 % (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 5%-D20W(SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 6%-D5W (SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %	4	PA BvD
CLINIMIX 8%-D10W(SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX 8%-D14W(SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
<i>dextrose 10 % in water (d10w)</i> <i>intravenous parenteral solution 10 %</i>	2	PA BvD
<i>dextrose 5 % in water (d5w)</i> <i>intravenous parenteral solution</i>	4	
<i>dextrose 5 % in water (d5w)</i> <i>intravenous piggyback 5 %</i>	2	
<i>dextrose 5%-water iv soln single use</i>	2	
INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %	4	PA BvD
NUTRILIPID INTRAVENOUS EMULSION 20 %	4	PA BvD
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	4	PA BvD
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	4	PA BvD
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
<b>Cardiovascular Agents</b>		
<b>Alpha-Adrenergic Agents</b>		
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>	1	
<i>clonidine transdermal patch weekly (Catapres-TTS-1) 0.1 mg/24 hr</i>	2	QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>clonidine transdermal patch weekly 0.2 mg/24 hr</i> (Catapres-TTS-2)	2	QL (4 per 28 days)
<i>clonidine transdermal patch weekly 0.3 mg/24 hr</i> (Catapres-TTS-3)	2	QL (8 per 28 days)
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura)	2	
<i>droxidopa oral capsule 100 mg, 200 mg, 300 mg</i> (Northera)	5	PA; NDS; QL (180 per 30 days)
<i>guanfacine oral tablet 1 mg, 2 mg</i>	2	
<i>methyldopa oral tablet 250 mg, 500 mg</i>	2	
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	
<i>phenylephrine hcl injection solution 10 mg/ml</i> (Vazculep)	2	
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i> (Minipress)	2	
<b>Angiotensin II Receptor Antagonists</b>		
<i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Atacand)	2	
<i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i> (Atacand HCT)	2	
EDARBI ORAL TABLET 40 MG, 80 MG	3	
EDARBYCLOR ORAL TABLET 40-12.5 MG, 40-25 MG	3	
ENTRESTO ORAL TABLET 24-26 MG	3	QL (180 per 30 days)
ENTRESTO ORAL TABLET 49-51 MG, 97-103 MG	3	QL (60 per 30 days)
<i>eprosartan oral tablet 600 mg</i>	2	
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> (Avapro)	2	
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)	2	
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)	1	
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)	2	
<i>olmesartan-amlodipin-hcthiiazid oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i> (Tribenzor)	2	
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)	2	
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> (Micardis)	2	
<i>telmisartan-amlodipine oral tablet 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg</i> (Twynsta)	2	
<i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i> (Micardis HCT)	2	
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan)	2	
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT)	2	
<b>Angiotensin-Converting Enzyme Inhibitors</b>		
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin)	1	
<i>benazepril oral tablet 5 mg</i>	1	
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Lotensin HCT)	2	
<i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i>	2	
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	2	
<i>captopril-hydrochlorothiazide oral tablet 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>enalapril maleate oral solution 1 mg/ml</i> (Epaned)	2	ST; QL (1200 per 30 days)
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec)	1	
<i>enalaprilat intravenous solution 1.25 mg/ml</i>	2	
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic)	1	
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	1	
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	1	
<i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i>	2	
<i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i> (Zestril)	1	
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic)	1	
<i>moexipril oral tablet 15 mg, 7.5 mg</i>	2	
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	2	
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Accupril)	1	
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Accuretic)	2	
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i> (Altace)	1	
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	1	
<i>trandolapril-verapamil oral tablet, ir - er, biphasic 24hr 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg</i>	2	
<b>Antiarrhythmic Agents</b>		
<i>amiodarone oral tablet 100 mg, 400 mg</i> (Pacerone)	2	
<i>amiodarone oral tablet 200 mg</i> (Pacerone)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>disopyramide phosphate oral capsule</i> (Norpace) 100 mg, 150 mg	2	PA-HRM; AGE (Max 64 Years)
<i>dofetilide oral capsule</i> 125 mcg, 250 mcg, 500 mcg (Tikosyn)	2	
<i>flecainide oral tablet</i> 100 mg, 150 mg, 50 mg	2	
<i>lidocaine (pf) intravenous syringe</i> 100 mg/5 ml (2%), 50 mg/5 ml (1%)	1	
<i>mexiletine oral capsule</i> 150 mg, 200 mg, 250 mg	2	
MULTAQ ORAL TABLET 400 MG	3	
<i>pacerone oral tablet</i> 100 mg, 200 mg, 400 mg (amiodarone)	2	
<i>procainamide injection solution</i> 100 mg/ml, 500 mg/ml	2	
<i>procainamide intravenous syringe</i> 100 mg/ml	2	
<i>propafenone oral capsule, extended release</i> 12 hr 225 mg, 325 mg, 425 mg (Rythmol SR)	2	
<i>propafenone oral tablet</i> 150 mg, 225 mg, 300 mg	2	
<i>quinidine gluconate oral tablet extended release</i> 324 mg	2	
<i>quinidine sulfate oral tablet</i> 200 mg	1	
<i>quinidine sulfate oral tablet</i> 300 mg	2	
<b>Beta-Adrenergic Blocking Agents</b>		
<i>acebutolol oral capsule</i> 200 mg, 400 mg	2	
<i>atenolol oral tablet</i> 100 mg, 25 mg, 50 mg (Tenormin)	1	
<i>atenolol-chlorthalidone oral tablet</i> 100-25 mg (Tenoretic 100)	2	
<i>atenolol-chlorthalidone oral tablet</i> 50-25 mg (Tenoretic 50)	2	
<i>betaxolol oral tablet</i> 10 mg, 20 mg	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	2	
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i> (Ziac)	2	
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i> (Coreg)	1	
<i>labetalol intravenous solution 5 mg/ml</i>	2	
<i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i>	2	
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	2	
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i> (Toprol XL)	1	
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg, 50-25 mg</i>	2	
<i>metoprolol tartrate intravenous solution 5 mg/5 ml</i>	2	
<i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> (Lopressor)	1	
<i>metoprolol tartrate oral tablet 25 mg</i>	1	
<i>nadolol oral tablet 20 mg, 40 mg, 80 mg</i> (Corgard)	2	
<i>nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Bystolic)	2	
<i>pindolol oral tablet 10 mg, 5 mg</i>	2	
<i>propranolol intravenous solution 1 mg/ml</i>	2	
<i>propranolol oral capsule, extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> (Inderal LA)	2	
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	2	
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i>	2	
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (sotalol)	2	
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i> (sotalol)	2	
<i>sotalol oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (Sorine)	2	
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	2	
<b>Calcium-Channel Blocking Agents</b>		
<i>cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (diltiazem hcl)	2	
<i>diltiazem hcl intravenous solution 5 mg/ml</i>	2	
<i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i>	2	
<i>diltiazem hcl oral capsule,extended release 24 hr 360 mg</i> (Taztia XT)	2	
<i>diltiazem hcl oral capsule,extended release 24 hr 420 mg</i> (Tiadylt ER)	2	
<i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cartia XT)	2	
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem)	2	
<i>diltiazem hcl oral tablet 90 mg</i>	2	
<i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i> (diltiazem hcl)	2	
<i>matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl)	2	
<i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i> (diltiazem hcl)	2	
<i>tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>verapamil intravenous syringe 2.5 mg/ml</i>	2	
<i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i> (Verelan PM)	2	
<i>verapamil oral capsule, ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i>	2	
<i>verapamil oral capsule, ext rel. pellets 24 hr 360 mg</i>	4	
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>	1	
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i> (Calan SR)	2	
<b>Cardiovascular Agents, Miscellaneous</b>		
CORLANOR ORAL SOLUTION 5 MG/5 ML	3	QL (600 per 30 days)
CORLANOR ORAL TABLET 5 MG, 7.5 MG	3	QL (60 per 30 days)
<i>digitek oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (digoxin)	2	
<i>digox oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (digoxin)	2	
<i>digoxin 250 mcg tablet 250 mcg (0.25 mg)</i> (Digitek)	2	
<i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i>	2	
<i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (Digitek)	2	
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)	2	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i> (Auvi-Q)	2	QL (4 per 30 days)
<i>epinephrine injection solution 1 mg/ml</i> (Adrenalin)	1	
<i>hydralazine injection solution 20 mg/ml</i>	2	
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>icatibant subcutaneous syringe 30 mg/3 ml</i> (Sajazir)	5	PA; NDS; QL (18 per 30 days)
<i>metyrosine oral capsule 250 mg</i> (Demser)	5	NDS
<i>ranolazine oral tablet extended release 12 hr 1,000 mg</i>	2	QL (60 per 30 days)
<i>ranolazine oral tablet extended release 12 hr 500 mg</i> (Ranexa)	2	QL (120 per 30 days)
<i>sajazir subcutaneous syringe 30 mg/3 ml</i> (icatibant)	5	PA; NDS; QL (18 per 30 days)
SYMJEPI INJECTION SYRINGE 0.15 MG/0.3 ML	4	QL (4 per 30 days)
SYMJEPI INJECTION SYRINGE 0.3 MG/0.3 ML (epinephrine)	4	QL (4 per 30 days)
<b>Dihydropyridines</b>		
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvase)	1	
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg</i> (Lotrel)	1	
<i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg</i>	1	
<i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg</i> (Azor)	2	
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i> (Exforge)	2	
<i>amlodipine-valsartan-hcthiiazid oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg</i> (Exforge HCT)	2	
<i>felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg</i>	2	
<i>isradipine oral capsule 2.5 mg, 5 mg</i>	2	
KATERZIA ORAL SUSPENSION 1 MG/ML	4	ST; QL (300 per 30 days)
<i>nicardipine oral capsule 20 mg, 30 mg</i>	2	
<i>nifedipine oral capsule 10 mg, 20 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i> (Procardia XL)	2	
<i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i>	2	
<b>Diuretics</b>		
<i>amiloride oral tablet 5 mg</i>	2	
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	2	
<i>bumetanide injection solution 0.25 mg/ml</i>	2	
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	
<i>chlorothiazide sodium intravenous recon soln 500 mg</i> (Diuril IV)	2	
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	2	
<i>furosemide injection solution 10 mg/ml</i>	2	
<i>furosemide injection syringe 10 mg/ml</i>	1	
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	2	
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> (Lasix)	1	
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	1	
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	
JYNARQUE ORAL TABLET 15 MG, 30 MG	5	PA; NDS; QL (120 per 30 days)
JYNARQUE ORAL TABLETS, SEQUENTIAL 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM)	5	PA; NDS; QL (56 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	
<i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> (Aldactone)	1	
<i>spironolacton-hydrochlorothiaz oral tablet 25-25 mg</i> (Aldactazide)	2	
<i>torse mide oral tablet 10 mg, 100 mg, 5 mg</i>	2	
<i>torse mide oral tablet 20 mg</i> (Soaanz)	2	
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i>	1	
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg</i> (Maxzide-25mg)	1	
<i>triamterene-hydrochlorothiazid oral tablet 75-50 mg</i> (Maxzide)	1	
<b>Dyslipidemics</b>		
<i>amlodipine-atorvastatin oral tablet 10-10 mg, 5-10 mg</i> (Caduet)	2	
<i>amlodipine-atorvastatin oral tablet 10-20 mg, 10-40 mg, 10-80 mg, 5-20 mg, 5-40 mg, 5-80 mg</i> (Caduet)	2	QL (30 per 30 days)
<i>amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg</i>	2	
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Lipitor)	1	QL (30 per 30 days)
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i> (Questran)	2	
<i>cholestyramine light oral powder in packet 4 gram</i> (cholestyramine-aspartame)	2	
<i>colesevelam oral powder in packet 3.75 gram</i> (WelChol)	2	
<i>colesevelam oral tablet 625 mg</i> (WelChol)	2	
<i>colestipol oral packet 5 gram</i> (Colestid)	2	
<i>colestipol oral tablet 1 gram</i> (Colestid)	2	
<b>EZALLOR SPRINKLE ORAL CAPSULE, SPRINKLE 10 MG, 20 MG, 40 MG, 5 MG</b>	4	ST; QL (30 per 30 days)
<i>ezetimibe oral tablet 10 mg</i> (Zetia)	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ezetimibe-simvastatin oral tablet 10-10 mg</i> (Vytorin 10-10)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-20 mg</i> (Vytorin 10-20)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-40 mg</i> (Vytorin 10-40)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-80 mg</i> (Vytorin 10-80)	2	QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg</i>	2	
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i> (Tricor)	2	
<i>fenofibrate nanocrystallized oral tablet 160 mg</i>	2	
<i>fenofibrate oral tablet 160 mg, 54 mg</i>	2	
<i>fenofibric acid (choline) oral capsule, delayed release (drlec) 135 mg, 45 mg</i> (Trilipix)	2	
<i>fluvastatin oral capsule 20 mg, 40 mg</i>	2	QL (60 per 30 days)
<i>fluvastatin oral tablet extended release 24 hr 80 mg</i> (Lescol XL)	2	
<i>gemfibrozil oral tablet 600 mg</i> (Lopid)	1	
JUXTAPID ORAL CAPSULE 10 MG, 40 MG, 5 MG, 60 MG	5	PA; NDS; QL (28 per 28 days)
JUXTAPID ORAL CAPSULE 20 MG, 30 MG	5	PA; NDS; QL (56 per 28 days)
LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG	3	QL (30 per 30 days)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	1	
NEXLETOL ORAL TABLET 180 MG	3	QL (30 per 30 days)
NEXLIZET ORAL TABLET 180-10 MG	3	QL (30 per 30 days)
<i>niacin oral tablet 500 mg</i> (Niacor)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i>	2	
<i>niacor oral tablet 500 mg</i> (niacin)	2	
<i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)	2	ST; QL (120 per 30 days)
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML	3	QL (2 per 28 days)
<i>pravastatin oral tablet 10 mg, 80 mg</i>	1	
<i>pravastatin oral tablet 20 mg, 40 mg</i>	1	QL (30 per 30 days)
<i>prevalite oral powder in packet 4 gram</i> (cholestyramine- aspartame)	2	
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	3	QL (7 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	3	QL (6 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	3	QL (6 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor)	1	QL (30 per 30 days)
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg</i> (Zocor)	1	QL (30 per 30 days)
<i>simvastatin oral tablet 5 mg, 80 mg</i>	1	QL (30 per 30 days)
VASCEPA ORAL CAPSULE 0.5 GRAM (icosapent ethyl)	2	QL (240 per 30 days)
VASCEPA ORAL CAPSULE 1 GRAM (icosapent ethyl)	2	QL (120 per 30 days)
<b>Renin-Angiotensin-Aldosterone System Inhibitors</b>		
<i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna)	2	
CAROSPIR ORAL SUSPENSION 25 MG/5 ML	4	ST; QL (600 per 30 days)
<i>eplerenone oral tablet 25 mg, 50 mg</i> (Inspra)	2	
KERENDIA ORAL TABLET 10 MG, 20 MG	3	PA; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Vasodilators</b>		
BIDIL ORAL TABLET 20-37.5 MG (isosorbide-hydralazine)	3	
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	2	
<i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titradose)	2	
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	2	
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	
<i>isosorbide-hydralazine oral tablet 20-37.5 mg</i> (BiDil)	2	
<i>minitran transdermal patch 24 hour 0.1 mg/1hr, 0.2 mg/1hr, 0.4 mg/1hr, 0.6 mg/1hr</i> (nitroglycerin)	2	
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	2	
<i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i>	2	
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)	2	
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/1hr, 0.2 mg/1hr, 0.4 mg/1hr, 0.6 mg/1hr</i> (Nitro-Dur)	2	
<b>Central Nervous System Agents</b>		
<b>Central Nervous System Agents</b>		
<i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i> (Strattera)	2	QL (60 per 30 days)
<i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i> (Strattera)	2	QL (30 per 30 days)
AUBAGIO ORAL TABLET 14 MG, 7 MG	5	PA; NDS; QL (30 per 30 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	5	PA; NDS; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	5	PA; NDS; QL (60 per 30 days)
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)
BETASERON SUBCUTANEOUS KIT 0.3 MG	5	PA; NDS; QL (15 per 30 days)
<i>caffeine citrate intravenous solution</i> (Cafcit) 60 mg/3 ml (20 mg/ml)	2	PA BvD
<i>caffeine citrate oral solution</i> 60 mg/3 ml (20 mg/ml)	2	
<i>clonidine hcl oral tablet extended release</i> 12 hr 0.1 mg (Kapvay)	2	QL (120 per 30 days)
COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML (glatiramer)	5	PA; NDS; QL (30 per 30 days)
COPAXONE SUBCUTANEOUS SYRINGE 40 MG/ML (glatiramer)	5	PA; NDS; QL (12 per 28 days)
<i>dalfampridine oral tablet extended release</i> 12 hr 10 mg (Ampyra)	2	PA; QL (60 per 30 days)
<i>dexmethylphenidate oral tablet</i> 10 mg, 2.5 mg, 5 mg (Focalin)	2	QL (60 per 30 days)
<i>dextroamphetamine sulfate oral capsule, extended release</i> 10 mg, 15 mg (Dexedrine Spansule)	2	QL (120 per 30 days)
<i>dextroamphetamine sulfate oral capsule, extended release</i> 5 mg	2	QL (120 per 30 days)
<i>dextroamphetamine sulfate oral tablet</i> 10 mg (Zenedi)	2	QL (180 per 30 days)
<i>dextroamphetamine sulfate oral tablet</i> 15 mg, 5 mg (Zenedi)	2	QL (90 per 30 days)
<i>dextroamphetamine sulfate oral tablet</i> 20 mg, 30 mg (Zenedi)	2	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release</i> 24hr 10 mg, 15 mg, 5 mg (Adderall XR)	2	QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release</i> 24hr 20 mg, 25 mg, 30 mg (Adderall XR)	2	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet</i> 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg (Adderall)	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dimethyl fumarate oral capsule, delayed release(drlec) 120 mg</i> (Tecfidera)	5	PA; NDS; QL (14 per 7 days)
<i>dimethyl fumarate oral capsule, delayed release(drlec) 120 mg (14)- 240 mg (46)</i> (Tecfidera)	5	PA; NDS
<i>dimethyl fumarate oral capsule, delayed release(drlec) 240 mg</i> (Tecfidera)	5	PA; NDS; QL (60 per 30 days)
ENSPRYNG SUBCUTANEOUS SYRINGE 120 MG/ML	5	PA; NDS
<i> fingolimod oral capsule 0.5 mg</i> (Gilenya)	5	PA; NDS; QL (30 per 30 days)
<i>flumazenil intravenous solution 0.1 mg/ml</i>	2	
GILENYA ORAL CAPSULE 0.25 MG	5	PA; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 20 mg/ml</i> (Copaxone)	5	PA; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i> (Copaxone)	5	PA; NDS; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i> (glatiramer)	5	PA; NDS; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i> (glatiramer)	5	PA; NDS; QL (12 per 28 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> (Intuniv ER)	2	QL (30 per 30 days)
INGREZZA INITIATION PACK ORAL CAPSULE, DOSE PACK 40 MG (7)- 80 MG (21)	5	PA; NDS
INGREZZA ORAL CAPSULE 40 MG, 60 MG, 80 MG	5	PA; NDS; QL (30 per 30 days)
KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML	5	PA; NDS; QL (1.2 per 28 days)
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	
<i>lithium carbonate oral tablet 300 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>lithium carbonate oral tablet</i> (Lithobid) <i>extended release 300 mg</i>	2	
<i>lithium carbonate oral tablet</i> <i>extended release 450 mg</i>	2	
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAYZENT ORAL TABLET 0.25 MG	5	PA; NDS; QL (112 per 28 days)
MAYZENT ORAL TABLET 1 MG, 2 MG	5	PA; NDS; QL (30 per 30 days)
MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (7 TABS)	4	PA
MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS)	5	PA; NDS
<i>metadate er oral tablet extended</i> (methylphenidate hcl) <i>release 20 mg</i>	2	QL (90 per 30 days)
<i>methylphenidate hcl oral capsule, er</i> <i>biphasic 30-70 10 mg, 20 mg, 40 mg,</i> <i>50 mg, 60 mg</i>	2	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er</i> <i>biphasic 30-70 30 mg</i>	2	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er</i> (Ritalin LA) <i>biphasic 50-50 10 mg, 20 mg, 40 mg</i>	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>methylphenidate hcl oral capsule,er biphasic 50-50 30 mg</i> (Ritalin LA)	2	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 60 mg</i>	2	QL (30 per 30 days)
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> (Methylin)	2	QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin)	2	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 10 mg</i>	2	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 20 mg</i> (Metadate ER)	2	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg (bx rating), 27 mg (bx rating), 54 mg (bx rating)</i>	2	QL (30 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 54 mg</i> (Concerta)	2	QL (30 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg</i> (Concerta)	2	QL (60 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg (bx rating)</i>	2	QL (60 per 30 days)
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	5	PA; NDS; QL (20 per 180 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NDS
RADICAVA INTRAVENOUS SOLUTION 30 MG/100 ML	5	PA; NDS; QL (2800 per 28 days)
<i>riluzole oral tablet 50 mg</i> (Rilutek)	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	3	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	3	
TASCENSO ODT ORAL TABLET,DISINTEGRATING 0.25 MG, 0.5 MG	5	PA; NDS; QL (30 per 30 days)
tetrabenazine oral tablet 12.5 mg, 25 mg (Xenazine)	5	PA; NDS; QL (112 per 28 days)
VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG	5	PA; NDS; QL (120 per 30 days)
<b>Contraceptives</b>		
<b>Contraceptives</b>		
<i>afirmelle oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)	2	
<i>altavera (28) oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)	2	
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)	2	
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (l norgest/e.estradiol-e.estrad)	2	QL (91 per 84 days)
<i>apri oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol)	2	
<i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i>	2	
<i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (l norgest/e.estradiol-e.estrad)	2	QL (91 per 84 days)
<i>aubra eq oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)	2	
<i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> (norethindrone ac-eth estradiol)	2	
<i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i> (norethindrone ac-eth estradiol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/175 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	
<i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/175 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/175 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	
<i>aviane oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>ayuna oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	
<i>balziva (28) oral tablet 0.4-35 mg-mcg</i>		2	
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/175 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/175 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/175 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	
<i>briellyn oral tablet 0.4-35 mg-mcg</i>		2	
<i>camila oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>caziant (28) oral tablet 0.1/1.125/1.15-25 mg-mcg</i>		2	
<i>chateal eq (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	
<i>cyclafem 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2	
<i>cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2	
<i>cyred eq oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2	
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>daysee oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(1 norgest/e.estradiol-e.estradiol)	2	QL (91 per 84 days)
<i>deblitane oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>desog-e.estradiol/estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(Azurette (28))	2	
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i>	(Apri)	2	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i>	(Jasmiel (28))	2	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i>	(Syeda)	2	
<i>elinest oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	
<b>ELLA ORAL TABLET 30 MG</b>		4	QL (6 per 365 days)
<i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	2	QL (1 per 28 days)
<i>emoquette oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estradiol triphasic)	2	
<i>enskyce oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>errin oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>estarylla oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i>	(Kelnor 1/35 (28))	2	
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i>	(Kelnor 1-50 (28))	2	
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i>	(EluRyng)	2	QL (1 per 28 days)
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estradiol)	2	
<i>femynor oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/175 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	
<i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/175 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/175 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>hailey oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>haloette vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	2	QL (1 per 28 days)
<i>heather oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	2	QL (91 per 84 days)
<i>incassia oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>isibloom oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>jaimiess oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol-e.estrad)	2	QL (91 per 84 days)
<i>jasmiel (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	
<i>jencycla oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>juleber oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/175 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/175 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/175 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	
<i>kalliga oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	
<i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2	
<i>kelnor 1-50 (28) oral tablet 1-50 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2	
<i>kurvelo (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>l norgestle.estradiol-e.estradiol oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)</i>	(LoJaimiess)	2	QL (91 per 84 days)
<i>l norgestle.estradiol-e.estradiol oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(Amethia)	2	QL (91 per 84 days)
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	
<i>larissia oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>lessina oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	2	
<i>levonorgestrel-ethinyl estradiol oral tablet 0.1-20 mg-mcg</i>	(Afirmelle)	2	
<i>levonorgestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i>	(Altavera (28))	2	
<i>levonorgestrel-ethinyl estradiol oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(Iclevia)	2	QL (91 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(Enpresse)	2	
<i>levora-28 oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>lillow (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>lojaimiess oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol-e.estrad)	2	QL (91 per 84 days)
<i>loryna (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	
<i>lo-zumandimine (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	
<i>luteru (28) oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>lyleq oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>lyza oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>marlissa (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>merzee oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>mili oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	
<i>mono-linyah oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	
<i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>		2	
<i>nikki (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i>	(Camila)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg</i> (Aurovela 1.5/30 (21))	2	
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i> (Aurovela 1/20 (21))	2	
<i>norethindrone-e.estradiol-iron oral capsule 1 mg-20 mcg (24)/75 mg (4)</i> (Merzee)	2	
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (Aurovela Fe 1-20 (28))	1	
<i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> (Aurovela Fe 1.5/30 (28))	2	
<i>norethindrone-e.estradiol-iron oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i> (Tri-Legest Fe)	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg</i> (Tri-Lo-Estarylla)	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> (Tri-Estarylla)	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.25-35 mg-mcg</i> (Mili)	2	
<i>norlyda oral tablet 0.35 mg</i> (norethindrone (contraceptive))	1	
<i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	2	
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>	2	
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)	2	
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>nylia 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)	2	
<i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>nymyo oral tablet 0.25-35 mg-mcg</i> (norgestimate-ethinyl estradiol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>orsythia oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)	2	
<i>philith oral tablet 0.4-35 mg-mcg</i>	2	
<i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (desog-e.estradiol/e.estradiol)	2	
<i>pirmella oral tablet 0.5/0.75/1 mg-35 mcg</i>	2	
<i>pirmella oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)	2	
<i>portia 28 oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)	2	
<i>previfem oral tablet 0.25-35 mg-mcg</i> (norgestimate-ethinyl estradiol)	1	
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol)	2	
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> (levonorgestrel-ethinyl estrad)	2	QL (91 per 84 days)
<i>sharobel oral tablet 0.35 mg</i> (norethindrone (contraceptive))	1	
<i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (desog-e.estradiol/e.estradiol)	2	
<i>simpesse oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (1 norgest/e.estradiol-e.estrad)	2	QL (91 per 84 days)
<b>SLYND ORAL TABLET 4 MG (28)</b>	4	
<i>sprintec (28) oral tablet 0.25-35 mg-mcg</i> (norgestimate-ethinyl estradiol)	2	
<i>sronyx oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)	2	
<i>syeda oral tablet 3-0.03 mg</i> (drospirenone-ethinyl estradiol)	2	
<i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> (norethindrone-e.estradiol-iron)	2	
<i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron)	1	
<i>tri femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> (norgestimate-ethinyl estradiol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>tri-estarylla oral tablet</i> 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	1	
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) 11mg-35mcg (9)</i>	(norethindrone- e.estradiol-iron)	2	
<i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-lo-estarylla oral tablet</i> 0.18/0.215/0.25 mg-25 mcg	(norgestimate-ethinyl estradiol)	1	
<i>tri-lo-marzia oral tablet</i> 0.18/0.215/0.25 mg-25 mcg	(norgestimate-ethinyl estradiol)	1	
<i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	
<i>tri-lo-sprintec oral tablet</i> 0.18/0.215/0.25 mg-25 mcg	(norgestimate-ethinyl estradiol)	2	
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-nymyo oral tablet</i> 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	2	
<i>tri-previfem (28) oral tablet</i> 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	1	
<i>tri-sprintec (28) oral tablet</i> 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	2	
<i>trivora (28) oral tablet 50-30</i> (6)/75-40 (5)/125-30(10)	(levonorg-eth estrad triphasic)	2	
<i>tri-vylibra lo oral tablet</i> 0.18/0.215/0.25 mg-25 mcg	(norgestimate-ethinyl estradiol)	1	
<i>tri-vylibra oral tablet</i> 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	2	
<i>tulana oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>tyblume oral tablet, chewable 0.1 mg- 20 mcg</i>		4	
<i>velivet triphasic regimen (28) oral tablet 0.1/1.125/1.15-25 mg-mcg</i>		2	
<i>vestura (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	
<i>vienna oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estradiol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	
<i>volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	
<i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i>		2	
<i>vylibra oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	
<i>wera (28) oral tablet 0.5-35 mg-mcg</i>		2	
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>		2	QL (3 per 28 days)
<i>zafemy transdermal patch weekly 150-35 mcg/24 hr</i>		2	QL (3 per 28 days)
<i>zarah oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	2	
<i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2	
<i>zumandimine (28) oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	2	
<b>Dental And Oral Agents</b>			
<b>Dental And Oral Agents</b>			
<i>cevimeline oral capsule 30 mg</i>	(Evoxac)	2	
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i>	(Paroex Oral Rinse)	1	
<i>denta 5000 plus dental cream 1.1 %</i>	(fluoride (sodium))	1	
<i>dentagel dental gel 1.1 %</i>	(fluoride (sodium))	1	
<i>fluoride (sodium) dental solution 0.2 %</i>	(PreviDent)	1	
<i>oralone dental paste 0.1 %</i>	(triamcinolone acetone)	2	
<i>paroex oral rinse mucous membrane mouthwash 0.12 %</i>	(chlorhexidine gluconate)	1	
<i>perio gard mucous membrane mouthwash 0.12 %</i>	(chlorhexidine gluconate)	1	
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i>	(Salagen (pilocarpine))	2	
<i>sf 5000 plus dental cream 1.1 %</i>	(fluoride (sodium))	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>sodium fluoride-pot nitrate dental paste 1.1-5 %</i>	(Fluoridex Sensitivity Relief)	1	
<i>triamcinolone acetonide dental paste 0.1 %</i>	(Oralene)	2	
<b>Dermatological Agents</b>			
<b>Dermatological Agents, Other</b>			
<i>acutane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	(isotretinoin)	2	
<i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>		2	
<i>acyclovir topical cream 5 %</i>	(Zovirax)	2	QL (5 per 4 days)
<i>acyclovir topical ointment 5 %</i>	(Zovirax)	2	QL (30 per 30 days)
ALCOHOL 70% SWABS	(Alcohol Pads)	1	
ALCOHOL PADS TOPICAL PADS, MEDICATED	(alcohol swabs)	1	
ALCOHOL PREP SWABS TOPICAL PADS, MEDICATED	(alcohol swabs)	1	
<i>ammonium lactate topical cream 12 %</i>		2	
<i>ammonium lactate topical lotion 12 %</i>	(Skin Treatment)	2	
BD SINGLE USE SWAB	(alcohol swabs)	1	
<i>calcipotriene scalp solution 0.005 %</i>		2	QL (120 per 30 days)
<i>calcipotriene topical cream 0.005 %</i>	(Dovonex)	2	QL (120 per 30 days)
<i>calcipotriene topical ointment 0.005 %</i>		2	QL (120 per 30 days)
CARETOUCH ALCOHOL 70% PREP PAD	(alcohol swabs)	1	
CURITY ALCOHOL PREPS 2 PLY, MEDIUM	(alcohol swabs)	1	
DROPSAFE ALCOHOL 70% PREP PADS	(alcohol swabs)	1	
EASY COMFORT ALCOHOL 70% PAD	(alcohol swabs)	1	
EASY TOUCH ALCOHOL 70% PADS GAMMA-STERILIZED	(alcohol swabs)	1	
<i>fluorouracil topical cream 0.5 %</i>	(Carac)	5	NDS
<i>fluorouracil topical cream 5 %</i>	(Efudex)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>fluorouracil topical solution 2 %, 5 %</i>	2	
HEB INCONTROL ALCOHOL (alcohol swabs) 70% PADS	1	
<i>imiquimod topical cream in packet 5 %</i>	2	QL (24 per 30 days)
IV ANTISEPTIC WIPES (alcohol swabs)	1	
KENDALL ALCOHOL 70% (alcohol swabs) PREP PAD	1	
KLISYRI TOPICAL OINTMENT IN PACKET 1 %	3	QL (5 per 5 days)
<i>methoxsalen oral capsule, liqd-filled, rapid rel 10 mg</i>	5	NDS
PANRETIN TOPICAL GEL 0.1 %	5	NDS; QL (180 per 30 days)
<i>penciclovir topical cream 1 %</i> (Denavir)	2	
<i>podofilox topical solution 0.5 %</i>	2	
PRO COMFORT ALCOHOL (alcohol swabs) 70% PADS	1	
PURE COMFORT ALCOHOL (alcohol swabs) 70% PADS	1	
RA ISOPROPYL ALCOHOL (alcohol swabs) 70% WIPES	1	
REGRANEX TOPICAL GEL 0.01 %	5	PA; NDS; QL (30 per 30 days)
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	4	QL (180 per 30 days)
SURE COMFORT ALCOHOL (alcohol swabs) PREP PADS	1	
SURE-PREP ALCOHOL PREP (alcohol swabs) PADS	1	
TRUE COMFORT ALCOHOL (alcohol swabs) 70% PADS	1	
TRUE COMFORT PRO (alcohol swabs) ALCOHOL PADS	1	
ULTILET ALCOHOL STERL (alcohol swabs) SWAB	1	
VALCHLOR TOPICAL GEL 0.016 %	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
WEBCOL ALCOHOL PREPS (alcohol swabs) 20'S,LARGE	1	
zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg (isotretinoin)	2	
<b>Dermatological Antibacterials</b>		
clindamycin phosphate topical foam 1 % (Clindacin)	2	QL (100 per 30 days)
clindamycin phosphate topical solution 1 % (Cleocin T)	2	QL (180 per 30 days)
clindamycin phosphate topical swab 1 % (Clindacin ETZ)	2	
clindamycin-benzoyl peroxide topical gel 1.2 % (1 % base) -5 % (Neuac)	2	
clindamycin-benzoyl peroxide topical gel 1-5 %	2	
ery pads topical swab 2 % (erythromycin with ethanol)	2	
erythromycin with ethanol topical gel 2 % (Erygel)	2	QL (180 per 30 days)
erythromycin with ethanol topical solution 2 %	2	QL (180 per 30 days)
erythromycin-benzoyl peroxide topical gel 3-5 % (Benzamycin)	2	
gentamicin topical cream 0.1 %	2	QL (120 per 30 days)
gentamicin topical ointment 0.1 %	2	QL (120 per 30 days)
metronidazole topical cream 0.75 % (Rosadan)	2	
metronidazole topical gel 0.75 % (Rosadan)	2	
metronidazole topical gel 1 % (Metrogel)	2	
metronidazole topical lotion 0.75 % (MetroLotion)	2	
mupirocin topical ointment 2 % (Centany)	1	QL (220 per 30 days)
neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml	2	
rosadan topical cream 0.75 % (metronidazole)	2	
selenium sulfide topical lotion 2.5 %	2	
silver sulfadiazine topical cream 1 % (SSD)	2	
ssd topical cream 1 % (silver sulfadiazine)	4	
sulfacetamide sodium (acne) topical suspension 10 % (Klaron)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Dermatological Anti-Inflammatory Agents</b>		
<i>ala-cort topical cream 1 %</i> (hydrocortisone)	2	
<i>ala-scalp topical lotion 2 %</i>	2	
<i>alclometasone topical cream 0.05 %</i>	2	
<i>alclometasone topical ointment 0.05 %</i>	2	
<i>betamethasone dipropionate topical cream 0.05 %</i>	2	
<i>betamethasone dipropionate topical lotion 0.05 %</i>	2	
<i>betamethasone dipropionate topical ointment 0.05 %</i>	2	
<i>betamethasone valerate topical cream 0.1 %</i>	2	
<i>betamethasone valerate topical foam (Luxiq) 0.12 %</i>	2	
<i>betamethasone valerate topical lotion 0.1 %</i>	2	
<i>betamethasone valerate topical ointment 0.1 %</i>	2	
<i>betamethasone, augmented topical cream 0.05 %</i>	2	
<i>betamethasone, augmented topical gel 0.05 %</i>	2	
<i>betamethasone, augmented topical lotion 0.05 %</i>	2	
<i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene (augmented))	2	
<i>clobetasol scalp solution 0.05 %</i>	2	
<i>clobetasol topical cream 0.05 %</i>	2	
<i>clobetasol topical foam 0.05 %</i> (Olux)	2	
<i>clobetasol topical gel 0.05 %</i>	2	
<i>clobetasol topical lotion 0.05 %</i> (Clobex)	2	
<i>clobetasol topical ointment 0.05 %</i> (Temovate)	2	
<i>clobetasol topical shampoo 0.05 %</i> (Clobex)	2	
<i>clobetasol-emollient topical cream 0.05 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>clobetasol-emollient topical foam 0.05 %</i> (Olux-E)	2	
<i>desonide topical cream 0.05 %</i> (DesOwen)	2	
<i>desonide topical lotion 0.05 %</i>	2	
<i>desonide topical ointment 0.05 %</i>	2	
<i>desoximetasone topical cream 0.05 %, 0.25 %</i> (Topicort)	2	QL (120 per 30 days)
<i>desoximetasone topical gel 0.05 %</i> (Topicort)	2	QL (120 per 30 days)
<i>desoximetasone topical ointment 0.05 %, 0.25 %</i> (Topicort)	2	QL (120 per 30 days)
<i>diflorasone topical ointment 0.05 %</i>	2	QL (180 per 30 days)
<b>EUCRISA TOPICAL OINTMENT 2 %</b>	3	
<i>fluocinolone topical cream 0.01 %</i>	2	
<i>fluocinolone topical cream 0.025 %</i> (Synalar)	2	
<i>fluocinolone topical ointment 0.025 %</i> (Synalar)	2	
<i>fluocinonide topical cream 0.05 %</i>	2	
<i>fluocinonide topical gel 0.05 %</i>	2	
<i>fluocinonide topical ointment 0.05 %</i>	2	
<i>fluocinonide topical solution 0.05 %</i>	2	
<i>fluocinonide-emollient topical cream 0.05 %</i> (Fluocinonide-E)	2	
<i>fluticasone propionate topical cream 0.05 %</i>	2	
<i>fluticasone propionate topical ointment 0.005 %</i>	2	
<i>halobetasol propionate topical cream 0.05 %</i>	2	
<i>halobetasol propionate topical ointment 0.05 %</i>	2	
<i>hydrocortisone 2.5% cream</i>	1	
<i>hydrocortisone butyrate topical cream 0.1 %</i>	2	QL (120 per 30 days)
<i>hydrocortisone butyrate topical lotion 0.1 %</i> (Locoid)	2	QL (236 per 30 days)
<i>hydrocortisone butyrate topical ointment 0.1 %</i>	2	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>hydrocortisone butyrate topical solution 0.1 %</i>	2	QL (120 per 30 days)
<i>hydrocortisone topical cream 1 %</i> (Ala-Cort)	1	
<i>hydrocortisone topical cream with perineal applicator 2.5 %</i> (Proctosol HC)	1	
<i>hydrocortisone topical lotion 2.5 %</i>	2	
<i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))	1	
<i>hydrocortisone topical ointment 2.5 %</i>	1	
<i>hydrocortisone valerate topical cream 0.2 %</i>	2	
<i>hydrocortisone valerate topical ointment 0.2 %</i>	2	
<i>mometasone topical cream 0.1 %</i>	2	
<i>mometasone topical ointment 0.1 %</i>	2	
<i>mometasone topical solution 0.1 %</i>	2	
<i>pimecrolimus topical cream 1 %</i> (Elidel)	2	QL (100 per 30 days)
<i>prednicarbate topical ointment 0.1 %</i>	2	
<i>procto-pak topical cream with perineal applicator 1 %</i> (hydrocortisone)	2	
<i>proctosol hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	2	
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	2	
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i> (Protopic)	2	QL (100 per 30 days)
<i>triamcinolone acetonide topical cream 0.025 %</i>	1	
<i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i> (Triderm)	1	
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	2	
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	2	
<i>triamcinolone acetonide topical ointment 0.05 %</i> (Trianex)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name		Drug Tier	Requirements/Limits
<b>Dermatological Retinoids</b>			
<i>adapalene topical cream 0.1 %</i>	(Differin)	2	
<i>adapalene topical gel 0.1 %</i>	(Differin)	2	
ALTRENO TOPICAL LOTION 0.05 %		4	PA
<i>tazarotene topical cream 0.1 %</i>	(Tazorac)	2	
TAZORAC TOPICAL CREAM 0.05 %		4	
<i>tretinoin topical cream 0.025 %</i>	(Avita)	2	PA
<i>tretinoin topical cream 0.05 %, 0.1 %</i>	(Retin-A)	2	PA
<i>tretinoin topical gel 0.01 %</i>	(Retin-A)	2	PA
<i>tretinoin topical gel 0.025 %</i>	(Avita)	2	PA
<i>tretinoin topical gel 0.05 %</i>	(Atralin)	2	PA
<b>Scabicides And Pediculicides</b>			
<i>malathion topical lotion 0.5 %</i>	(Ovide)	2	
<i>permethrin topical cream 5 %</i>	(Elimite)	2	
<b>Devices</b>			
<b>Devices</b>			
1ST TIER UNIFINE PENTP 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
1ST TIER UNIFINE PNTIP 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
1ST TIER UNIFINE PNTIP 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
1ST TIER UNIFINE PNTIP 8MM 31G STRL,SINGLE- USE,SHRT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
1ST TIER UNIFINE PNTP 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
1ST TIER UNIFINE PNTP 31GX3/16 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
1ST TIER UNIFINE PNTP 32GX5/32 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
ABOUTTIME PEN NEEDLE 30G X 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	2	
ABOUTTIME PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ABOUTTIME PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
ABOUTTIME PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
ADVOCATE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ADVOCATE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ADVOCATE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ADVOCATE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ADVOCATE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ADVOCATE INS SYR 0.3 ML 29GX1/2 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ADVOCATE INS SYR 0.5 ML 29GX1/2 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ADVOCATE INS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ADVOCATE INS SYR 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ADVOCATE PEN NDL 12.7MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
ADVOCATE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
ADVOCATE PEN NEEDLES 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
ADVOCATE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ASSURE ID DUO-SHIELD 30GX3/16" 30 GAUGE X 3/16"	2	
ASSURE ID DUO-SHIELD 30GX5/16" 30 GAUGE X 5/16"	2	
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"	2	
ASSURE ID PEN NEEDLE 30GX3/16" 30 GAUGE X 3/16"	2	
ASSURE ID PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"	2	
ASSURE ID PEN NEEDLE (pen needle, diabetic, 31GX3/16" 31 GAUGE X 3/16" safety)	2	
ASSURE ID SYR 0.5 ML 29GX1/2" (RX) 0.5 ML 29 GAUGE X 1/2"	2	
ASSURE ID SYR 0.5 ML 31GX15/64" 0.5 ML 31 GAUGE X 15/64"	2	
ASSURE ID SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"	2	
BD AUTOSHIELD DUO NDL 5MMX30G 30 GAUGE X 3/16"	2	
BD ECLIPSE 30GX1/2" (insulin syringe-needle SYRINGE 1 ML 30 GAUGE X u-100) 1/2"	2	
BD INS SYR 0.3 ML 8MMX31G(1/2) 0.3 ML 31 GAUGE X 5/16"	2	
BD INS SYRINGE 1/2 ML 6MMX31G (ONLY FOR 500 UNIT/ML INSULIN) 1/2 ML 31 GAUGE X 15/64"	2	
BD INS SYRN UF 1 ML (insulin syringe-needle 12.7MMX30G NOT FOR u-100) RETAIL SALE 1 ML 30 GAUGE X 1/2"	2	
BD INSULIN SYR 1 ML 25GX1" 1 ML 25 X 1"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BD INSULIN SYR 1 ML 25GX5/8" 1 ML 25 GAUGE X 5/8" (insulin syringe-needle u-100)	2	
BD INSULIN SYR 1 ML 26GX1/2" 1 ML 26 X 1/2"	2	
BD INSULIN SYR 1 ML 27GX5/8" MICRO-FINE 1 ML 27 GAUGE X 5/8"	2	
BD INSULIN SYR 1 ML 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2" (Comfort EZ Insulin Syringe)	2	
BD INSULIN SYRINGE 1 ML W/O NEEDLE (insulin syringe needleless)	2	
BD LUER-LOK SYRINGE 1 ML (BD Insulin Syringe Slip Tip)	2	
BD NANO 2 GEN PEN NDL 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	
BD SAFETGLD INS 0.3 ML 29G 13MM 0.3 ML 29 GAUGE X 1/2"	2	
BD SAFETGLD INS 0.5 ML 13MMX29G 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
BD SAFETYGLD INS 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"	2	
BD SAFETYGLD INS 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16"	2	
BD SAFETYGLD INS 1 ML 29G 13MM 1 ML 29 GAUGE X 1/2"	2	
BD SAFETYGLID INS 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	2	
BD SAFETYGLIDE NEEDLE NEEDLE 27 X 5/8 "	2	
BD SAFETYGLIDE SYRINGE 27GX5/8 1 ML 27 GAUGE X 5/8"	2	
BD SAFTYGLD INS 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BD SAFTYGLD INS 0.5 ML 29G 13MM 0.5 ML 29 GAUGE X 1/2"	2	
BD SAFTYGLD INS 0.5 ML 6MMX31G 0.5 ML 31 GAUGE X 15/64"	2	
BD UF MICRO PEN NEEDLE (pen needle, diabetic) 6MMX32G 32 GAUGE X 1/4"	2	
BD UF MINI PEN NEEDLE (pen needle, diabetic) 5MMX31G 31 GAUGE X 3/16"	2	
BD UF NANO PEN NEEDLE (pen needle, diabetic) 4MMX32G 32 GAUGE X 5/32"	2	
BD UF ORIG PEN NDL (pen needle, diabetic) 12.7MMX29G 29 GAUGE X 1/2"	2	
BD UF SHORT PEN NEEDLE (pen needle, diabetic) 8MMX31G 31 GAUGE X 5/16"	2	
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	2	
BD VEO INS SYRING 1 ML (insulin syringe-needle 6MMX31G 1 ML 31 GAUGE X u-100) 15/64"	2	
BD VEO INS SYRN 0.3 ML (insulin syringe-needle 6MMX31G 0.3 ML 31 GAUGE X u-100) 15/64"	2	
BD VEO INS SYRN 0.5 ML (insulin syringe-needle 6MMX31G 1/2 ML 31 GAUGE X u-100) 15/64"	2	
BORDERED GAUZE 2"X2" 2 X (gauze bandage) 2 "	1	
CAREFINE PEN NEEDLE (pen needle, diabetic) 12.7MM 29G 29 GAUGE X 1/2"	2	
CAREFINE PEN NEEDLE 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32"	2	
CAREFINE PEN NEEDLE 5MM (pen needle, diabetic) 32G 32 GAUGE X 3/16"	2	
CAREFINE PEN NEEDLE 6MM (pen needle, diabetic) 31G 31 GAUGE X 1/4"	2	
CAREFINE PEN NEEDLE 8MM (pen needle, diabetic) 30G 30 GAUGE X 5/16"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CAREFINE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4" (pen needle, diabetic)	2	
CAREFINE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16" (pen needle, diabetic)	2	
CAREONE SYR 0.3 ML 31GX5/16" SHORT, HRI 0.3 ML 31 GAUGE X 5/16" (Advocate Syringes)	2	
CARETOUCH PEN NEEDLE 29G 12MM 29 GAUGE X 1/2" (pen needle, diabetic)	2	
CARETOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	2	
CARETOUCH PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	2	
CARETOUCH PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)	2	
CARETOUCH PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16" (pen needle, diabetic)	2	
CARETOUCH PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)	2	
CARETOUCH SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
CARETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
CARETOUCH SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
CARETOUCH SYR 1 ML 28GX5/16" 1 ML 28 X 5/16"	2	
CARETOUCH SYR 1 ML 29GX5/16" 1 ML 29 GAUGE X 5/16	2	
CARETOUCH SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	
CARETOUCH SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
CLICKFINE 31G X 5/16" NEEDLES 8MM, UNIVERSAL 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
CLICKFINE PEN NEEDLE 32GX5/32" 32GX4MM, STERILE 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
CLICKFINE UNIVERSAL 31G X 1/4" 6MM, STORE BRAND 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
COMFORT EZ INS 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
COMFORT EZ INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
COMFORT EZ INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
COMFORT EZ INSULIN SYR 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
COMFORT EZ INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
COMFORT EZ PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
COMFORT EZ PEN NEEDLES 4MM 32G SINGLE USE, MICRO 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
COMFORT EZ PEN NEEDLES 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
COMFORT EZ PEN NEEDLES 5MM 31G MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
COMFORT EZ PEN NEEDLES 5MM 32G SINGLE USE,MINI,HRI 32 GAUGE X 3/16"	(pen needle, diabetic)	2	
COMFORT EZ PEN NEEDLES 5MM 33G 33 GAUGE X 3/16"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 6MM 31G 31 GAUGE X 1/4"	2	
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 6MM 32G 32 GAUGE X 1/4"	2	
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 6MM 33G 33 GAUGE X 1/4"	2	
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 8MM 31G SHORT 31 GAUGE X 5/16"	2	
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 8MM 32G 32 GAUGE X 5/16"	2	
COMFORT EZ PEN NEEDLES 8MM 33G 33 GAUGE X 5/16"	2	
COMFORT EZ SYR 0.3 ML (insulin syringe-needle 29GX1/2" 0.3 ML 29 GAUGE X 1/2" u-100)	2	
COMFORT EZ SYR 0.5 ML (insulin syringe-needle 28GX1/2" 1/2 ML 28 GAUGE X 1/2" u-100)	2	
COMFORT EZ SYR 0.5 ML (insulin syringe-needle 29GX1/2" 0.5 ML 29 GAUGE X 1/2" u-100)	2	
COMFORT EZ SYR 0.5 ML (insulin syringe-needle 30GX1/2" 0.5 ML 30 GAUGE X 1/2" u-100)	2	
COMFORT EZ SYR 1 ML (insulin syringe-needle 28GX1/2" 1 ML 28 GAUGE X 1/2" u-100)	2	
COMFORT EZ SYR 1 ML (insulin syringe-needle 29GX1/2" 1 ML 29 GAUGE X 1/2" u-100)	2	
COMFORT EZ SYR 1 ML (insulin syringe-needle 30GX1/2" 1 ML 30 GAUGE X 1/2" u-100)	2	
COMFORT EZ SYR 1 ML (insulin syringe-needle 30GX5/16" 1 ML 30 GAUGE X 5/16" u-100)	2	
COMFORT POINT PEN NDL 31GX1/3" 31 GAUGE X 1/3"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
COMFORT POINT PEN NDL 31GX1/6" 31 GAUGE X 1/6"	2	
COMFORT TOUCH PEN NDL (pen needle, diabetic) 31G 4MM 31 GAUGE X 5/32"	2	
COMFORT TOUCH PEN NDL (pen needle, diabetic) 31G 5MM 31 GAUGE X 3/16"	2	
COMFORT TOUCH PEN NDL (pen needle, diabetic) 31G 6MM 31 GAUGE X 1/4"	2	
COMFORT TOUCH PEN NDL (pen needle, diabetic) 31G 8MM 31 GAUGE X 5/16"	2	
COMFORT TOUCH PEN NDL (pen needle, diabetic) 32G 4MM 32 GAUGE X 5/32"	2	
COMFORT TOUCH PEN NDL (pen needle, diabetic) 32G 5MM 32 GAUGE X 3/16"	2	
COMFORT TOUCH PEN NDL (pen needle, diabetic) 32G 6MM 32 GAUGE X 1/4"	2	
COMFORT TOUCH PEN NDL (pen needle, diabetic) 32G 8MM 32 GAUGE X 5/16"	2	
COMFORT TOUCH PEN NDL (pen needle, diabetic) 33G 4MM 33 GAUGE X 5/32"	2	
COMFORT TOUCH PEN NDL (pen needle, diabetic) 33G 6MM 33 GAUGE X 1/4"	2	
COMFORT TOUCH PEN NDL (pen needle, diabetic) 33GX5MM 33 GAUGE X 3/16"	2	
CURAD GAUZE PADS 2" X 2" 2 (gauze bandage) X 2 "	1	
CURITY GAUZE SPONGES (12 PLY)-200/BAG 2 X 2 "	1	
CURITY GUAZE PADS 1'S(12 (gauze bandage) PLY) 2 X 2 "	1	
DERMACEA 2"X2" GAUZE 12 (gauze bandage) PLY, USP TYPE VII 2 X 2 "	1	
DERMACEA GAUZE 2"X2" SPONGE 8 PLY 2 X 2 "	1	
DERMACEA NON-WOVEN 2"X2" SPNGE 2 X 2 "	1	
DROPLET 0.5 ML 29GX12.5MM(1/2) 0.5 ML 29 GAUGE X 1/2"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DROPLET 0.5 ML 30GX12.5MM(1/2) 0.5 ML 30 GAUGE X 1/2"	2	
DROPLET INS 0.3 ML 29GX12.5MM 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2
DROPLET INS 0.3 ML 30GX12.5MM 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2
DROPLET INS 0.5 ML 30GX6MM(1/2) 0.5ML 30 GAUGE X 15/64"	2	
DROPLET INS 0.5 ML 30GX8MM(1/2) 0.5 ML 30 GAUGE X 5/16"	2	
DROPLET INS 0.5 ML 31GX6MM(1/2) 0.5 ML 31 GAUGE X 15/64"	2	
DROPLET INS 0.5 ML 31GX8MM(1/2) 0.5 ML 31 GAUGE X 5/16"	2	
DROPLET INS SYR 0.3 ML 30GX6MM 0.3 ML 30 GAUGE X 15/64"	2	
DROPLET INS SYR 0.3 ML 30GX8MM 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2
DROPLET INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2
DROPLET INS SYR 0.3 ML 31GX8MM 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2
DROPLET INS SYR 1 ML 29GX12.5MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2
DROPLET INS SYR 1 ML 30GX12.5MM 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DROPLET INS SYR 1 ML 30GX6MM 1 ML 30 GAUGE X 15/64"	2	
DROPLET INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2
DROPLET INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2
DROPLET INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2
DROPLET MICRON 34G X 9/64" 34 GAUGE X 9/64"		2
DROPLET PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2
DROPLET PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"		2
DROPLET PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"	(pen needle, diabetic)	2
DROPLET PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2
DROPLET PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2
DROPLET PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2
DROPLET PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2
DROPLET PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	2
DROPLET PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16"	(pen needle, diabetic)	2
DROPLET PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2
DROPSAFE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"		2
DROPSAFE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DROPSAFE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	2	
DRUG MART ULTRA (insulin syringe-needle COMFORT SYR 0.3 ML 29 u-100) GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16	2	
EASY COMFORT 0.3 ML (insulin syringe-needle SYRINGE 0.3 ML 30 GAUGE X u-100) 5/16"	2	
EASY COMFORT 0.5 ML (insulin syringe-needle 30GX1/2" 0.5 ML 30 GAUGE X u-100) 1/2"	2	
EASY COMFORT 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16"	2	
EASY COMFORT 0.5 ML 32GX5/16" 1/2 ML 32 GAUGE X 5/16"	2	
EASY COMFORT 0.5 ML (insulin syringe-needle SYRINGE 0.5 ML 30 GAUGE X u-100) 5/16"	2	
EASY COMFORT 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X u-100) 5/16	2	
EASY COMFORT 1 ML 32GX5/16" 1 ML 32 GAUGE X 5/16"	2	
EASY COMFORT INSULIN 1 (insulin syringe-needle ML SYR 1 ML 30 GAUGE X 5/16 u-100)	2	
EASY COMFORT PEN NDL (pen needle, diabetic) 31GX1/4" 31 GAUGE X 1/4"	2	
EASY COMFORT PEN NDL (pen needle, diabetic) 31GX3/16" 31 GAUGE X 3/16"	2	
EASY COMFORT PEN NDL (pen needle, diabetic) 31GX5/16" 31 GAUGE X 5/16"	2	
EASY COMFORT PEN NDL (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
EASY COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
EASY COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	2	
EASY COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic)	2	
EASY COMFORT SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
EASY GLIDE INS 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	
EASY GLIDE INS 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	
EASY GLIDE INS 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	
EASY GLIDE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
EASY TOUCH 0.3 ML SYR 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
EASY TOUCH 0.5 ML SYR 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
EASY TOUCH 0.5 ML SYR 29GX1/2" 0.5 ML 29 GAUGE X 1/2"		2	
EASY TOUCH 0.5 ML SYR 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
EASY TOUCH 0.5 ML SYR 30GX5/16 0.5 ML 30 GAUGE X 5/16"		2	
EASY TOUCH 1 ML SYR 27GX1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EASY TOUCH 1 ML SYR 29GX1/2" 1 ML 29 GAUGE X 1/2"	2	
EASY TOUCH 1 ML SYR 30GX1/2" 1 ML 30 GAUGE X 1/2"	2	
EASY TOUCH FLIPLOK 1 ML 27GX0.5 1 ML 27 GAUGE X 1/2"	2	
EASY TOUCH INSULIN 1 ML 29GX1/2 1 ML 29 GAUGE X 1/2"	2	
EASY TOUCH INSULIN 1 ML 30GX1/2 1 ML 30 GAUGE X 1/2"	2	
EASY TOUCH INSULIN SYR (insulin syringe-needle 0.3 ML 0.3 ML 30 GAUGE X u-100) 5/16", 0.3 ML 31 GAUGE X 5/16"	2	
EASY TOUCH INSULIN SYR (insulin syringe-needle 0.5 ML 0.5 ML 30 GAUGE X u-100) 5/16", 0.5 ML 31 GAUGE X 5/16"	2	
EASY TOUCH INSULIN SYR 1 (insulin syringe-needle ML 1 ML 30 GAUGE X 5/16, 1 u-100) ML 31 GAUGE X 5/16	2	
EASY TOUCH INSULIN SYR 1 (insulin syringe-needle ML RETRACTABLE 1 ML 30 u-100) GAUGE X 1/2"	2	
EASY TOUCH INSULN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	2	
EASY TOUCH INSULN 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	2	
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	2	
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	2	
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"	2	
EASY TOUCH LUER LOK INSUL 1 ML	(insulin syringe needleless)	2
EASY TOUCH PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2
EASY TOUCH PEN NEEDLE 30GX5/16 30 GAUGE X 5/16"	(pen needle, diabetic)	2
EASY TOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2
EASY TOUCH PEN NEEDLE 31GX3/16 31 GAUGE X 3/16"	(pen needle, diabetic)	2
EASY TOUCH PEN NEEDLE 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic)	2
EASY TOUCH PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2
EASY TOUCH PEN NEEDLE 32GX3/16 32 GAUGE X 3/16"	(pen needle, diabetic)	2
EASY TOUCH PEN NEEDLE 32GX5/32 32 GAUGE X 5/32"	(pen needle, diabetic)	2
EASY TOUCH SAF PEN NDL 29G 5MM 29 GAUGE X 3/16"		2
EASY TOUCH SAF PEN NDL 29G 8MM 29 GAUGE X 5/16"		2
EASY TOUCH SAF PEN NDL 30G 5MM 30 GAUGE X 3/16"		2
EASY TOUCH SAF PEN NDL 30G 8MM 30 GAUGE X 5/16"		2
EASY TOUCH SYR 0.5 ML 28G 12.7MM 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2
EASY TOUCH SYR 0.5 ML 29G 12.7MM 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2
EASY TOUCH SYR 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8"		2
EASY TOUCH SYR 1 ML 28G 12.7MM 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
EASY TOUCH SYR 1 ML 29G 12.7MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	
EASY TOUCH UNI-SLIP SYR 1 ML	(insulin syringe needleless) 2	
EASYTOUCH SAF PEN NDL 30G 6MM 30 GAUGE X 1/4"	2	
EMBRACE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic) 2	
EMBRACE PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"	2	
EMBRACE PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	(pen needle, diabetic) 2	
EMBRACE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic) 2	
EMBRACE PEN NEEDLE 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic) 2	
EMBRACE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic) 2	
EMBRACE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic) 2	
EQL INSULIN 0.3 ML SYRINGE SHORT NEEDLE 0.3 ML 30	(Ultra Comfort Insulin Syringe) 2	
EQL INSULIN 0.5 ML SYRINGE SHORT NEEDLE 1/2 ML 30 GAUGE	(Lite Touch Insulin Syringe) 2	
EQL INSULIN 1 ML SYRINGE SHORT NEEDLE 1 ML 30 GAUGE X 7/16"	(Lite Touch Insulin Syringe) 2	
EXEL INSULIN SYRINGE 27G- 1 ML 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	
FIFTY50 INS 0.5 ML 31GX5/16" SHORT NEEDLE 0.5 ML 31 GAUGE X 5/16"	(Advocate Syringes) 2	
FIFTY50 INS SYR 1 ML 31GX5/16" SHORT NEEDLE 1 ML 31 GAUGE X 5/16"	(Advocate Syringes) 2	
FIFTY50 PEN 31G X 3/16" NEEDLE (OTC) 31 GAUGE X 3/16"	(pen needle, diabetic) 2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
FP INSULIN 1 ML SYRINGE 1 ML 28 GAUGE	(Lite Touch Insulin Syringe)	2	
FREESTYLE PREC 0.5 ML 30GX5/16 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
FREESTYLE PREC 0.5 ML 31GX5/16 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
FREESTYLE PREC 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
FREESTYLE PREC 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	(gauze bandage)	1	
GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 0.3 ML 29 GAUGE X 1/2"		2	
GNP ULTRA COMFORT 0.5 ML SYR 1/2 ML 29 , 1/2 ML 30 GAUGE	(insulin syringe-needle u-100)	2	
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16"	(insulin syringe-needle u-100)	2	
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 29 GAUGE		2	
GNP ULTRA COMFORT 3/10 ML SYR 0.3 ML 30	(insulin syringe-needle u-100)	2	
HEALTHWISE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
HEALTHWISE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
HEALTHWISE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
HEALTHWISE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
HEALTHWISE INS 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
HEALTHWISE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
HEALTHWISE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
HEALTHWISE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
HEALTHWISE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
HEALTHY ACCENTS PENTIP 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
HEALTHY ACCENTS PENTIP 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
HEALTHY ACCENTS PENTIP 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
HEALTHY ACCENTS PENTIP 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
HEALTHY ACCENTS PENTIP 12MM 29G 29 GAUGE X 1/2"		2	
INCONTROL PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
INCONTROL PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
INCONTROL PEN NEEDLE 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
INCONTROL PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
INCONTROL PEN NEEDLE 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
INPEN (FOR HUMALOG) BLUE SUBCUTANEOUS INSULIN PEN		3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INPEN (NOVOLOG OR FIASP) BLUE SUBCUTANEOUS INSULIN PEN	3	
INSULIN SYR 0.3 ML (Advocate Syringes) 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	2	
INSULIN SYR 0.3 ML (UltiCare Insulin Syr(half unit)) 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4"	2	
INSULIN SYRIN 0.3 ML (Comfort EZ Insulin Syringe) 30GX1/2" SHORT NEEDLE 0.3 ML 30 GAUGE X 1/2"	2	
INSULIN SYRIN 0.5 ML (Comfort EZ Insulin Syringe) 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	2	
INSULIN SYRIN 0.5 ML (Advocate Syringes) 29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	2	
INSULIN SYRIN 0.5 ML (Comfort EZ Insulin Syringe) 30GX1/2" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 1/2"	2	
INSULIN SYRIN 0.5 ML (Advocate Syringes) 30GX5/16" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 5/16"	2	
INSULIN SYRINGE 0.5 ML 27G (Easy Touch Insulin Syringe) 1/2" INNER 1/2 ML 27 GAUGE X 1/2"	2	
INSULIN SYRINGE 0.3 ML 0.3 (insulin syringe-needle u-100) ML 29 GAUGE	2	
INSULIN SYRINGE 0.3 ML (Sure Comfort Insulin Syringe) 31GX1/4 0.3 ML 31 GAUGE X 1/4"	2	
INSULIN SYRINGE 0.5 ML 1/2 (insulin syringe-needle u-100) ML 29	2	
INSULIN SYRINGE 0.5 ML (Sure Comfort Insulin Syringe) 31GX1/4 1/2 ML 31 GAUGE X 1/4"	2	
INSULIN SYRINGE 1 ML 1 ML 29 GAUGE	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INSULIN SYRINGE 1 ML (BD Eclipse Luer-Lok) 30GX1/2" (RX) 1 ML 30 GAUGE X 1/2"	2	
INSULIN SYRINGE 1 ML (Advocate Syringes) 30GX5/16" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 5/16	2	
INSULIN SYRINGE 1 ML (Sure Comfort Insulin Syringe) 31GX1/4" 1 ML 31 GAUGE X 1/4"	2	
INSULIN SYRINGE-NEEDLE (Ultilet Insulin Syringe) U-100 SYRINGE 0.3 ML 29 GAUGE	2	
INSULIN SYRINGE-NEEDLE (Advocate Syringes) U-100 SYRINGE 1 ML 29 GAUGE X 1/2"	2	
INSULIN SYRINGE-NEEDLE (Lite Touch Insulin Syringe) U-100 SYRINGE 1/2 ML 28 GAUGE	2	
INSUPEN 30G ULTRAFIN (pen needle, diabetic) NEEDLE 30 GAUGE X 5/16"	2	
INSUPEN 31G ULTRAFIN (pen needle, diabetic) NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 5/16"	2	
INSUPEN 32G 6MM PEN (pen needle, diabetic) NEEDLE 32 GAUGE X 1/4"	2	
INSUPEN 32G 8MM PEN (pen needle, diabetic) NEEDLE 32 GAUGE X 5/16"	2	
INSUPEN PEN NEEDLE (pen needle, diabetic) 29GX12MM 29 GAUGE X 1/2"	2	
INSUPEN PEN NEEDLE (pen needle, diabetic) 31GX3/16" 31 GAUGE X 3/16"	2	
INSUPEN PEN NEEDLE (pen needle, diabetic) 32GX4MM 32 GAUGE X 5/32"	2	
INSUPEN PEN NEEDLE (pen needle, diabetic) 33GX4MM 33 GAUGE X 5/32"	2	
LISCO SPONGES 100/BAG 2 X 2 "	1	
LITE TOUCH 31GX1/4" PEN (pen needle, diabetic) NEEDLE 31 GAUGE X 1/4"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
LITE TOUCH INSULIN 0.5 ML SYR 1/2 ML 28 GAUGE, 1/2 ML 29 , 1/2 ML 30 GAUGE (insulin syringe-needle u-100)	2	
LITE TOUCH INSULIN 1 ML SYR 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16" (insulin syringe-needle u-100)	2	
LITE TOUCH INSULIN 1 ML SYR 1 ML 29 GAUGE	2	
LITE TOUCH INSULIN SYR 1 ML 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	
LITE TOUCH PEN NEEDLE 29G 29 GAUGE X 1/2" (pen needle, diabetic)	2	
LITE TOUCH PEN NEEDLE 31G 31 GAUGE X 3/16", 31 GAUGE X 5/16" (pen needle, diabetic)	2	
LITETOUCH INS 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
LITETOUCH INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
LITETOUCH INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
LITETOUCH INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
LITETOUCH SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
LITETOUCH SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
LITETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
LITETOUCH SYRIN 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
LITETOUCH SYRIN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
LITETOUCH SYRIN 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
MAGELLAN INSUL SYRINGE 0.3 ML 0.3 ML 30 X 5/16"		2	
MAGELLAN INSUL SYRINGE 0.5 ML 0.5 ML 30 GAUGE X 5/16"		2	
MAGELLAN INSULIN SYR 0.3 ML 0.3 ML 29 GAUGE X 1/2"		2	
MAGELLAN INSULIN SYR 0.5 ML 0.5 ML 29 GAUGE X 1/2"		2	
MAGELLAN INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"		2	
MAXICOMFORT II PEN NDL 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
MAXICOMFORT INS 0.5 ML 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MAXI-COMFORT INS 0.5 ML 28G 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MAXICOMFORT INS 1 ML 27GX1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MAXI-COMFORT INS 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MAXICOMFORT PEN NDL 29G X 5MM 29 GAUGE X 3/16"		2	
MAXICOMFORT PEN NDL 29G X 8MM 29 GAUGE X 5/16"		2	
MICRODOT PEN NEEDLE 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
MICRODOT PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
MICRODOT PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
MINI PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(1st Tier Unifine Pentips)	2	
MINI PEN NEEDLE 32G 5MM 32 GAUGE X 3/16"	(CareFine Pen Needle)	2	
MINI PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(BD Ultra-Fine Micro Pen Needle)	2	
MINI PEN NEEDLE 32G 8MM 32 GAUGE X 5/16"	(Comfort EZ Pen Needles)	2	
MINI PEN NEEDLE 33G 4MM 33 GAUGE X 5/32"	(Advocate Pen Needle)	2	
MINI PEN NEEDLE 33G 5MM 33 GAUGE X 3/16"	(Comfort EZ Pen Needles)	2	
MINI PEN NEEDLE 33G 6MM 33 GAUGE X 1/4"	(Comfort EZ Pen Needles)	2	
MINI ULTRA-THIN II PEN NDL 31G STERILE 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
MONOJECT 0.5 ML SYRN 28GX1/2" 1/2 ML 28 GAUGE	(insulin syringe-needle u-100)	2	
MONOJECT 1 ML SYRN 27X1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MONOJECT 1 ML SYRN 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MONOJECT INSUL SYR U100 (OTC) 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8"	(insulin syringe-needle u-100)	2	
MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC) (insulin syringes (disposable))	2	
MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	
MONOJECT INSULIN SYR U-100 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
MONOJECT INSULIN SYR U-100 29 GAUGE X 1/2"	2	
MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
MONOJECT SYRINGE 1 ML 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	
NOVOFINE 30 NEEDLE	2	
NOVOFINE 32G NEEDLES 32 GAUGE X 1/4" (pen needle, diabetic)	2	
NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6"	2	
NOVOTWIST NEEDLE 32G 5MM 32 GAUGE X 1/5"	2	
OMNIPOD 5 G6 INTRO KIT (GEN 5) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)
OMNIPOD 5 G6 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
OMNIPOD CLASSIC PDM KIT(GEN 3)	3	QL (1 per 365 days)
OMNIPOD CLASSIC PODS (GEN 3) SUBCUTANEOUS CARTRIDGE	3	
OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)
OMNIPOD DASH PDM KIT (GEN 4)	3	QL (1 per 365 days)
OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE	3	
PC UNIFINE PENTIPS 8MM NEEDLE SHORT 31 GAUGE X 5/16" (pen needle, diabetic)	2	
PEN NEEDLE 30G X 5/16" 30 GAUGE X 5/16" (pen needle, diabetic)	2	
PEN NEEDLE 30G X 8MM 30 GAUGE X 5/16" (AboutTime Pen Needle)	2	
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2" (1st Tier Unifine Pentips Plus)	2	
PEN NEEDLES 12MM 29G 29GX12MM,STRL 29 GAUGE X 1/2" (pen needle, diabetic)	2	
PEN NEEDLES 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)	2	
PEN NEEDLES 6MM 31G 31GX6MM, STRL 31 GAUGE X 1/4" (1st Tier Unifine Pentips)	2	
PEN NEEDLES 8MM 31G 31GX8MM,STRL,SHORT (OTC) 31 GAUGE X 5/16" (pen needle, diabetic)	2	
PENTIPS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)	2	
PENTIPS PEN NEEDLE 31GX3/16" MINI, 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
PENTIPS PEN NEEDLE 31GX5/16" SHORT, 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
PENTIPS PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
PENTIPS PEN NEEDLE 32GX5/32" 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
PENTIPS PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
PIP PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
PIP PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
PREVENT PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"		2	
PREVENT PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"		2	
PRO COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
PRO COMFORT 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
PRO COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
PRO COMFORT 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
PRO COMFORT 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
PRO COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
PRO COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
PRO COMFORT PEN NDL 32G X 1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
PRO COMFORT PEN NDL 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
PRO COMFORT PEN NDL 5MM 32G 32 GAUGE X 3/16"	(pen needle, diabetic)	2	
PRODIGY INS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
PRODIGY SYRNG 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
PRODIGY SYRNGE 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
PURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
PURE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	2	
PURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
PURE COMFORT PEN NDL 32G 8MM 32 GAUGE X 5/16"	(pen needle, diabetic)	2	
RAYA SURE PEN NEEDLE 29G 12MM 29 GAUGE X 15/32"		2	
RAYA SURE PEN NEEDLE 31G 4MM 31 GAUGE X 5/32"	(Comfort Touch Pen Needle)	2	
RAYA SURE PEN NEEDLE 31G 5MM 31 GAUGE X 13/64"		2	
RAYA SURE PEN NEEDLE 31G 6MM 31 GAUGE X 15/64"		2	
RELI ON 31G X 1/4" NEEDLES 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
RELION INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(BD Veo Insulin Syringe UF)	2	
RELION INS SYR 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64"	(BD Veo Insulin Syringe UF)	2	
RELION INS SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"	(BD Veo Insulin Syringe UF)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
RELI-ON INSULIN 0.5 ML SYR (Lite Touch Insulin Syringe) 1/2 ML 29	2	
RELI-ON INSULIN 1 ML SYR 1 ML 29 GAUGE X 7/16"	2	
RELION MINI PEN 31G X 1/4" (pen needle, diabetic) NDL 31 GAUGE X 1/4"	2	
RELION PEN NEEDLES (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	2	
SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10 0.3 ML 30 GAUGE X 5/16"	2	
SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10 0.5 ML 29 GAUGE X 1/2"	2	
SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10 0.5 ML 30 GAUGE X 5/16"	2	
SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10 1 ML 28 GAUGE X 1/2"	2	
SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10 1 ML 29 GAUGE X 1/2"	2	
SAFETY PEN NEEDLE 31G 4MM 31 GAUGE X 5/32"	2	
SAFETY PEN NEEDLE 5MM X (pen needle, diabetic, 31G 31 GAUGE X 3/16" safety)	2	
SECURESAFE PEN NDL 30GX5/16" OUTER 30 GAUGE X 5/16"	2	
SKY SAFETY PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"	2	
SKY SAFETY PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	2	
SM STERILE PADS 2" X 2" (gauze bandage) 2"X2", STERILE 2 X 2 "	1	
SM ULT CFT 0.3 ML 31GX5/16(1/2) 0.3 ML 31 GAUGE X 5/16"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
SURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"		2	
SURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"		2	
NEEDLES, INSULIN DISP., SAFETY	(insulin syringe-needle u-100)	2	
SURE COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
SURE COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
SURE COMFORT 3/10 ML SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
SURE COMFORT 30G PEN NEEDLE 30 GAUGE X 5/16"	(pen needle, diabetic)	2	
SURE COMFORT INS 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	
SURE COMFORT INS 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	
SURE COMFORT INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	
SURE COMFORT PEN NDL 29GX1/2" 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
SURE COMFORT PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SURE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	2	
SURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	
SURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic)	2	
SURE-FINE PEN NEEDLES 12.7MM 29 GAUGE X 1/2" (pen needle, diabetic)	2	
SURE-FINE PEN NEEDLES 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	
SURE-FINE PEN NEEDLES 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	2	
SURE-JECT INSU SYR U100 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
SURE-JECT INSU SYR U100 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
SURE-JECT INSU SYR U100 1 ML 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
SURE-JECT INSUL SYR U100 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	
SURE-JECT INSULIN SYRINGE 1 ML 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	
TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2"	2	
TECHLITE 0.3 ML 30GX12MM (1/2) 0.3 ML 30 GAUGE X 1/2"	2	
TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16"	2	
TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64"	2	
TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16"	2	
TECHLITE 0.5 ML 29GX12MM (1/2) 0.5 ML 29 GAUGE X 1/2"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TECHLITE 0.5 ML 30GX12MM (1/2) 0.5 ML 30 GAUGE X 1/2"	2	
TECHLITE 0.5 ML 30GX8MM (1/2) 0.5 ML 30 GAUGE X 5/16"	2	
TECHLITE 0.5 ML 31GX6MM (1/2) 0.5 ML 31 GAUGE X 15/64"	2	
TECHLITE 0.5 ML 31GX8MM (1/2) 0.5 ML 31 GAUGE X 5/16"	2	
TECHLITE INS SYR 1 ML (insulin syringe-needle 29GX12MM 1 ML 29 GAUGE X u-100) 1/2"	2	
TECHLITE INS SYR 1 ML (insulin syringe-needle 30GX12MM 1 ML 30 GAUGE X u-100) 1/2"	2	
TECHLITE INS SYR 1 ML (insulin syringe-needle 30GX8MM 1 ML 30 GAUGE X u-100) 5/16	2	
TECHLITE INS SYR 1 ML (insulin syringe-needle 31GX6MM 1 ML 31 GAUGE X u-100) 15/64"	2	
TECHLITE INS SYR 1 ML (insulin syringe-needle 31GX8MM 1 ML 31 GAUGE X u-100) 5/16	2	
TECHLITE PEN NEEDLE (pen needle, diabetic) 29GX1/2" 29 GAUGE X 1/2"	2	
TECHLITE PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"	2	
TECHLITE PEN NEEDLE (pen needle, diabetic) 31GX1/4" 31 GAUGE X 1/4"	2	
TECHLITE PEN NEEDLE (pen needle, diabetic) 31GX3/16" 31 GAUGE X 3/16"	2	
TECHLITE PEN NEEDLE (pen needle, diabetic) 31GX5/16" 31 GAUGE X 5/16"	2	
TECHLITE PEN NEEDLE (pen needle, diabetic) 32GX1/4" 32 GAUGE X 1/4"	2	
TECHLITE PEN NEEDLE (pen needle, diabetic) 32GX5/16" 32 GAUGE X 5/16"	2	
TECHLITE PEN NEEDLE (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TERUMO INS SYR 0.3 ML (Advocate Syringes) 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	2	
TERUMO INS SYRINGE U100-1 (insulin syringe-needle ML 1 ML 27 GAUGE X 1/2", 1 u-100) ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2"	2	
TERUMO INS SYRINGE U100-1 (Thinpro Insulin ML 1 ML 30 GAUGE X 3/8" Syringe)	2	
TERUMO INS SYRINGE U100- (insulin syringe-needle 1/2 ML 1/2 ML 30 X 3/8" u-100)	2	
TERUMO INS SYRINGE U100- (insulin syringe-needle 1/3 ML 0.3 ML 30 X 3/8" u-100)	2	
TERUMO INS SYRNG U100-1/2 (insulin syringe-needle ML 0.5 ML 29 GAUGE X 1/2", u-100) 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2"	2	
THINPRO INS SYRIN U100-0.3 (insulin syringe-needle ML 0.3 ML 29 GAUGE X 1/2", u-100) 0.3 ML 30 X 3/8"	2	
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 31 X 3/8"	2	
THINPRO INS SYRIN U100-0.5 (insulin syringe-needle ML 0.5 ML 29 GAUGE X 1/2", u-100) 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8"	2	
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 31 X 3/8"	2	
THINPRO INS SYRIN U100-1 (insulin syringe-needle ML 1 ML 28 GAUGE X 1/2", 1 u-100) ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 3/8"	2	
THINPRO INS SYRIN U100-1 ML 1 ML 31 X 3/8"	2	
TOPCARE CLICKFINE 31G X (pen needle, diabetic) 1/4" 31 GAUGE X 1/4"	2	
TOPCARE CLICKFINE 31G X (pen needle, diabetic) 5/16" 31 GAUGE X 5/16"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
TOPCARE ULTRA COMFORT SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	2	
TRUE CMFRT PRO 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16"	2	
TRUE CMFRT PRO 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"	2	
TRUE CMFRT PRO 0.5 ML 32G 5/16" 1/2 ML 32 GAUGE X 5/16"	2	
TRUE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"	2	
TRUE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	
TRUE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	
TRUE COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	2	
TRUE COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	2	
TRUE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16"	2	
TRUE COMFORT PEN NDL 31GX5MM 31 GAUGE X 3/16"	2	
TRUE COMFORT PEN NDL 31GX6MM 31 GAUGE X 1/4"	2	
TRUE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16"	2	
TRUE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	2	
TRUE COMFORT PEN NDL 32GX4MM 32 GAUGE X 5/32"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRUE COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32" (pen needle, diabetic)	2	
TRUE COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16" (pen needle, diabetic)	2	
TRUE COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4" (pen needle, diabetic)	2	
TRUE COMFORT PRO 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
TRUE COMFORT PRO 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
TRUE COMFORT PRO 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
TRUE COMFORT PRO 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
TRUE COMFRT PRO 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
TRUEPLUS PEN NEEDLE 29G 12MM 29 GAUGE X 1/2" (pen needle, diabetic)	2	
TRUEPLUS PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	
TRUEPLUS PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	2	
TRUEPLUS PEN NEEDLE 31G X 1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	2	
TRUEPLUS PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)	2	
TRUEPLUS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
TRUEPLUS SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
TRUEPLUS SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TRUEPLUS SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	2	
TRUEPLUS SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	2	
TRUEPLUS SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	2	
TRUEPLUS SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	2	
TRUEPLUS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	2	
TRUEPLUS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	2	
TRUEPLUS SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	2	
TRUEPLUS SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	2	
ULT CFT 0.3 ML 30GX5/16" (1/2) 1/2 UNIT 0.3 ML 30 GAUGE X 5/16"	2	
ULTICAR INS 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4"	2	(insulin syr/ndl u100 half mark)
ULTICARE INS 0.3 ML 31GX1/4" 0.3 ML 31 GAUGE X 1/4"	2	(insulin syringe-needle u-100)
ULTICARE INS 0.5 ML 31GX1/4" 1/2 ML 31 GAUGE X 1/4"	2	(insulin syringe-needle u-100)
ULTICARE INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	2	(insulin syringe-needle u-100)
ULTICARE INS SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	2	(insulin syringe-needle u-100)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTICARE PEN NEEDLE (pen needle, diabetic) 31GX3/16" 31 GAUGE X 3/16"	2	
ULTICARE PEN NEEDLE 6MM (pen needle, diabetic) 31G 31 GAUGE X 1/4"	2	
ULTICARE PEN NEEDLE 8MM (pen needle, diabetic) 31G 31 GAUGE X 5/16"	2	
ULTICARE PEN NEEDLES (pen needle, diabetic) 12MM 29G 29 GAUGE X 1/2"	2	
ULTICARE PEN NEEDLES (pen needle, diabetic) 4MM 32G MICRO, 32GX4MM 32 GAUGE X 5/32"	2	
ULTICARE PEN NEEDLES (pen needle, diabetic) 6MM 32G 32 GAUGE X 1/4"	2	
ULTICARE SAFE PEN NDL 30G 8MM 30 GAUGE X 5/16"	2	
ULTICARE SAFE PEN NDL 5MM 30G 30 GAUGE X 3/16"	2	
ULTICARE SYR 0.3 ML (insulin syringe-needle 30GX1/2" 0.3 ML 30 GAUGE X u-100) 1/2"	2	
ULTICARE SYR 0.3 ML (insulin syringe-needle 31GX5/16" SHORT NDL 0.3 ML u-100) 31 GAUGE X 5/16"	2	
ULTICARE SYR 0.5 ML (insulin syringe-needle 30GX1/2" 0.5 ML 30 GAUGE X u-100) 1/2"	2	
ULTICARE SYR 0.5 ML (insulin syringe-needle 31GX5/16" SHORT NDL 0.5 ML u-100) 31 GAUGE X 5/16"	2	
ULTICARE SYR 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X u-100) 5/16"	2	
ULTIGUARD SAFE 1 ML 30G 12.7MM 1 ML 30 X 1/2"	2	
ULTIGUARD SAFE PACK 29G 12.7MM 29 GAUGE X 1/2"	2	
ULTIGUARD SAFE PACK 32G 4MM 32 GAUGE X 5/32"	2	
ULTIGUARD SAFE0.3 ML 30G 12.7MM 0.3 ML 30 X 1/2"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTIGUARD SAFE0.5 ML 30G 12.7MM 1/2 ML 30 X 1/2"	2	
ULTIGUARD SAFEPACK 1 ML 31G 8MM 1 ML 31 X 5/16"	2	
ULTIGUARD SAFEPACK 31G 5MM 31 GAUGE X 3/16"	2	
ULTIGUARD SAFEPACK 31G 6MM 31 GAUGE X 1/4"	2	
ULTIGUARD SAFEPACK 31G 8MM 31 GAUGE X 5/16"	2	
ULTIGUARD SAFEPACK 32G 6MM 32 GAUGE X 1/4"	2	
ULTIGUARD SAFEPK 0.3 ML 31G 8MM 0.3 ML 31 X 5/16"	2	
ULTIGUARD SAFEPK 0.5 ML 31G 8MM 1/2 ML 31 X 5/16"	2	
ULTILET INSULIN SYRINGE (insulin syringe-needle 0.3 ML 0.3 ML 29 GAUGE X u-100) 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16"	2	
ULTILET INSULIN SYRINGE (insulin syringe-needle 0.5 ML 0.5 ML 29 GAUGE X u-100) 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	2	
ULTILET INSULIN SYRINGE 1 (insulin syringe-needle ML 1 ML 29 GAUGE X 1/2", 1 u-100) ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	2	
ULTILET PEN NEEDLE 29 GAUGE	2	
ULTILET PEN NEEDLE 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32"	2	
ULTRA COMFORT 0.3 ML (insulin syringe-needle SYRINGE 0.3 ML 30 GAUGE X u-100) 5/16"	2	
ULTRA COMFORT 0.5 ML (insulin syringe-needle 28GX1/2" CONVERTS TO 29G u-100) 1/2 ML 28 GAUGE X 1/2"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTRA COMFORT 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
ULTRA COMFORT 0.5 ML SYRINGE 1/2 ML 28 GAUGE (insulin syringe-needle u-100)	2	
ULTRA COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	
ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
ULTRA FLO 0.3 ML 30G 1/2" (1/2) 0.3 ML 30 GAUGE X 1/2"	2	
ULTRA FLO 0.3 ML 30G 5/16"(1/2) 0.3 ML 30 GAUGE X 5/16"	2	
ULTRA FLO 0.3 ML 31G 5/16"(1/2) 0.3 ML 31 GAUGE X 5/16"	2	
ULTRA FLO PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	
ULTRA FLO PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	2	
ULTRA FLO PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	
ULTRA FLO PEN NEEDLE 33G 4MM 33 GAUGE X 5/32" (pen needle, diabetic)	2	
ULTRA FLO PEN NEEDLES 12MM 29G 29 GAUGE X 1/2" (pen needle, diabetic)	2	
ULTRA FLO SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
ULTRA FLO SYR 0.3 ML 30G 5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
ULTRA FLO SYR 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
ULTRA FLO SYR 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
ULTRA THIN PEN NDL 32G X 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTRACARE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
ULTRACARE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
ULTRACARE INS 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
ULTRACARE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
ULTRACARE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
ULTRACARE INS 1 ML 30G X 5/16" 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	
ULTRACARE INS 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
ULTRACARE INS 1 ML 31G X 5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	
ULTRACARE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	2	
ULTRACARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	2	
ULTRACARE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)	2	
ULTRACARE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4" (pen needle, diabetic)	2	
ULTRACARE PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16" (pen needle, diabetic)	2	
ULTRACARE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)	2	
ULTRACARE PEN NEEDLE 33GX5/32" 33 GAUGE X 5/32" (pen needle, diabetic)	2	
ULTRA-THIN II 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTRA-THIN II INS 0.3 ML 30G 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRA-THIN II INS 0.3 ML 31G 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRA-THIN II INS 0.5 ML 29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ULTRA-THIN II INS 0.5 ML 30G 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRA-THIN II INS 0.5 ML 31G 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRA-THIN II INS SYR 1 ML 29G 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ULTRA-THIN II INS SYR 1 ML 30G 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRA-THIN II PEN NDL 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
ULTRA-THIN II PEN NDL 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
UNIFINE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
UNIFINE PENTIPS 12MM 29G 29GX12MM, STRL 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
UNIFINE PENTIPS 31GX3/16" 31GX5MM,STRL,MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
UNIFINE PENTIPS 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
UNIFINE PENTIPS 32GX5/32" 32GX4MM, STRL, NANO 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
UNIFINE PENTIPS 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
UNIFINE PENTIPS 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
UNIFINE PENTIPS MAX 30GX3/16" 30 GAUGE X 3/16"		2	
UNIFINE PENTIPS NEEDLES 29G 29 GAUGE		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
UNIFINE PENTIPS PLUS (pen needle, diabetic) 29GX1/2" 12MM 29 GAUGE X 1/2"	2	
UNIFINE PENTIPS PLUS 30GX3/16" 30 GAUGE X 3/16"	2	
UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX1/4" ULTRA SHORT, 6MM 31 GAUGE X 1/4"	2	
UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX3/16" MINI 31 GAUGE X 3/16"	2	
UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX5/16" SHORT 31 GAUGE X 5/16"	2	
UNIFINE PENTIPS PLUS (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	2	
UNIFINE PENTIPS PLUS (pen needle, diabetic) 33GX5/32" 33 GAUGE X 5/32"	2	
UNIFINE SAFECONTROL 30GX3/16" 30 GAUGE X 3/16"	2	
UNIFINE SAFECONTROL 30GX5/16" 30 GAUGE X 5/16"	2	
UNIFINE SAFECONTROL 32G 4MM 32 GAUGE X 5/32"	2	
UNIFINE ULTRA PEN NDL (pen needle, diabetic) 31G 5MM 31 GAUGE X 3/16"	2	
UNIFINE ULTRA PEN NDL (pen needle, diabetic) 31G 6MM 31 GAUGE X 1/4"	2	
UNIFINE ULTRA PEN NDL (pen needle, diabetic) 31G 8MM 31 GAUGE X 5/16"	2	
UNIFINE ULTRA PEN NDL (pen needle, diabetic) 32G 4MM 32 GAUGE X 5/32"	2	
VANISHPOINT 0.5 ML (insulin syringe-needle 30GX1/2" SY OUTER 0.5 ML 30 u-100) GAUGE X 1/2"	2	
VANISHPOINT INS 1 ML 30GX3/16" 1 ML 30 GAUGE X 3/16"	2	
VANISHPOINT U-100 29X1/2 (insulin syringe-needle SYR 1 ML 29 GAUGE X 1/2" u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VERIFINE PEN NEEDLE 31G X (pen needle, diabetic) 6MM 31 GAUGE X 1/4"	2	
VERIFINE PEN NEEDLE 31G X (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	
VERIFINE PEN NEEDLE 32G X (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	
VERIFINE PEN NEEDLE 32G X (pen needle, diabetic) 5MM 32 GAUGE X 3/16"	2	
VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY 2 X 2 "	1	
V-GO 20 DEVICE	3	
V-GO 30 DEVICE	3	
V-GO 40 DEVICE	3	
<b>Enzyme Replacement/Modifiers</b>		
<b>Enzyme Replacement/Modifiers</b>		
ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML	5	NDS
CERDELGA ORAL CAPSULE 84 MG	5	PA; NDS
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT	5	NDS
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 -60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	3	
ELAPRASE INTRAVENOUS SOLUTION 6 MG/3 ML	5	NDS
ELITEK INTRAVENOUS RECON SOLN 1.5 MG, 7.5 MG	5	NDS
FABRAZYME INTRAVENOUS RECON SOLN 35 MG, 5 MG	5	PA; NDS
GALAFOLD ORAL CAPSULE 123 MG	5	PA; NDS; QL (14 per 28 days)
<i>javygtor oral tablet,soluble 100 mg</i> (sapropterin)	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
KANUMA INTRAVENOUS SOLUTION 2 MG/ML	5	PA; NDS
KRYSTEXXA INTRAVENOUS SOLUTION 8 MG/ML	5	PA BvD; NDS
MEPSEVII INTRAVENOUS SOLUTION 2 MG/ML	5	PA; NDS
<i>miglustat oral capsule 100 mg</i> (Zavesca)	5	PA; NDS; QL (90 per 30 days)
NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML	5	NDS
<i>nitisinone oral capsule 10 mg, 2 mg, 5 mg</i> (Orfadin)	5	PA; NDS
ORFADIN ORAL CAPSULE 20 MG	5	PA; NDS
ORFADIN ORAL SUSPENSION 4 MG/ML	5	PA; NDS
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML	5	PA; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	PA BvD; NDS
REVCОВI INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)	5	PA; NDS
<i>sapropterin oral tablet, soluble 100 mg</i> (Javygtor)	5	PA; NDS
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	5	PA; LA; NDS
VIMIZIM INTRAVENOUS SOLUTION 5 MG/5 ML (1 MG/ML)	5	PA; NDS
VPRIV INTRAVENOUS RECON SOLN 400 UNIT	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 -42,000 UNIT, 15,000-47,000 - 63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 - 14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT	3	
<b>Eye, Ear, Nose, Throat Agents</b>		
<b>Eye, Ear, Nose, Throat Agents, Miscellaneous</b>		
<i>alcaine ophthalmic (eye) drops 0.5 %</i> (proparacaine)	2	
<i>apraclonidine ophthalmic (eye) drops 0.5 %</i>	2	
<i>atropine ophthalmic (eye) drops 1 %</i> (Isopto Atropine)	4	
<i>azelastine nasal aerosol,spray 137 mcg (0.1 %)</i>	2	QL (30 per 25 days)
<i>azelastine nasal spray,non-aerosol 205.5 mcg (0.15 %)</i> (Astepro Allergy)	2	QL (30 per 25 days)
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	2	
<i>bepotastine besilate ophthalmic (eye) drops 1.5 %</i> (Bepreve)	2	ST
<i>cromolyn ophthalmic (eye) drops 4 %</i>	2	
<i>cyclopentolate ophthalmic (eye) drops 0.5 %, 1 %, 2 %</i> (Cyclogyl)	2	
CYSTADROPS OPHTHALMIC (EYE) DROPS 0.37 %	5	PA; NDS; QL (20 per 28 days)
CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %	5	PA; NDS; QL (60 per 28 days)
<i>epinastine ophthalmic (eye) drops 0.05 %</i>	2	
<i>ipratropium bromide nasal spray,non-aerosol 21 mcg (0.03 %)</i>	2	QL (30 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)</i>	2	QL (15 per 10 days)
<i>levofloxacin ophthalmic (eye) drops 1.5 %</i>	2	
<i>olopatadine nasal spray,non-aerosol 0.6 %</i> (Patanase)	2	QL (30.5 per 30 days)
<i>olopatadine ophthalmic (eye) drops 0.1 %</i> (Eye Allergy Itch-Redness Rlf)	2	
<i>olopatadine ophthalmic (eye) drops 0.2 %</i> (Clear Eyes Once Daily Allergy)	2	
<i>proparacaine ophthalmic (eye) drops 0.5 %</i> (Alcaine)	2	
TEPEZZA INTRAVENOUS RECON SOLN 500 MG	5	PA; NDS
<b>Eye, Ear, Nose, Throat Anti-Infectives Agents</b>		
<i>acetic acid otic (ear) solution 2 %</i>	2	
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	2	
<i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i> (Polycin)	2	
<i>bleph-10 ophthalmic (eye) drops 10 %</i> (sulfacetamide sodium)	2	
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i> (Ciloxan)	2	
<i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i> (Ciprodex)	2	QL (7.5 per 7 days)
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>	2	QL (3.5 per 4 days)
<i>gatifloxacin ophthalmic (eye) drops 0.5 %</i> (Zymaxid)	2	
<i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i> (gentamicin)	2	
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	2	
<i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>levofloxacin ophthalmic (eye) drops 0.5 %</i>	2	
<i>moxifloxacin ophthalmic (eye) drops 0.5 %</i> (Vigamox)	2	
<b>NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %</b>	4	
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (Neo-Polycin HC)	2	
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (Neo-Polycin)	2	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i> (Maxitrol)	2	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i> (Maxitrol)	2	
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>	2	
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>	2	
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (neomycin-bacitracin-poly-hc)	2	
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (neomycin-bacitracin-polymyxin)	2	
<i>ofloxacin ophthalmic (eye) drops 0.3 %</i> (Ocuflox)	2	
<i>ofloxacin otic (ear) drops 0.3 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>polycin ophthalmic (eye) ointment</i> (bacitracin-polymyxin 500-10,000 unit/gram b)	2	
<i>polymyxin b sulf-trimethoprim</i> (Polytrim) <i>ophthalmic (eye) drops 10,000 unit-</i> <i>1 mg/ml</i>	1	
<i>sulfacetamide sodium ophthalmic</i> <i>(eye) drops 10 %</i>	2	
<i>sulfacetamide sodium ophthalmic</i> <i>(eye) ointment 10 %</i>	2	
<i>sulfacetamide-prednisolone</i> <i>ophthalmic (eye) drops 10 %-0.23</i> <i>% (0.25 %)</i>	2	
<i>tobramycin ophthalmic (eye) drops</i> <i>0.3 %</i>	2	
<i>tobramycin-dexamethasone</i> (TobraDex) <i>ophthalmic (eye) drops,suspension</i> <i>0.3-0.1 %</i>	2	
<i>trifluridine ophthalmic (eye) drops</i> <i>1 %</i>	2	
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	4	
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %	3	
<b>Eye, Ear, Nose, Throat Anti-Inflammatory Agents</b>		
ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %	3	ST; QL (10 per 25 days)
<i>bromfenac ophthalmic (eye) drops</i> <i>0.09 %</i>	2	
BROMSITE OPHTHALMIC (EYE) DROPS 0.075 %	3	
<i>dexamethasone sodium phosphate</i> <i>ophthalmic (eye) drops 0.1 %</i>	2	
<i>diclofenac sodium ophthalmic (eye)</i> <i>drops 0.1 %</i>	2	
<i>difluprednate ophthalmic (eye)</i> (Durezol) <i>drops 0.05 %</i>	2	
EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %	3	QL (8.3 per 14 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>	2	QL (50 per 25 days)
<i>fluocinolone acetonide oil otic (ear) drops 0.01 %</i> (DermOtic Oil)	2	
<i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i> (FML Liquifilm)	4	
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>	2	
<i>fluticasone propionate nasal spray,suspension 50 mcg/actuation</i> (24 Hour Allergy Relief)	1	QL (16 per 30 days)
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %	3	
INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	3	QL (5.6 per 14 days)
<i>ketorolac ophthalmic (eye) drops 0.5 %</i> (Acular)	2	QL (10 per 25 days)
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %	3	QL (3.5 per 14 days)
LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %	3	QL (5 per 16 days)
<i>loteprednol etabonate ophthalmic (eye) drops,gel 0.5 %</i> (Lotemax)	2	QL (10 per 13 days)
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.5 %</i> (Lotemax)	2	QL (15 per 19 days)
<i>mometasone nasal spray,non-aerosol 50 mcg/actuation</i>	2	QL (34 per 30 days)
<i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i> (Pred Forte)	4	
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>	2	
PROLENSA OPHTHALMIC (EYE) DROPS 0.07 %	3	
RESTASIS MULTIDOSE OPHTHALMIC (EYE) DROPS 0.05 %	3	QL (5.5 per 28 days)
RESTASIS OPHTHALMIC (EYE) DROPPERETTE 0.05 % (cyclosporine)	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
XHANCE NASAL AEROSOL BREATH ACTIVATED 93 MCG/ACTUATION	3	ST; QL (32 per 30 days)
XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %	3	QL (60 per 30 days)
<b>Gastrointestinal Agents</b>		
<b>Antiulcer Agents And Acid Suppressants</b>		
<i>amoxicil-clarithromy-lansopraz oral combo pack 500-500-30 mg</i>	2	
<i>cimetidine hcl oral solution 300 mg/5 ml</i>	2	
<i>cimetidine oral tablet 200 mg</i> (Acid Reducer (cimetidine))	2	
<i>cimetidine oral tablet 300 mg, 400 mg, 800 mg</i>	2	
<i>esomeprazole magnesium oral capsule, delayed release (drlec) 20 mg</i> (Nexium)	2	QL (30 per 30 days)
<i>esomeprazole magnesium oral capsule, delayed release (drlec) 40 mg</i> (Nexium)	2	QL (60 per 30 days)
<i>esomeprazole magnesium oral granules dr for susp in packet 10 mg, 20 mg</i> (Nexium Packet)	2	ST; QL (30 per 30 days)
<i>esomeprazole magnesium oral granules dr for susp in packet 40 mg</i> (Nexium Packet)	2	ST; QL (60 per 30 days)
<i>esomeprazole sodium intravenous recon soln 20 mg</i>	2	
<i>esomeprazole sodium intravenous recon soln 40 mg</i> (Nexium IV)	2	
<i>famotidine (pf) intravenous solution 20 mg/2 ml</i>	1	
<i>famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml</i>	2	
<i>famotidine intravenous solution 10 mg/ml</i>	2	
<i>famotidine oral suspension 40 mg/5 ml (8 mg/ml)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>famotidine oral tablet 20 mg</i>	(Acid Controller)	1	
<i>famotidine oral tablet 40 mg</i>	(Pepcid)	1	
<i>lansoprazole oral capsule, delayed release (drlec) 15 mg</i>	(Prevacid 24Hr)	1	QL (30 per 30 days)
<i>lansoprazole oral capsule, delayed release (drlec) 30 mg</i>	(Prevacid)	1	QL (60 per 30 days)
<i>misoprostol oral tablet 100 mcg, 200 mcg</i>	(Cytotec)	2	
<i>nizatidine oral capsule 150 mg, 300 mg</i>		2	
<i>nizatidine oral solution 150 mg/10 ml</i>		2	
<i>omeprazole oral capsule, delayed release (drlec) 10 mg, 20 mg, 40 mg</i>		1	
<i>omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram, 40-1.1 mg-gram</i>	(Zegerid)	2	ST; QL (30 per 30 days)
<i>pantoprazole intravenous recon soln 40 mg</i>	(Protonix)	2	
<i>pantoprazole oral tablet, delayed release (drlec) 20 mg</i>	(Protonix)	1	QL (30 per 30 days)
<i>pantoprazole oral tablet, delayed release (drlec) 40 mg</i>	(Protonix)	1	QL (60 per 30 days)
<i>rabeprazole oral tablet, delayed release (drlec) 20 mg</i>	(AcipHex)	2	QL (30 per 30 days)
<i>sucralfate oral tablet 1 gram</i>	(Carafate)	2	
<b>Gastrointestinal Agents, Other</b>			
<i>carglumic acid oral tablet, dispersible 200 mg</i>	(Carbaglu)	5	PA; NDS
<i>constulose oral solution 10 gram/15 ml</i>	(lactulose)	2	
<i>cromolyn oral concentrate 100 mg/5 ml</i>	(Gastrocrom)	2	
<i>dicyclomine oral capsule 10 mg</i>		2	
<i>dicyclomine oral solution 10 mg/5 ml</i>		2	
<i>dicyclomine oral tablet 20 mg</i>		2	
<i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5 ml</i>		2	PA-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i> (Lomotil)	2	PA-HRM; AGE (Max 64 Years)
<i>enulose oral solution 10 gram/15 ml</i> (lactulose)	2	
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	5	PA; NDS
<i>generlac oral solution 10 gram/15 ml</i> (lactulose)	2	
<i>glycopyrrolate oral tablet 1 mg</i> (Robinul)	2	
<i>glycopyrrolate oral tablet 2 mg</i> (Robinul Forte)	2	
<i>lactulose oral solution 10 gram/15 ml</i> (Constulose)	2	
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	3	QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM	3	QL (34 per 30 days)
LOKELMA ORAL POWDER IN PACKET 5 GRAM	3	QL (30 per 30 days)
<i>loperamide oral capsule 2 mg</i> (Anti-Diarrheal (loperamide))	2	
<i>lubiprostone oral capsule 24 mcg, 8 mcg</i> (Amitiza)	3	QL (60 per 30 days)
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>	2	
<i>metoclopramide hcl injection solution 5 mg/ml</i>	2	
<i>metoclopramide hcl injection syringe 5 mg/ml</i>	2	
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>	2	
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan)	1	
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	3	QL (30 per 30 days)
OICALIVA ORAL TABLET 10 MG, 5 MG	5	PA; NDS; QL (30 per 30 days)
RAVICTI ORAL LIQUID 1.1 GRAM/ML	5	PA; NDS
RELISTOR ORAL TABLET 150 MG	5	PA; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML	5	PA; NDS; QL (16.8 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML	5	PA; NDS; QL (16.8 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 8 MG/0.4 ML	5	PA; NDS; QL (11.2 per 28 days)
<i>sodium phenylbutyrate oral tablet 500 mg</i> (Buphenyl)	5	NDS
<i>sodium polystyrene sulfonate oral powder</i>	2	
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>	2	
<i>ursodiol oral capsule 300 mg</i>	2	
<i>ursodiol oral tablet 250 mg</i> (URSO 250)	2	
<i>ursodiol oral tablet 500 mg</i> (URSO Forte)	2	
VELTASSA ORAL POWDER IN PACKET 16.8 GRAM, 25.2 GRAM, 8.4 GRAM	3	QL (30 per 30 days)
XERMELO ORAL TABLET 250 MG	5	PA; NDS; QL (84 per 28 days)
<b>Laxatives</b>		
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM -12 GRAM/160 ML	3	
<i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i> (peg 3350-electrolytes)	2	
<i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i> (peg 3350-electrolytes)	2	
<i>gavilyte-n oral recon soln 420 gram</i> (peg-electrolyte soln)	2	
<i>peg-electrolyte soln oral recon soln 420 gram</i>	2	
<i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram</i> (Suprep Bowel Prep Kit)	3	
SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13-1.6 GRAM (sodium,potassium,ma g sulfates)	3	
SUTAB ORAL TABLET 1.479-0.188- 0.225 GRAM	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Phosphate Binders</b>		
<i>calcium acetate(phosphat bind) oral capsule 667 mg</i>	2	
<i>calcium acetate(phosphat bind) oral tablet 667 mg</i>	2	
<i>lanthanum oral tablet, chewable</i> (Fosrenol) <i>1,000 mg, 500 mg, 750 mg</i>	5	NDS
PHOSLYRA ORAL SOLUTION 667 MG (169 MG CALCIUM)/5 ML	4	
<i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i> (Renvela)	5	NDS
<i>sevelamer carbonate oral tablet 800 mg</i> (Renvela)	2	
<i>sevelamer hcl oral tablet 400 mg</i>	2	
<i>sevelamer hcl oral tablet 800 mg</i> (Renagel)	2	
VELPHORO ORAL TABLET,CHEWABLE 500 MG	3	
<b>Genitourinary Agents</b>		
<b>Antispasmodics, Urinary</b>		
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>	2	
<i>fesoterodine oral tablet extended release 24 hr 4 mg, 8 mg</i> (Toviaz)	2	
<i>flavoxate oral tablet 100 mg</i>	2	
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG	3	
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	2	
<i>oxybutynin chloride oral tablet 5 mg</i>	2	
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 5 mg</i> (Ditropan XL)	2	
<i>oxybutynin chloride oral tablet extended release 24hr 15 mg</i>	2	
<i>tolterodine oral capsule, extended release 24hr 2 mg, 4 mg</i> (Detrol LA)	2	
<i>tolterodine oral tablet 1 mg, 2 mg</i> (Detrol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>trosipium oral capsule, extended release 24hr 60 mg</i>	2	
<i>trosipium oral tablet 20 mg</i>	2	
<b>Genitourinary Agents, Miscellaneous</b>		
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)	1	QL (30 per 30 days)
<i>dutasteride oral capsule 0.5 mg</i> (Avodart)	2	
<i>dutasteride-tamsulosin oral capsule, er multiphase 24 hr 0.5-0.4 mg</i> (Jalyn)	2	
ENTADFI ORAL CAPSULE 5-5 MG	4	PA; QL (30 per 30 days)
<i>finasteride oral tablet 5 mg</i> (Proscar)	1	
<i>tamsulosin oral capsule 0.4 mg</i> (Flomax)	1	
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	
<i>tiopronin oral tablet 100 mg</i> (Thiola)	5	NDS
<b>Heavy Metal Antagonists</b>		
<b>Heavy Metal Antagonists</b>		
<i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i> (Jadenu Sprinkle)	5	PA; NDS
<i>deferasirox oral tablet 180 mg, 360 mg</i> (Jadenu)	5	PA; NDS
<i>deferasirox oral tablet 90 mg</i> (Jadenu)	2	PA
<i>deferasirox oral tablet, dispersible 125 mg, 250 mg, 500 mg</i> (Exjade)	5	PA; NDS
<i>deferiprone oral tablet 1,000 mg</i> (Ferriprox (2 times a day))	5	PA; NDS
<i>deferiprone oral tablet 500 mg</i> (Ferriprox)	5	PA; NDS
<i>deferoxamine injection recon soln 2 gram</i>	5	PA; NDS
<i>deferoxamine injection recon soln 500 mg</i> (Desferal)	5	PA; NDS
FERRIPROX (2 TIMES A DAY) ORAL TABLET 1,000 MG (deferiprone)	5	PA; NDS
FERRIPROX ORAL SOLUTION 100 MG/ML	5	PA; NDS
<i>penicillamine oral tablet 250 mg</i> (Depen Titratabs)	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>trientine oral capsule 250 mg</i> (Syprine)	5	PA; NDS; QL (240 per 30 days)
<b>Hormonal Agents, Stimulant/Replacement/Modifying</b>		
<b>Androgens</b>		
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	2	
<i>oxandrolone oral tablet 10 mg, 2.5 mg</i> (Oxandrin)	2	
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i> (Depo-Testosterone)	2	PA
<i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>	2	PA
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	2	PA; QL (5 per 28 days)
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/1.25 gram (1%)</i> (Vogelxo)	2	PA; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62%)</i> (AndroGel)	2	PA; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1% (25 mg/2.5gram), 1% (50 mg/5 gram)</i> (AndroGel)	2	PA; QL (300 per 30 days)
<i>testosterone transdermal solution in metered pump w/lapp 30 mg/lactuation (1.5 ml)</i>	2	PA; QL (180 per 30 days)
<b>XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML</b>	3	PA; QL (2 per 28 days)
<b>Estrogens And Antiestrogens</b>		
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i> (estradiol-norethindrone acet)	2	PA-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dotti transdermal patch semiweekly</i> (estradiol) 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr	2	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
<b>DUAVEE ORAL TABLET 0.45- 20 MG</b>	3	PA-HRM; AGE (Max 64 Years)
<i>estradiol oral tablet 0.5 mg, 1 mg, 2</i> (Estrace) <i>mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>estradiol transdermal patch</i> (Dotti) <i>semiweekly 0.025 mg/24 hr, 0.0375</i> <i>mg/24 hr, 0.05 mg/24 hr, 0.075</i> <i>mg/24 hr, 0.1 mg/24 hr</i>	2	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
<i>estradiol transdermal patch weekly</i> (Climara) <i>0.025 mg/24 hr, 0.0375 mg/24 hr,</i> <i>0.05 mg/24 hr, 0.06 mg/24 hr, 0.075</i> <i>mg/24 hr, 0.1 mg/24 hr</i>	2	PA-HRM; QL (4 per 28 days); AGE (Max 64 Years)
<i>estradiol vaginal cream 0.01 % (0.1</i> (Estrace) <i>mg/gram)</i>	2	
<i>estradiol vaginal tablet 10 mcg</i> (Yuvaferm)	2	QL (18 per 28 days)
<i>estradiol valerate intramuscular oil</i> (Delestrogen) <i>10 mg/ml, 20 mg/ml, 40 mg/ml</i>	2	
<i>estradiol-norethindrone acet oral</i> (Amabelz) <i>tablet 0.5-0.1 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<b>FEMRING VAGINAL RING</b> <b>0.05 MG/24 HR, 0.1 MG/24 HR</b>	4	QL (1 per 84 days)
<i>fyavolv oral tablet 0.5-2.5 mg-mcg,</i> (norethindrone ac-eth <i>1-5 mg-mcg</i> estradiol)	2	PA-HRM; AGE (Max 64 Years)
<i>jinteli oral tablet 1-5 mg-mcg</i> (norethindrone ac-eth estradiol)	2	PA-HRM; AGE (Max 64 Years)
<i>lyllana transdermal patch</i> (estradiol) <i>semiweekly 0.025 mg/24 hr, 0.0375</i> <i>mg/24 hr, 0.05 mg/24 hr, 0.075</i> <i>mg/24 hr, 0.1 mg/24 hr</i>	2	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
<i>mimvey oral tablet 1-0.5 mg</i> (estradiol- norethindrone acet)	2	PA-HRM; AGE (Max 64 Years)
<i>norethindrone ac-eth estradiol oral</i> (Fyavolv) <i>tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	2	PA-HRM; AGE (Max 64 Years)
<b>PREMARIN INJECTION</b> <b>RECON SOLN 25 MG</b>	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.9 MG	3	PA-HRM; AGE (Max 64 Years)
PREMARIN ORAL TABLET (conjugated estrogens) 0.625 MG, 1.25 MG	3	PA-HRM; AGE (Max 64 Years)
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	3	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	3	PA-HRM; AGE (Max 64 Years)
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	3	PA-HRM; AGE (Max 64 Years)
<i>raloxifene oral tablet 60 mg</i> (Evista)	2	
<i>yuvafem vaginal tablet 10 mcg</i> (estradiol)	2	QL (18 per 28 days)
<b>Glucocorticoids/Mineralocorticoids</b>		
<i>betamethasone acet,sod phos injection suspension 6 mg/ml</i> (Celestone Soluspan)	2	
<i>dexamethasone oral solution 0.5 mg/5 ml</i>	2	
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>	2	
<i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>	1	
<i>dexamethasone sodium phos (pf) injection syringe 10 mg/ml</i>	1	
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	1	
<i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i>	2	
<i>fludrocortisone oral tablet 0.1 mg</i>	2	
HEMADY ORAL TABLET 20 MG	4	
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef)	2	
<i>methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml</i> (Depo-Medrol)	2	
<i>methylprednisolone oral tablet 16 mg, 4 mg, 8 mg</i> (Medrol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>methylprednisolone oral tablet 32 mg</i>	2	
<i>methylprednisolone oral tablets,dose pack 4 mg</i> (Medrol (Pak))	2	
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	2	
<i>methylprednisolone sodium succ intravenous recon soln 1,000 mg</i> (Solu-Medrol)	2	
<i>prednisolone 15 mg/5 ml soln d/f 15 mg/5 ml (3 mg/ml)</i>	2	PA BvD
<i>prednisolone oral solution 15 mg/5 ml</i>	2	PA BvD
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i>	2	PA BvD
<i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i> (Pediapred)	2	PA BvD
<i>prednisone oral solution 5 mg/5 ml</i>	2	PA BvD
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	PA BvD
<i>prednisone oral tablets,dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	2	
<b>SOLU-CORTEF ACT-O-VIAL (PF) INJECTION RECON SOLN 1,000 MG/8 ML, 100 MG/2 ML, 250 MG/2 ML, 500 MG/4 ML</b>	4	
<i>triamcinolone acetanide injection suspension 40 mg/ml</i> (Kenalog)	2	
<b>Pituitary</b>		
<b>ACTHAR INJECTION GEL 80 UNIT/ML</b>	5	PA; NDS; QL (35 per 28 days)
<b>CORTROPHIN GEL INJECTION GEL 80 UNIT/ML</b>	5	PA; NDS; QL (35 per 28 days)
<i>desmopressin ac 4 mcg/ml ampul p/f, outer, sdv</i> (DDAVP)	5	NDS
<i>desmopressin injection solution 4 mcg/ml</i> (DDAVP)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>desmopressin nasal spray with pump 10 mcg/spray (0.1 ml)</i>	2	
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP)	2	
EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG	5	PA; NDS; QL (30 per 30 days)
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	NDS
<i>lanreotide subcutaneous syringe 120 mg/0.5 ml</i> (Somatuline Depot)	5	PA NSO; NDS; QL (0.5 per 28 days)
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	5	PA NSO; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG	5	PA NSO; NDS
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	PA; NDS
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG	5	PA; NDS
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NDS
<i>octreotide acetate injection solution 1,000 mcg/ml, 200 mcg/ml</i>	2	
<i>octreotide acetate injection solution 100 mcg/ml, 50 mcg/ml</i> (Sandostatin)	2	
<i>octreotide acetate injection solution 500 mcg/ml</i> (Sandostatin)	5	NDS
<i>octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ORGOVYX ORAL TABLET 120 MG	5	PA NSO; NDS
ORILISSA ORAL TABLET 150 MG	5	PA; NDS; QL (28 per 28 days)
ORILISSA ORAL TABLET 200 MG	5	PA; NDS; QL (56 per 28 days)
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	PA; NDS; QL (60 per 30 days)
SOMATULINE DEPOT (lanreotide) SUBCUTANEOUS SYRINGE 120 MG/0.5 ML	5	PA NSO; NDS; QL (0.5 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML	5	PA NSO; NDS; QL (0.2 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 90 MG/0.3 ML	5	PA NSO; NDS; QL (0.3 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NDS
SUPPRELIN LA IMPLANT KIT 50 MG (65 MCG/DAY)	5	PA; NDS
SYNAREL NASAL SPRAY, NON-AEROSOL 2 MG/ML	5	PA; NDS
TRIPTODUR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	5	PA; NDS
<b>Progestins</b>		
<i>hydroxyprogesterone cap(ppres) intramuscular oil 250 mg/ml</i> (Makena)	5	NDS
<i>medroxyprogesterone intramuscular suspension 150 mg/ml</i> (Depo-Provera)	2	QL (1 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>medroxyprogesterone intramuscular (Depo-Provera) syringe 150 mg/ml</i>	2	QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera)	1	
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i>	2	PA-HRM; AGE (Max 64 Years)
<i>norethindrone acetate oral tablet 5 mg</i> (Aygestin)	2	
<i>progesterone intramuscular oil 50 mg/ml</i>	2	
<i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium)	2	
<b>Thyroid And Antithyroid Agents</b>		
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Euthyrox)	1	
<i>levothyroxine oral tablet 300 mcg</i> (Levo-T)	1	
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Cytomel)	2	
<i>methimazole oral tablet 10 mg, 5 mg</i>	1	
<i>propylthiouracil oral tablet 50 mg</i>	2	
<b>Immunological Agents</b>		
<b>Immunological Agents</b>		
ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	5	PA; NDS
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	5	PA; NDS
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	5	PA; NDS
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	5	NDS
AVSOLA INTRAVENOUS RECON SOLN 100 MG	5	PA; NDS
<i>azathioprine oral tablet 50 mg</i> (Imuran)	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>azathioprine sodium injection recon soln 100 mg</i>	2	PA BvD
BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG	5	PA; NDS
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	5	PA; NDS; QL (8 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; NDS; QL (8 per 28 days)
BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML	5	PA NSO; NDS; QL (2 per 28 days)
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)	5	PA; NDS
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	5	PA; NDS
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NDS
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	5	PA; NDS
<i>cyclosporine intravenous solution 250 mg/5 ml</i> (Sandimmune)	2	PA BvD
<i>cyclosporine modified oral capsule 100 mg, 25 mg</i> (Gengraf)	2	PA BvD
<i>cyclosporine modified oral capsule 50 mg</i>	2	PA BvD
<i>cyclosporine modified oral solution 100 mg/ml</i> (Gengraf)	2	PA BvD
<i>cyclosporine oral capsule 100 mg, 25 mg</i> (Sandimmune)	2	PA BvD
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML, 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NDS
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	5	PA; NDS
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	5	PA; NDS
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	5	PA; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	5	PA; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	5	PA; NDS
<i>everolimus (immunosuppressive)</i> (Zortress) <i>oral tablet 0.25 mg, 0.5 mg, 0.75</i> <i>mg, 1 mg</i>	5	PA BvD; NDS
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NDS
GAMIFANT INTRAVENOUS SOLUTION 5 MG/ML	5	PA; NDS
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	5	PA BvD; NDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	5	PA BvD; NDS
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	5	PA BvD; NDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	5	PA BvD; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
GAMUNEX-C INJECTION SOLUTION 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 40 GRAM/400 ML (10 %), 5 GRAM/50 ML (10 %)	5	PA BvD; NDS
<i>gengraf oral capsule 100 mg, 25 mg</i> (cyclosporine modified)	2	PA BvD
<i>gengraf oral solution 100 mg/ml</i> (cyclosporine modified)	2	PA BvD
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NDS
HUMIRA PEN PSOR-UVEITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NDS
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NDS
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; NDS
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NDS
HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NDS
HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NDS
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NDS
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NDS
HYQVIA SUBCUTANEOUS SOLUTION 10 GRAM /100 ML (10 %), 2.5 GRAM /25 ML (10 %), 20 GRAM /200 ML (10 %), 30 GRAM /300 ML (10 %), 5 GRAM /50 ML (10 %)	5	PA BvD; NDS
ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML	5	PA; NDS
ILUMYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NDS
INFLECTRA INTRAVENOUS RECON SOLN 100 MG	5	PA; NDS
<i>infliximab intravenous recon soln</i> (Remicade) <i>100 mg</i>	5	PA; NDS
KEVZARA SUBCUTANEOUS PEN INJECTOR 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; NDS
KEVZARA SUBCUTANEOUS SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; NDS
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	5	PA; NDS
<i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)	2	
<i>mycophenolate mofetil (hcl)</i> (CellCept Intravenous) <i>intravenous recon soln 500 mg</i>	2	PA BvD
<i>mycophenolate mofetil oral capsule</i> (CellCept) <i>250 mg</i>	2	PA BvD
<i>mycophenolate mofetil oral</i> (CellCept) <i>suspension for reconstitution 200</i> <i>mg/ml</i>	5	PA BvD; NDS
<i>mycophenolate mofetil oral tablet</i> (CellCept) <i>500 mg</i>	2	PA BvD
NULOJIX INTRAVENOUS RECON SOLN 250 MG	5	PA BvD; NDS
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
OLUMIANT ORAL TABLET 1 MG, 2 MG, 4 MG	5	PA; NDS
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG	5	PA; NDS
ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML	5	PA; NDS
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	5	PA; NDS
OTEZLA ORAL TABLET 30 MG	5	PA; NDS
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19)	5	PA; NDS
PRIVIGEN INTRAVENOUS SOLUTION 10 %	5	PA BvD; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	4	PA BvD
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	4	PA BvD; ST
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	3	
RENFLEXIS INTRAVENOUS RECON SOLN 100 MG	5	PA; NDS
REZUROCK ORAL TABLET 200 MG	5	PA NSO; NDS
RIDAURA ORAL CAPSULE 3 MG	5	NDS
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG, 45 MG	5	PA; NDS
<i>sirolimus oral solution 1 mg/ml</i> (Rapamune)	5	PA BvD; NDS
<i>sirolimus oral tablet 0.5 mg, 1 mg</i> (Rapamune)	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>sirolimus oral tablet 2 mg</i> (Rapamune)	5	PA BvD; NDS
SKYRIZI INTRAVENOUS SOLUTION 60 MG/ML	5	PA; NDS
SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NDS
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.83 ML	5	PA; NDS
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	5	PA; NDS
SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML), 360 MG/2.4 ML (150 MG/ML)	5	PA; NDS
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	5	PA; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	5	PA; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)	2	PA BvD
TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 80 MG/ML	5	PA; NDS
TALTZ SYRINGE SUBCUTANEOUS SYRINGE 80 MG/ML	5	PA; NDS
TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NDS
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NDS
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	5	PA; LA; NDS
XELJANZ ORAL SOLUTION 1 MG/ML	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
XELJANZ ORAL TABLET 10 MG, 5 MG	5	PA; NDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	5	PA; NDS
<b>Vaccines</b>		
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	3	
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	3	
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG- LF/0.5ML	3	
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	3	
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG- LF/0.5ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DENGVAXIA (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP4.5-6 CCID50/0.5 ML	3	QL (3 per 365 days)
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	3	PA BvD
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	3	PA BvD
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	3	PA BvD
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	3	QL (1.5 per 365 days)
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	3	QL (1.5 per 365 days)
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	3	
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	3	PA BvD
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	3	
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	3	
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
JYNNEOS (PF)(STOCKPILE) SUBCUTANEOUS SUSPENSION 0.5X TO 3.95X 10EXP8 UNIT/0.5	3	
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	3	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	3	
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	3	
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	3	
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	3	
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	3	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	3	
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML, 15LF-48MCG-62DU -10 MCG/0.5ML	3	
PREHEVBRIO (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML	3	PA BvD
PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3.4- 4.2- 3.3CCID50/0.5ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3- 4.3-3- 3.99 TCID50/0.5	3	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML, 15 LF-48 MCG- 5 LF UNIT/0.5ML (58 UNT/ML)	3	
QUADRACEL (PF) INTRAMUSCULAR SYRINGE 15 LF-48 MCG- 5 LF UNIT/0.5ML	3	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	3	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	3	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	3	PA BvD
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	3	
ROTATEQ VACCINE ORAL SOLUTION 2 ML	3	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	3	QL (2 per 365 days)
TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML	3	(tetanus-diphtheria toxoids-td)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	3	
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	3	
TETANUS,DIPHThERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	3	
TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML, 2.4 MCG/0.5 ML	3	QL (1.5 per 365 days)
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	3	
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	3	
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	3	
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML	3	(typhoid vi polysacch vaccine)
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	3	QL (2 per 365 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML, 10 EXP4.74 UNIT/0.5 ML(2.5 ML IN 1 VIAL)	3	
<b>Inflammatory Bowel Disease Agents</b>		
<b>Inflammatory Bowel Disease Agents</b>		
<i>alosectron oral tablet 0.5 mg</i> (Lotronex)	2	
<i>alosectron oral tablet 1 mg</i> (Lotronex)	5	NDS
<i>balsalazide oral capsule 750 mg</i> (Colazal)	2	
<i>budesonide oral capsule, delayed, extend. release 3 mg</i>	4	
DIPENTUM ORAL CAPSULE 250 MG	5	ST; NDS
<i>hydrocortisone rectal enema 100 mg/60 ml</i> (Cortenema)	2	
<i>mesalamine oral capsule (with del rel tablets) 400 mg</i> (Delzicol)	2	
<i>mesalamine oral capsule, extended release 24hr 0.375 gram</i> (Apriso)	2	
<i>mesalamine oral tablet, delayed release (drlec) 1.2 gram</i> (Lialda)	2	QL (120 per 30 days)
<i>mesalamine oral tablet, delayed release (drlec) 800 mg</i> (Asacol HD)	2	
<i>mesalamine rectal suppository 1,000 mg</i> (Canasa)	2	
<i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)	2	
<i>sulfasalazine oral tablet, delayed release (drlec) 500 mg</i> (Azulfidine EN-tabs)	4	
UCERIS RECTAL FOAM 2 MG/ACTUATION	3	
<b>Metabolic Bone Disease Agents</b>		
<b>Metabolic Bone Disease Agents</b>		
<i>alendronate oral solution 70 mg/75 ml</i>	2	QL (300 per 28 days)
<i>alendronate oral tablet 10 mg, 5 mg</i>	1	QL (30 per 30 days)
<i>alendronate oral tablet 35 mg</i>	1	QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>alendronate oral tablet 70 mg</i> (Fosamax)	1	QL (4 per 28 days)
<i>calcitonin (salmon) injection solution 200 unit/ml</i> (Miacalcin)	5	NDS
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/lactuation</i>	2	QL (3.7 per 28 days)
<i>calcitriol intravenous solution 1 mcg/ml</i>	2	
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i> (Rocaltrol)	2	
<i>calcitriol oral solution 1 mcg/ml</i> (Rocaltrol)	2	
<i>cinacalcet oral tablet 30 mg</i> (Sensipar)	2	QL (60 per 30 days)
<i>cinacalcet oral tablet 60 mg</i> (Sensipar)	5	NDS; QL (60 per 30 days)
<i>cinacalcet oral tablet 90 mg</i> (Sensipar)	5	NDS; QL (120 per 30 days)
<i>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</i>	2	
EVENITY SUBCUTANEOUS SYRINGE 105 MG/1.17 ML, 210MG/2.34ML ( 105MG/1.17MLX2)	5	PA; NDS; QL (2.34 per 30 days)
FORTEO SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE (600MCG/2.4ML)	3	PA; QL (2.4 per 28 days)
<i>ibandronate intravenous solution 3 mg/3 ml</i>	2	QL (3 per 84 days)
<i>ibandronate intravenous syringe 3 mg/3 ml</i>	2	QL (3 per 84 days)
<i>ibandronate oral tablet 150 mg</i> (Boniva)	2	QL (1 per 28 days)
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	5	PA; NDS; QL (2 per 28 days)
<i>pamidronate intravenous recon soln 30 mg, 90 mg</i>	2	
<i>pamidronate intravenous solution 30 mg/10 ml (3 mg/ml), 60 mg/10 ml (6 mg/ml), 90 mg/10 ml (9 mg/ml)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemlar)	2	
<i>paricalcitol oral capsule 4 mcg</i>	2	
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	3	QL (1 per 180 days)
RAYALDEE ORAL CAPSULE,EXTENDED RELEASE 24 HR 30 MCG	3	QL (60 per 30 days)
<i>risedronate oral tablet 150 mg</i> (Actonel)	2	QL (1 per 28 days)
<i>risedronate oral tablet 30 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>risedronate oral tablet 35 mg</i> (Actonel)	2	QL (4 per 28 days)
<i>risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)</i>	2	QL (4 per 28 days)
<i>risedronate oral tablet, delayed release (drlec) 35 mg</i> (Atelvia)	2	QL (4 per 28 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	3	PA; QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	5	PA; NDS
<i>zoledronic acid intravenous recon soln 4 mg</i>	2	
<i>zoledronic acid intravenous solution 4 mg/5 ml</i>	2	
<i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i> (Reclast)	2	QL (100 per 300 days)
<b>Miscellaneous Therapeutic Agents</b>		
<b>Miscellaneous Therapeutic Agents</b>		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	5	PA; NDS
<i>betaine oral powder 1 gram/scoop</i> (Cystadane)	5	PA; NDS
<i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	2	
<i>dexrazoxane hcl intravenous recon soln 250 mg, 500 mg</i>	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>diazoxide oral suspension 50 mg/ml</i> (Proglycem)	2	
ELMIRON ORAL CAPSULE 100 MG	4	QL (90 per 30 days)
ENDARI ORAL POWDER IN PACKET 5 GRAM	5	PA; NDS; QL (180 per 30 days)
EVRYSDI ORAL RECON SOLN 0.75 MG/ML	5	PA; NDS
EXONDYS-51 INTRAVENOUS SOLUTION 50 MG/ML	5	PA; LA; NDS
<i>fomepizole intravenous solution 1 gram/ml</i>	5	NDS
GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE SUBCUTANEOUS SOLUTION 1 MG/0.2 ML	3	
<i>hydroxyzine pamoate oral capsule 100 mg</i>	2	
<i>hydroxyzine pamoate oral capsule 25 mg, 50 mg</i> (Vistaril)	1	
<i>leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg, 500 mg</i>	2	
<i>leucovorin calcium injection solution 10 mg/ml</i>	2	
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>	2	
<i>levocarnitine (with sugar) oral solution 100 mg/ml</i> (Carnitor)	2	
<i>levocarnitine oral tablet 330 mg</i> (Carnitor)	4	
<i>levoleucovorin calcium intravenous recon soln 50 mg</i> (Fusilev)	5	NDS
<i>mesna intravenous solution 100 mg/ml</i> (Mesnex)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
MESNEX ORAL TABLET 400 MG	5	NDS
OXLUMO SUBCUTANEOUS SOLUTION 94.5 MG/0.5 ML	5	PA; NDS
<i>pyridostigmine bromide oral syrup</i> (Mestinon) 60 mg/5 ml	2	
<i>pyridostigmine bromide oral tablet</i> 30 mg	2	
<i>pyridostigmine bromide oral tablet</i> (Mestinon) 60 mg	2	
<i>pyridostigmine bromide oral tablet</i> (Mestinon Timespan) <i>extended release 180 mg</i>	2	
RECTIV RECTAL OINTMENT 0.4 % (W/W)	4	QL (30 per 30 days)
TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	5	PA; NDS; QL (4 per 28 days)
TAKHZYRO SUBCUTANEOUS SYRINGE 300 MG/2 ML (150 MG/ML)	5	PA; NDS; QL (4 per 28 days)
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NDS; QL (56 per 28 days)
TOTECT INTRAVENOUS RECON SOLN 500 MG	5	NDS
TYBOST ORAL TABLET 150 MG	4	QL (30 per 30 days)
VISTOGARD ORAL GRANULES IN PACKET 10 GRAM	5	NDS; QL (24 per 14 days)
ZEGALOGUE AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 0.6 MG/0.6 ML	3	
ZEGALOGUE SYRINGE SUBCUTANEOUS SYRINGE 0.6 MG/0.6 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Ophthalmic Agents</b>		
<b>Antiglaucoma Agents</b>		
<i>acetazolamide oral capsule, extended release 500 mg</i>	2	
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	2	
<i>acetazolamide sodium injection recon soln 500 mg</i>	2	
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %	3	
AZOPT OPHTHALMIC (EYE) DROPS, SUSPENSION 1 % (brinzolamide)	2	
<i>betaxolol ophthalmic (eye) drops 0.5 %</i>	2	
<i>bimatoprost ophthalmic (eye) drops 0.03 %</i>	2	QL (2.5 per 25 days)
<i>brimonidine ophthalmic (eye) drops 0.15 %</i> (Alphagan P)	4	
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	2	
<i>brimonidine-timolol ophthalmic (eye) drops 0.2-0.5 %</i> (Combigan)	2	
<i>carteolol ophthalmic (eye) drops 1 %</i>	2	
<i>dorzolamide ophthalmic (eye) drops 2 %</i> (Trusopt)	2	
<i>dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml</i> (Cosopt)	2	
<i>latanoprost ophthalmic (eye) drops 0.005 %</i> (Xalatan)	1	QL (2.5 per 25 days)
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	1	
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	3	QL (2.5 per 25 days)
<i>methazolamide oral tablet 25 mg, 50 mg</i>	2	
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 4 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>pilocarpine hcl ophthalmic (eye) drops 2 %</i> (Isopto Carpine)	2	
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	3	QL (2.5 per 25 days)
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %	3	QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	3	
<i>tafluprost (pf) ophthalmic (eye) dropperette 0.0015 %</i> (Zioptan (PF))	2	QL (30 per 30 days)
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i> (Timoptic)	1	
<i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %</i> (Timoptic-XE)	2	
<i>travoprost ophthalmic (eye) drops 0.004 %</i> (Travatan Z)	2	QL (2.5 per 25 days)
VYZULTA OPHTHALMIC (EYE) DROPS 0.024 %	4	QL (5 per 30 days)
<b>Replacement Preparations</b>		
<b>Replacement Preparations</b>		
<i>calcium chloride intravenous syringe 100 mg/ml (10 %)</i>	2	
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>	2	
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>	2	
ISOLYTE S IV SOLUTION-EXCEL SINGLE USE	4	
ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	4	
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i> (potassium chloride)	2	
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i> (potassium chloride)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i> (potassium chloride)	2	
<i>magnesium sulfate in d5w intravenous piggyback 1 gram/100 ml</i>	2	
<i>magnesium sulfate in water intravenous parenteral solution 20 gram/500 ml (4%), 40 gram/1,000 ml (4%)</i>	2	
<i>magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4%), 4 gram/100 ml (4%), 4 gram/50 ml (8%)</i>	2	
<i>magnesium sulfate injection syringe 4 meq/ml</i>	2	
<b>NORMOSOL-M IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION</b>	4	
<b>PLASMA-LYTE 148 INTRAVENOUS PARENTERAL SOLUTION</b>	4	
<b>PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION</b>	4	
<i>potassium chloride intravenous solution 2 meq/ml</i>	1	PA BvD
<i>potassium chloride intravenous solution 2 meq/ml (20 ml)</i>	2	PA BvD
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>	2	
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	2	
<i>potassium chloride oral tablet extended release 10 meq, 20 meq</i> (K-Tab)	2	
<i>potassium chloride oral tablet extended release 8 meq</i> (Klor-Con 8)	2	
<i>potassium chloride oral tablet,er particles/crystals 10 meq</i> (Klor-Con M10)	2	
<i>potassium chloride oral tablet,er particles/crystals 15 meq</i> (Klor-Con M15)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>potassium chloride oral tablet, er particles/crystals 20 meq</i> (Klor-Con M20)	2	
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>	2	
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i> (Urocit-K 10)	2	
<i>potassium citrate oral tablet extended release 15 meq</i> (Urocit-K 15)	2	
<i>potassium citrate oral tablet extended release 5 meq (540 mg)</i> (Urocit-K 5)	2	
<i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>	2	
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	4	
<i>sodium chloride 0.9 % intravenous piggyback</i>	2	
<i>sodium chloride 0.9% solution viaflex, single use</i>	2	
<b>Respiratory Tract Agents</b>		
<b>Anti-Inflammatories, Inhaled Corticosteroids</b>		
ADVAIR DISKUS INHALATION BLISTER WITH DEVICE 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE (fluticasone propion-salmeterol)	2	QL (60 per 30 days)
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	3	QL (12 per 30 days)
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	(fluticasone furoate-vilanterol)	3	QL (60 per 30 days)
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml</i>	(Pulmicort)	2	PA BvD; QL (120 per 30 days)
<i>budesonide inhalation suspension for nebulization 1 mg/2 ml</i>	(Pulmicort)	2	PA BvD; QL (60 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 50 MCG/ACTUATION		3	QL (60 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 250 MCG/ACTUATION		3	QL (120 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION	(fluticasone propionate)	3	QL (12 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 220 MCG/ACTUATION	(fluticasone propionate)	3	QL (24 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 44 MCG/ACTUATION	(fluticasone propionate)	3	QL (21.2 per 30 days)
SYMBICORT INHALATION HFA AEROSOL INHALER 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION	(budesonide-formoterol)	3	QL (30.6 per 30 days)
<b>Antileukotrienes</b>			
<i>montelukast oral tablet 10 mg</i>	(Singulair)	1	
<i>montelukast oral tablet, chewable 4 mg, 5 mg</i>	(Singulair)	1	
<i>zafirlukast oral tablet 10 mg, 20 mg</i>	(Accolate)	2	
<b>Bronchodilators</b>			
<i>albuterol 5 mg/ml solution</i>		2	PA BvD; QL (120 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i>	(Proventil HFA)	2	QL (17 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)</i>	2	QL (13.4 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)</i>	2	QL (36 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %)</i>	2	PA BvD; QL (360 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 2.5 mg/0.5 ml</i>	2	PA BvD; QL (120 per 30 days)
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>	2	
<i>albuterol sulfate oral tablet 2 mg, 4 mg</i>	2	
<i>albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg</i>	2	
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	3	QL (60 per 30 days)
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	4	QL (25.8 per 28 days)
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION	3	QL (10.7 per 30 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	3	QL (8 per 30 days)
<i>elixophyllin oral elixir 80 mg/15 ml (theophylline)</i>	2	
<i>ipratropium bromide inhalation solution 0.02 %</i>	2	PA BvD; QL (312.5 per 30 days)
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg (2.5 mg base)/3 ml</i>	2	PA BvD; QL (540 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PROAIR RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION	4	QL (2 per 30 days)
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	3	QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION	3	QL (4 per 30 days)
SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG	3	QL (30 per 30 days)
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	3	QL (4 per 30 days)
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 28 days)
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	2	
<i>terbutaline subcutaneous solution 1 mg/ml</i>	5	NDS
<i>theophylline oral solution 80 mg/15 ml</i>	2	
<i>theophylline oral tablet extended release 12 hr 300 mg, 450 mg</i>	2	
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	2	
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200- 62.5-25 MCG	3	QL (60 per 30 days)
<b>Respiratory Tract Agents, Other</b>		
<i>acetylcysteine intravenous solution (Acetadote) 200 mg/ml (20%)</i>	2	
<i>acetylcysteine solution 100 mg/ml (10%), 200 mg/ml (20%)</i>	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NDS
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	2	PA BvD
ESBRIET ORAL CAPSULE 267 (pirfenidone) MG	5	PA; NDS; QL (270 per 30 days)
FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML	5	PA; NDS; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	5	PA; NDS; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 25 MG, 50 MG, 75 MG	5	PA; NDS; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	5	PA; NDS; QL (56 per 28 days)
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML	5	PA; LA; NDS; QL (0.4 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; NDS; QL (60 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG, 75-94 MG	5	PA; NDS; QL (56 per 28 days)
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	5	PA; NDS; QL (112 per 28 days)
<i>pirfenidone oral capsule 267 mg</i> (Esbriet)	5	PA; NDS; QL (270 per 30 days)
<i>pirfenidone oral tablet 267 mg</i> (Esbriet)	5	PA; NDS; QL (270 per 30 days)
<i>pirfenidone oral tablet 534 mg</i>	5	PA; NDS; QL (90 per 30 days)
<i>pirfenidone oral tablet 801 mg</i> (Esbriet)	5	PA; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PROLASTIN C 1,000 MG/20 ML VL PRICE/ONE MG,SUV	5	PA BvD; NDS
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	5	PA BvD; NDS
<i>roflumilast oral tablet 250 mcg, 500 mcg</i> (Daliresp)	2	QL (30 per 30 days)
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	5	PA; NDS; QL (56 per 28 days)
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N)	5	PA; NDS; QL (84 per 28 days)
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	5	PA; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.5 ML	5	PA; NDS
<b>Skeletal Muscle Relaxants</b>		
<b>Skeletal Muscle Relaxants</b>		
<i>baclofen oral tablet 10 mg, 20 mg, 5 mg</i>	2	
<i>chlorzoxazone oral tablet 250 mg</i>	5	PA-HRM; NDS; QL (120 per 30 days); AGE (Max 64 Years)
<i>chlorzoxazone oral tablet 500 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>dantrolene oral capsule 100 mg, 50 mg</i>	2	
<i>dantrolene oral capsule 25 mg</i> (Dantrium)	2	
<i>methocarbamol oral tablet 500 mg, 750 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>revonto intravenous recon soln 20 mg</i> (dantrolene)	2	
<i>tizanidine oral tablet 2 mg</i>	2	
<i>tizanidine oral tablet 4 mg</i> (Zanaflex)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Sleep Disorder Agents</b>		
<b>Sleep Disorder Agents</b>		
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)	2	PA; QL (30 per 30 days)
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)	2	QL (30 per 30 days)
HETLIOZ LQ ORAL SUSPENSION 4 MG/ML	5	PA; NDS; QL (150 per 30 days)
HETLIOZ ORAL CAPSULE 20 MG (tasimelteon)	5	PA; NDS; QL (30 per 30 days)
<i>modafinil oral tablet 100 mg</i> (Provigil)	2	PA; QL (30 per 30 days)
<i>modafinil oral tablet 200 mg</i> (Provigil)	2	PA; QL (60 per 30 days)
<i>sodium oxybate oral solution 500 mg/ml</i> (Xyrem)	5	PA; LA; NDS; QL (540 per 30 days)
SUNOSI ORAL TABLET 150 MG, 75 MG	4	PA; QL (30 per 30 days)
<i>tasimelteon oral capsule 20 mg</i> (HetlioZ)	5	PA; NDS; QL (30 per 30 days)
XYREM ORAL SOLUTION 500 MG/ML (sodium oxybate)	5	PA; LA; NDS; QL (540 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)	1	QL (30 per 30 days)
<i>zolpidem oral tablet, ext release multiphase 12.5 mg, 6.25 mg</i> (Ambien CR)	2	QL (30 per 30 days)
<b>Vasodilating Agents</b>		
<b>Vasodilating Agents</b>		
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	5	PA; NDS; QL (90 per 30 days)
<i>alyq oral tablet 20 mg</i> (tadalafil (pulm. hypertension))	2	PA; QL (60 per 30 days)
<i>ambrisentan oral tablet 10 mg, 5 mg</i> (Letairis)	5	PA; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>epoprostenol (glycine) intravenous recon soln 0.5 mg, 1.5 mg</i> (Flolan)	5	PA; NDS
OPSUMIT ORAL TABLET 10 MG	5	PA; NDS; QL (30 per 30 days)
<i>sildenafil (pulm.hypertension) intravenous solution 10 mg/12.5 ml</i> (Revatio)	5	PA; NDS; QL (37.5 per 1 day)
<i>sildenafil (pulm.hypertension) oral tablet 20 mg</i> (Revatio)	1	PA; QL (90 per 30 days)
<i>tadalafil (pulm. hypertension) oral tablet 20 mg</i> (Alyq)	2	PA; QL (60 per 30 days)
<i>tadalafil oral tablet 2.5 mg, 5 mg</i> (Cialis)	2	PA; QL (30 per 30 days)
TRACLEER ORAL TABLET 125 MG, 62.5 MG (bosentan)	5	PA; LA; NDS; QL (60 per 30 days)
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG	5	PA; NDS; QL (112 per 28 days)
<i>treprostinil sodium injection solution 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml</i> (Remodulin)	5	PA; NDS
TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)	5	PA; NDS
UPTRAVI INTRAVENOUS RECON SOLN 1,800 MCG	5	PA; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	5	PA; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	5	PA; NDS; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	5	PA; NDS
<b>Vitamins And Minerals</b>		
<b>Vitamins And Minerals</b>		
<i>bal-care dha combo pack 27-1-430 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>bal-care dha essential pack 27 mg iron-1 mg -374 mg</i>	2	
<i>c-nate dha softgel 28 mg iron-1 mg -200 mg</i>	2	
<i>completenate tablet chew 29 mg iron- 1 mg</i>	2	
<i>folivane-ob capsule 85-1 mg</i>	2	
<i>hemenatal ob + dha oral combo pack 28 mg iron-6 mg iron-1 mg</i>	2	
<i>kosher prenatal plus iron tab 30 mg iron- 1 mg</i>	2	
<i>marnatal-f capsule 60 mg iron-1 mg</i>	2	
<i>m-natal plus tablet 27 mg iron- 1 mg (pnv,calcium 72-iron-folic acid)</i>	2	
<i>mynatal advance oral tablet 90-1-50 mg</i>	2	
<i>mynatal capsule 65 mg iron- 1 mg</i>	2	
<i>mynatal oral tablet 90-1-50 mg</i>	2	
<i>mynatal plus captab 65 mg iron- 1 mg</i>	2	
<i>mynatal-z captab 65 mg iron- 1 mg</i>	2	
<i>mynate 90 plus oral tablet extended release 90 mg iron-1 mg</i>	2	
<i>newgen tablet 32-1,000 mg-mcg</i>	2	
<i>niva-plus tablet 27 mg iron- 1 mg</i>	2	
<i>obstetrix dha oral combo pack,tablet and cap,dr 29 mg iron-1 mg -50 mg</i>	2	
<i>o-cal prenatal tablet 15 mg iron-1,000 mcg</i>	2	
<i>pnv 29-1 tablet (rx) 29 mg iron- 1 mg</i>	2	
<i>pnv prenatal plus multivit tab gluten-free (rx) 27 mg iron- 1 mg (pnv,calcium 72-iron-folic acid)</i>	2	
<i>pnv-dha + docusate oral capsule 27-1.25-55-300 mg</i>	2	
<i>pnv-omega softgel 28-1-300 mg</i>	2	
<i>pnv-yp-u oral capsule 106.5-1 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>pr natal 400 combo pack 29-1-400 mg</i>	2	
<i>pr natal 400 ec combo pack 29-1-400 mg</i>	2	
<i>pr natal 430 combo pack 29 mg iron-1 mg -430 mg</i>	2	
<i>pr natal 430 ec combo pack 29-1-430 mg</i>	2	
<i>prena1 true combo pack 30 mg iron-1.4 mg-300 mg</i>	2	
<i>prenaissance oral capsule 29-1.25-55-325 mg</i>	2	
<i>prenaissance plus oral capsule 28-1-50-250 mg</i>	2	
<i>prenatabs fa tablet 29-1 mg</i>	2	
<i>prenatal 19 (with docusate) oral tablet 29 mg iron- 1 mg-25 mg</i>	2	
<i>prenatal 19 chewable tablet 29 mg iron- 1 mg</i>	2	
<i>prenatal low iron tablet (rx) 27 mg iron- 1 mg</i>	2	
<i>prenatal plus iron tablet (rx) 29 mg iron- 1 mg</i>	2	(pnv,calcium 72-iron,carb-folic)
<i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i>	2	(pnv,calcium 72-iron-folic acid)
<i>prenatal-u capsule 106.5-1 mg</i>	2	
<i>preplus ca-fe 27 mg-fa 1 mg tb (rx) 27 mg iron- 1 mg</i>	2	(pnv,calcium 72-iron-folic acid)
<i>pretab 29 mg-1 mg tablet (rx) 29-1 mg</i>	2	
<i>purefe ob plus capsule 106 mg iron- 1 mg</i>	2	
<i>purefe plus capsule 106 mg iron- 1 mg</i>	2	
<i>r-natal ob softgel 20 mg iron- 1 mg-320 mg</i>	2	
<i>select-ob chewable caplet 29 mg iron- 1 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>select-ob chewable caplet 29 mg iron- 1 mg</i>	2	
<i>se-natal 19 chewable tablet 29 mg iron- 1 mg</i>	2	
<i>taron-c dha capsule 35-1-200 mg</i>	2	
<i>taron-prex prenatal-dha oral capsule 30 mg iron-1.2 mg-55 mg-265 mg</i>	2	
<i>triveen-duo dha combo pack 29-1-400 mg</i>	2	
<i>vinate care chewable tablet 40 mg iron- 1 mg</i>	2	
<i>virt-c dha softgel (rx) 35-1-200 mg</i>	2	
<i>virt-nate dha softgel 28 mg iron-1 mg -200 mg</i>	2	
<i>virt-pn dha softgel (rx) 27 mg iron-1 mg -300 mg</i>	2	
<i>virt-pn oral tablet 27-1 mg</i>	2	
<i>virt-pn plus softgel (rx) 28-1-300 mg</i>	2	
<i>vitafol gummies 3.33 mg iron- 0.33 mg</i>	2	
<i>vitafol nano tablet 18 mg iron- 1 mg</i>	2	
<i>vitafol-ob+dha combo pack 65-1-250 mg</i>	2	
<i>vol-nate oral tablet 28 mg iron- 1 mg</i>	2	
<i>vp-ch-pnv oral capsule 30 mg iron-1 mg -50 mg-260 mg</i>	2	
<i>vp-pnv-dha softgel (rx) 28 mg iron-1 mg-200 mg</i>	2	
<i>zatean-pn dha capsule 27 mg iron-1 mg -300 mg</i>	2	
<i>zatean-pn plus softgel 28-1-300 mg</i>	2	
<i>zingiber tablet 1.2 mg-40 mg- 124.1 mg-100 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

## INDEX

1ST TIER UNIFINE PENTIPS.....	113	ADVAIR DISKUS.....	193	<i>alyacen 7/7/7 (28)</i> .....	97
1ST TIER UNIFINE PENTIPS PLUS.....	113	ADVAIR HFA.....	193	<i>alyq</i> .....	199
<i>abacavir</i> .....	66	ADVOCATE PEN NEEDLE .....	114	<i>amabelz</i> .....	167
<i>abacavir-lamivudine</i> .....	66	ADVOCATE SYRINGES....	114	<i>amantadine hcl</i> .....	58
<i>abacavir-lamivudine- zidovudine</i> .....	66	<i>afirmelle</i> .....	97	AMBISOME.....	50
ABELCET.....	50	AJOVY AUTOINJECTOR....	53	<i>ambrisentan</i> .....	199
ABILIFY MAINTENA.....	60	AJOVY SYRINGE.....	53	<i>amethia</i> .....	97
<i>abiraterone</i> .....	21	AKYNZEO (FOSNETUPITANT).....	55	<i>amiloride</i> .....	88
ABOUTTIME PEN NEEDLE.....	113, 114	AKYNZEO (NETUPITANT).....	56	<i>amiloride-hydrochlorothiazide</i> ..	88
ABRAXANE.....	21	<i>ala-cort</i> .....	110	AMINOSYN-PF 7 % (SULFITE-FREE).....	77
<i>acamprosate</i> .....	10	<i>ala-scalp</i> .....	110	<i>amiodarone</i> .....	82
<i>acarbose</i> .....	45	<i>albendazole</i> .....	57	<i>amitriptyline</i> .....	41
<i>accutane</i> .....	107	<i>albuterol sulfate</i> .....	194, 195	<i>amitriptyline-chlordiazepoxide</i> ..	41
<i>acebutolol</i> .....	83	<i>alcaine</i> .....	156	<i>amlodipine</i> .....	87
<i>acetaminophen-codeine</i> .....	3	<i>alclometasone</i> .....	110	<i>amlodipine-atorvastatin</i> .....	89
<i>acetazolamide</i> .....	190	ALCOHOL PADS.....	107	<i>amlodipine-benazepril</i> .....	87
<i>acetazolamide sodium</i> .....	190	ALCOHOL PREP PADS.....	108	<i>amlodipine-olmesartan</i> .....	87
<i>acetic acid</i> .....	157	ALCOHOL PREP SWABS..	107	<i>amlodipine-valsartan</i> .....	87
<i>acetylcysteine</i> .....	196	ALCOHOL SWABS.....	107	<i>amlodipine-valsartan-hcthiazid</i> ..	87
<i>acitretin</i> .....	107	ALCOHOL WIPES.....	108	<i>ammonium lactate</i> .....	107
ACTEMRA.....	173	ALDURAZYME.....	154	<i>amoxapine</i> .....	41
ACTEMRA ACTPEN.....	173	ALECENSA.....	21	<i>amoxicil-clarithromy- lansopraz</i> .....	161
ACTHAR.....	170	<i>alendronate</i> .....	185, 186	<i>amoxicillin</i> .....	17
ACTHIB (PF).....	180	<i>alfuzosin</i> .....	166	<i>amoxicillin-pot clavulanate</i> ..	17, 18
ACTIMMUNE.....	187	ALIMTA.....	21	<i>amphotericin b</i> .....	50
<i>acyclovir</i> .....	72, 107	<i>aliskiren</i> .....	91	<i>amphotericin b liposome</i> .....	50
<i>acyclovir sodium</i> .....	72	<i>allopurinol</i> .....	52	<i>ampicillin</i> .....	18
ADACEL(TDAP ADOLESN/ADULT)(PF)....	180	<i>alosetron</i> .....	185	<i>ampicillin sodium</i> .....	18
ADAKVEO.....	76	ALPHAGAN P.....	190	<i>ampicillin-sulbactam</i> .....	18
<i>adapalene</i> .....	113	<i>alprazolam</i> .....	11	<i>anagrelide</i> .....	76
<i>adefovir</i> .....	72	ALREX.....	159	<i>anastrozole</i> .....	21
ADEMPAS.....	199	<i>altavera (28)</i> .....	97	ANORO ELLIPTA.....	195
<i>adrucil</i> .....	21	ALTRENO.....	113	<i>apomorphine</i> .....	58
		ALUNBRIG.....	21	<i>apraclonidine</i> .....	156
		<i>alyacen 1/35 (28)</i> .....	97	<i>aprepitant</i> .....	56
				APRETUDE.....	66

<i>apri</i> .....	97	AYVAKIT .....	21	BD ULTRA-FINE MICRO	
APTIOM.....	35	<i>azacitidine</i> .....	21	PEN NEEDLE .....	117
APTIVUS.....	66	<i>azathioprine</i> .....	173	BD ULTRA-FINE MINI	
<i>aranelle (28)</i> .....	97	<i>azathioprine sodium</i> .....	174	PEN NEEDLE .....	117
ARCALYST.....	173	<i>azelastine</i> .....	156	BD ULTRA-FINE NANO	
<i>aripiprazole</i> .....	60	<i>azithromycin</i> .....	16	PEN NEEDLE .....	117
ARISTADA.....	61	AZOPT .....	190	BD ULTRA-FINE ORIG	
ARISTADA INITIO .....	61	<i>aztreonam</i> .....	17	PEN NEEDLE .....	117
<i>armodafinil</i> .....	199	<i>azurette (28)</i> .....	98	BD ULTRA-FINE SHORT	
ARNUITY ELLIPTA.....	193	<i>bacitracin</i> .....	13, 157	PEN NEEDLE .....	117
<i>ascomp with codeine</i> .....	3	<i>bacitracin-polymyxin b</i> .....	157	BD VEO INSULIN SYR	
<i>asenapine maleate</i> .....	61	<i>baclofen</i> .....	198	(HALF UNIT).....	117
<i>ashlyna</i> .....	97	<i>bal-care dha</i> .....	200	BD VEO INSULIN	
<i>aspirin-dipyridamole</i> .....	77	<i>bal-care dha essential</i> .....	201	SYRINGE UF .....	117
ASSURE ID DUO-SHIELD	115	<i>balsalazide</i> .....	185	BELSOMRA.....	199
ASSURE ID INSULIN		BALVERSA.....	21	<i>benazepril</i> .....	81
SAFETY .....	115	<i>balziva (28)</i> .....	98	<i>benazepril-hydrochlorothiazide</i> .....	81
ASSURE ID PEN NEEDLE	115	BCG VACCINE, LIVE (PF)	180	<i>bendamustine</i> .....	22
<i>atazanavir</i> .....	66	BD ALCOHOL SWABS.....	107	BENDEKA.....	22
<i>atenolol</i> .....	83	BD AUTOSHIELD DUO		BENLYSTA.....	174
<i>atenolol-chlorthalidone</i> .....	83	PEN NEEDLE .....	115	<i>benztropine</i> .....	58
<i>atomoxetine</i> .....	92	BD ECLIPSE LUER-LOK...	115	<i>bepotastine besilate</i> .....	156
<i>atorvastatin</i> .....	89	BD INSULIN SYRINGE		BESREMI.....	174
<i>atovaquone</i> .....	57	.....	115, 116	<i>betaine</i> .....	187
<i>atovaquone-proguanil</i> .....	57	BD INSULIN SYRINGE		<i>betamethasone acet,sod phos..</i>	169
<i>atropine</i> .....	156	(HALF UNIT).....	115	<i>betamethasone dipropionate ...</i>	110
ATROVENT HFA.....	195	BD INSULIN SYRINGE		<i>betamethasone valerate</i> .....	110
AUBAGIO.....	92	SLIP TIP.....	116	<i>betamethasone, augmented</i> .....	110
<i>aubra eq</i> .....	97	BD INSULIN SYRINGE U-		BETASERON.....	93
<i>aurovela 1.5/30 (21)</i> .....	97	500.....	115	<i>betaxolol</i> .....	83, 190
<i>aurovela 1/20 (21)</i> .....	97	BD INSULIN SYRINGE		<i>bethanechol chloride</i> .....	165
<i>aurovela 24 fe</i> .....	98	ULTRA-FINE.....	115	<i>bexarotene</i> .....	22
<i>aurovela fe 1.5/30 (28)</i> .....	98	BD NANO 2ND GEN PEN		BEXSERO.....	180
<i>aurovela fe 1-20 (28)</i> .....	98	NEEDLE.....	116	<i>bicalutamide</i> .....	22
AUSTEDO.....	92	BD SAFETYGLIDE		BICILLIN L-A.....	18
AUVELITY .....	42	INSULIN SYRINGE....	116, 117	BIDIL.....	92
<i>aviane</i> .....	98	BD SAFETYGLIDE		BIKTARVY .....	66
AVONEX.....	92, 93	NEEDLE.....	116	<i>bimatoprost</i> .....	190
AVSOLA.....	173	BD SAFETYGLIDE		<i>bisoprolol fumarate</i> .....	84
<i>ayuna</i> .....	98	SYRINGE.....	116	<i>bisoprolol-hydrochlorothiazide</i> .	84

<i>bleomycin</i> .....	22	<i>caffeine citrate</i> .....	93	<i>caziant (28)</i> .....	98
<i>bleph-10</i> .....	157	<i>calcipotriene</i> .....	107	<i>cefaclor</i> .....	14
<i>blisovi 24 fe</i> .....	98	<i>calcitonin (salmon)</i> .....	186	<i>cefadroxil</i> .....	14
<i>blisovi fe 1.5/30 (28)</i> .....	98	<i>calcitriol</i> .....	186	<i>cefazolin</i> .....	15
<i>blisovi fe 1/20 (28)</i> .....	98	<i>calcium acetate(phosphat</i>		<i>cefazolin in dextrose (iso-os)</i> ...	15
<b>BOOSTRIX TDAP</b> .....	180	<i>bind)</i> .....	165	<i>cefdinir</i> .....	15
<b>BORDERED GAUZE</b> .....	117	<i>calcium chloride</i> .....	191	<i>cefepime</i> .....	15
<i>bortezomib</i> .....	22	<b>CALQUENCE</b> .....	22	<i>cefixime</i> .....	15
<b>BORTEZOMIB</b> .....	22	<b>CALQUENCE</b>		<i>cefotaxime</i> .....	15
<b>BOSULIF</b> .....	22	( <b>ACALABRUTINIB MAL</b> )... 22		<i>cefoxitin</i> .....	15
<b>BRAFTOVI</b> .....	22	<i>camila</i> .....	98	<i>cefpodoxime</i> .....	15
<b>BREO ELLIPTA</b> .....	194	<i>candesartan</i> .....	80	<i>cefprozil</i> .....	15
<b>BREZTRI AEROSPHERE</b> ..	195	<i>candesartan-</i>		<i>ceftazidime</i> .....	15
<i>brillyn</i> .....	98	<i>hydrochlorothiazid</i> .....	80	<b>CEFTAZIDIME</b> .....	15
<b>BRILINTA</b> .....	77	<b>CAPLYTA</b> .....	61	<b>CEFTAZIDIME IN D5W</b> .....	15
<i>brimonidine</i> .....	190	<b>CAPRELSA</b> .....	22	<i>ceftriaxone</i> .....	15
<i>brimonidine-timolol</i> .....	190	<i>captopril</i> .....	81	<i>cefuroxime axetil</i> .....	15
<b>BRIVIACT</b> .....	35	<i>captopril-hydrochlorothiazide</i> ... 81		<i>cefuroxime sodium</i> .....	16
<i>bromfenac</i> .....	159	<i>carbamazepine</i> .....	36	<i>celecoxib</i> .....	6
<i>bromocriptine</i> .....	58	<i>carbidopa</i> .....	58	<b>CELONTIN</b> .....	36
<b>BROMSITE</b> .....	159	<i>carbidopa-levodopa</i> .....	58, 59	<i>cephalexin</i> .....	16
<b>BRUKINSA</b> .....	22	<i>carbidopa-levodopa-</i>		<b>CERDELGA</b> .....	154
<i>budesonide</i> .....	185, 194	<i>entacapone</i> .....	59	<b>CEREZYME</b> .....	154
<i>bumetanide</i> .....	88	<i>carbinoxamine maleate</i> .....	52	<i>cevimeline</i> .....	106
<i>buprenorphine</i> .....	3	<i>carboplatin</i> .....	22	<i>chateal eq (28)</i> .....	98
<i>buprenorphine hcl</i> .....	3, 10	<b>CAREFINE PEN NEEDLE</b>		<i>chloramphenicol sod succinate</i> ..	13
<i>buprenorphine-naloxone</i> .....	10	.....	117, 118	<i>chlordiazepoxide hcl</i> .....	11
<i>bupropion hcl</i> .....	42	<b>CARETOUCH ALCOHOL</b>		<i>chlorhexidine gluconate</i> .....	106
<i>bupropion hcl (smoking deter)</i> .	10	<b>PREP PAD</b> .....	107	<i>chloroquine phosphate</i> .....	57
<i>bupirone</i> .....	187	<b>CARETOUCH INSULIN</b>		<i>chlorothiazide sodium</i> .....	88
<i>butalbital-acetaminop-caf-cod</i> ... 3		<b>SYRINGE</b> .....	118	<i>chlorpromazine</i> .....	61
<i>butalbital-acetaminophen</i> .....	3	<b>CARETOUCH PEN</b>		<i>chlorthalidone</i> .....	88
<i>butalbital-acetaminophen-caff</i> ... 3		<b>NEEDLE</b> .....	118	<i>chlorzoxazone</i> .....	198
<i>butalbital-aspirin-caffeine</i> .....	3	<i>carglumic acid</i> .....	162	<i>cholestyramine (with sugar)</i> .....	89
<i>butorphanol</i> .....	4	<b>CAROSPIR</b> .....	91	<i>cholestyramine light</i> .....	89
<b>CABENUVA</b> .....	66	<i>carteolol</i> .....	190	<i>ciclopirox</i> .....	50
<i>cabergoline</i> .....	58	<i>cartia xt</i> .....	85	<i>cidofovir</i> .....	72
<b>CABLIVI</b> .....	76	<i>carvedilol</i> .....	84	<i>cilostazol</i> .....	77
<b>CABOMETYX</b> .....	22	<i>caspofungin</i> .....	50	<b>CIMDUO</b> .....	67
<i>cabotegravir</i> .....	66	<b>CAYSTON</b> .....	17	<i>cimetidine</i> .....	161



<i>cimetidine hcl</i> .....	161	CLINIMIX E 4.25%/D10W	COMPLERA.....	67
CIMZIA.....	174	SUL FREE.....	<i>completenate</i> .....	201
CIMZIA POWDER FOR		CLINIMIX E 4.25%/D5W	<i>compro</i> .....	56
RECONST.....	174	SULF FREE.....	<i>constulose</i> .....	162
<i>cinacalcet</i> .....	186	CLINIMIX E 5%/D15W	COPAXONE.....	93
CINQAIR.....	197	SULFIT FREE.....	COPIKTRA.....	23
CINRYZE.....	74	CLINIMIX E 5%/D20W	CORLANOR.....	86
<i>ciprofloxacin</i> .....	19	SULFIT FREE.....	CORTROPHIN GEL.....	170
<i>ciprofloxacin hcl</i> .....	19, 157	CLINIMIX E 8%-D10W	COSENTYX.....	174
<i>ciprofloxacin in 5 % dextrose</i> ...	19	SULFITEFREE.....	COSENTYX (2 SYRINGES)	
<i>ciprofloxacin-dexamethasone</i> .	157	CLINIMIX E 8%-D14W	.....	174
<i>citalopram</i> .....	42	SULFITEFREE.....	COSENTYX PEN (2 PENS)	174
<i>cladribine</i> .....	22	<i>clobazam</i> .....	COTELLIC.....	23
<i>clarithromycin</i> .....	16	<i>clobetasol</i> .....	CREON.....	154
<i>clemastine</i> .....	52	<i>clobetasol-emollient</i> .....	<i>cromolyn</i> .....	156, 162, 197
CLENPIQ.....	164	<i>clomipramine</i> .....	<i>cryselle (28)</i> .....	98
CLICKFINE PEN NEEDLE		<i>clonazepam</i> .....	CURAD GAUZE PAD.....	121
.....	119	<i>clonidine</i> .....	CURITY ALCOHOL	
<i>clindamycin hcl</i> .....	13	<i>clonidine hcl</i> .....	SWABS.....	107
<i>clindamycin in 5 % dextrose</i> .....	13	<i>clopidogrel</i> .....	CURITY GAUZE.....	121
<i>clindamycin pediatric</i> .....	13	<i>clorazepate dipotassium</i> .....	<i>cyclafem 1/35 (28)</i> .....	98
<i>clindamycin phosphate</i> 13, 53, 109		<i>clotrimazole</i> .....	<i>cyclafem 7/7/7 (28)</i> .....	98
<i>clindamycin-benzoyl peroxide</i> .	109	<i>clotrimazole-betamethasone</i> .....	<i>cyclobenzaprine</i> .....	198
CLINIMIX 5%/D15W		<i>clozapine</i> .....	<i>cyclopentolate</i> .....	156
SULFITE FREE.....	77	<i>c-nate dha</i> .....	<i>cyclophosphamide</i> .....	23
CLINIMIX 4.25%/D10W		COARTEM.....	CYCLOPHOSPHAMIDE.....	23
SULF FREE.....	77	<i>codeine sulfate</i> .....	<i>cyclosporine</i> .....	174
CLINIMIX 4.25%/D5W		<i>codeine-butalbital-asa-caff</i> .....	<i>cyclosporine modified</i> .....	174
SULFIT FREE.....	78	<i>colchicine</i> .....	<i>cyproheptadine</i> .....	52
CLINIMIX 5%-		<i>colesevelam</i> .....	CYRAMZA.....	23
D20W(SULFITE-FREE).....	78	<i>colestipol</i> .....	<i>cyred eq</i> .....	98
CLINIMIX 6%-D5W		<i>colistin (colistimethate na)</i> .....	CYSTADROPS.....	156
(SULFITE-FREE).....	78	COMBIVENT RESPIMAT..	CYSTARAN.....	156
CLINIMIX 8%-		COMETRIQ.....	<i>d5 % and 0.9 % sodium</i>	
D10W(SULFITE-FREE).....	78	COMFORT EZ INSULIN	<i>chloride</i> .....	191
CLINIMIX 8%-		SYRINGE.....	<i>d5 %-0.45 % sodium chloride</i> ..	191
D14W(SULFITE-FREE).....	78	COMFORT EZ PEN	<i>dalfampridine</i> .....	93
CLINIMIX E 2.75%/D5W		NEEDLES.....	<i>danazol</i> .....	167
SULF FREE.....	78	COMFORT TOUCH PEN	<i>dantrolene</i> .....	198
		NEEDLE.....	DANYELZA.....	23



<i>dapsone</i> .....	55	<i>dextroamphetamine-</i>		<i>doxycycline hyclate</i> .....	20
DAPTACEL (DTAP		<i>amphetamine</i> .....	93	<i>doxycycline monohydrate</i> .....	20
PEDIATRIC) (PF).....	180	<i>dextrose 10 % in water (d10w)</i> .	79	DRIZALMA SPRINKLE.....	42
<i>daptomycin</i> .....	13	<i>dextrose 5 % in water (d5w)</i> ....	79	<i>dronabinol</i> .....	56
DARZALEX.....	23	DIACOMIT.....	36	<i>droperidol</i> .....	56
DARZALEX FASPRO.....	23	<i>diazepam</i> .....	11, 36	DROPLET INSULIN	
<i>dasetta 1/35 (28)</i> .....	98	<i>diazepam intensol</i> .....	11	SYR(HALF UNIT).....	121, 122
<i>dasetta 7/7/7 (28)</i> .....	98	<i>diazoxide</i> .....	188	DROPLET INSULIN	
DAURISMO.....	23	<i>diclofenac potassium</i> .....	6	SYRINGE.....	122, 123
<i>daysee</i> .....	99	<i>diclofenac sodium</i> .....	6, 7, 159	DROPLET MICRON PEN	
<i>deblitane</i> .....	99	<i>diclofenac-misoprostol</i> .....	7	NEEDLE.....	123
<i>decitabine</i> .....	23	<i>dicloxacillin</i> .....	18	DROPLET PEN NEEDLE..	123
<i>deferasirox</i> .....	166	<i>dicyclomine</i> .....	162	DROPSAFE ALCOHOL	
<i>deferiprone</i> .....	166	<i>didanosine</i> .....	67	PREP PADS.....	107
<i>deferoxamine</i> .....	166	DIFICID.....	16	DROPSAFE PEN NEEDLE	
DELSTRIGO.....	67	<i>diflorasone</i> .....	111	.....	123, 124
<i>demeclocycline</i> .....	20	<i>diflunisal</i> .....	7	<i>drospirenone-ethinyl estradiol</i> ...99	
DENGVAXIA (PF).....	181	<i>difluprednate</i> .....	159	DROXIA.....	77
<i>denta 5000 plus</i> .....	106	<i>digitek</i> .....	86	<i>droxidopa</i> .....	80
<i>dentagel</i> .....	106	<i>digox</i> .....	86	DUAVEE.....	168
DERMACEA.....	121	<i>digoxin</i> .....	86	<i>duloxetine</i> .....	42
DERMACEA NON-		<i>dihydroergotamine</i> .....	53	DUPIXENT PEN.....	174
WOVEN.....	121	DILANTIN.....	36	DUPIXENT SYRINGE.....	175
DESCOVY.....	67	<i>diltiazem hcl</i> .....	85	<i>dutasteride</i> .....	166
<i>desipramine</i> .....	42	<i>dilt-xr</i> .....	85	<i>dutasteride-tamsulosin</i> .....	166
<i>desmopressin</i> .....	170, 171	<i>dimenhydrinate</i> .....	56	EASY COMFORT	
<i>desog-e.estradiolle.estradiol</i> ....	99	<i>dimethyl fumarate</i> .....	94	ALCOHOL PAD.....	107
<i>desogestrel-ethinyl estradiol</i> ....	99	DIPENTUM.....	185	EASY COMFORT	
<i>desonide</i> .....	111	<i>diphenhydramine hcl</i> .....	52, 53	INSULIN SYRINGE....	124, 125
<i>desoximetasone</i> .....	111	<i>diphenoxylate-atropine</i> ... 162, 163			
<i>desvenlafaxine succinate</i> .....	42	<i>dipyridamole</i> .....	77		
<i>dexamethasone</i> .....	169	<i>disopyramide phosphate</i> .....	83		
<i>dexamethasone sodium phos</i>		<i>disulfiram</i> .....	10		
( <i>pf</i> ).....	169	<i>divalproex</i> .....	36		
<i>dexamethasone sodium</i>		<i>docetaxel</i> .....	23		
<i>phosphate</i> .....	159, 169	<i>dofetilide</i> .....	83		
<i>dexmethylphenidate</i> .....	93	<i>donepezil</i> .....	41		
<i>dextrazoxane hcl</i> .....	187	DOPTELET (10 TAB PACK) 74			
<i>dextroamphetamine sulfate</i> .....	93	DOPTELET (15 TAB PACK) 75			
		DOPTELET (30 TAB PACK) 75			

EASY COMFORT PEN	ELIGARD (6 MONTH).....24	EPCLUSA.....71, 72
NEEDLES..... 124, 125	<i>elinest</i> ..... 99	EPIDIOLEX.....36
EASY GLIDE INSULIN	ELIQUIS..... 73	<i>epinastine</i> ..... 156
SYRINGE..... 125	ELIQUIS DVT-PE TREAT	<i>epinephrine</i> .....86
EASY GLIDE PEN	30D START.....73	<i>epitol</i> ..... 36
NEEDLE..... 125	ELITEK..... 154	EPIVIR HBV..... 67
EASY TOUCH..... 127	<i>elixophyllin</i> ..... 195	<i>eplerenone</i> .....91
EASY TOUCH ALCOHOL	ELLA.....99	<i>epoprostenol (glycine)</i> ..... 200
PREP PADS..... 107	ELMIRON..... 188	EPRONTIA.....37
EASY TOUCH FLIPLOCK	<i>eluryng</i> .....99	<i>eprosartan</i> .....80
INSULIN.....126	EMBRACE PEN NEEDLE. 128	ERBITUX..... 24
EASY TOUCH FLIPLOCK	EMCYT.....24	<i>ergoloid</i> .....41
SYRINGE..... 126	EMEND..... 56	ERIVEDGE.....24
EASY TOUCH INSULIN	EMGALITY PEN..... 54	ERLEADA..... 24
SAFETY SYR..... 125, 126	EMGALITY SYRINGE..... 54	<i>erlotinib</i> ..... 24
EASY TOUCH INSULIN	<i>emoquette</i> ..... 99	<i>errin</i> .....99
SYRINGE..... 125, 126, 127, 128	EMSAM..... 42	<i>ertapenem</i> ..... 17
EASY TOUCH LUER	<i>emtricitabine</i> .....67	<i>ery pads</i> ..... 109
LOCK INSULIN.....127	<i>emtricitabine-tenofovir (tdf)</i> .... 67	<i>erythromycin</i> ..... 17, 157
EASY TOUCH PEN	EMTRIVA.....67	<i>erythromycin ethylsuccinate</i> ..... 17
NEEDLE..... 127	<i>enalapril maleate</i> .....82	<i>erythromycin with ethanol</i> ..... 109
EASY TOUCH SAFETY	<i>enalaprilat</i> .....82	<i>erythromycin-benzoyl peroxide</i>
PEN NEEDLE..... 127, 128	<i>enalapril-hydrochlorothiazide</i> ...82	..... 109
EASY TOUCH	ENBREL..... 175	ESBRIET..... 197
SHEATHLOCK INSULIN	ENBREL MINI.....175	<i>escitalopram oxalate</i> ..... 43
..... 126, 127	ENBREL SURECLICK..... 175	<i>esomeprazole magnesium</i> .....161
EASY TOUCH UNI-SLIP... 128	ENDARI.....188	<i>esomeprazole sodium</i> ..... 161
<i>ec-naproxen</i> ..... 7	<i>endocet</i> ..... 4	<i>estarylla</i> .....99
<i>econazole</i> ..... 50	ENGERIX-B (PF)..... 181	<i>estazolam</i> .....12
EDARBI.....80	ENGERIX-B PEDIATRIC	<i>estradiol</i> .....168
EDARBYCLOR.....80	(PF)..... 181	<i>estradiol valerate</i> .....168
EDURANT..... 67	<i>enoxaparin</i> ..... 73	<i>estradiol-norethindrone acet</i> ... 168
<i>efavirenz</i> ..... 67	<i>enpresse</i> ..... 99	<i>eszopiclone</i> .....199
<i>efavirenz-emtricitabin-tenofov</i> .. 67	<i>enskyce</i> ..... 99	<i>ethambutol</i> .....55
<i>efavirenz-lamivu-tenofov disop</i> . 67	ENSPRYNG..... 94	<i>ethosuximide</i> .....37
EGRIFTA SV..... 171	<i>entacapone</i> .....59	<i>ethynodiol diac-eth estradiol</i> ....99
ELAPRASE..... 154	ENTADFI..... 166	<i>etodolac</i> ..... 7
ELIGARD..... 24	<i>entecavir</i> ..... 72	<i>etonogestrel-ethinyl estradiol</i> ...99
ELIGARD (3 MONTH).....24	ENTRESTO..... 80	ETOPOPHOS..... 24
ELIGARD (4 MONTH).....24	<i>enulose</i> ..... 163	<i>etoposide</i> .....24

<i>etravirine</i> .....	67	FERRIPROX (2 TIMES A DAY).....	166	<i>fluvastatin</i> .....	90
EUCRISA.....	111	<i>fesoterodine</i> .....	165	<i>fluvoxamine</i> .....	43
EVENITY.....	186	FETZIMA.....	43	<i>folivane-ob</i> .....	201
<i>everolimus (antineoplastic)</i> .....	24	FIASP FLEXTOUCH U-100		<i>fomepizole</i> .....	188
<i>everolimus (immunosuppressive)</i> .....	175	INSULIN.....	47	<i>fondaparinux</i> .....	74
EVOTAZ.....	67	FIASP PENFILL U-100		FORTEO.....	186
EVRYSDI.....	188	INSULIN.....	47	<i>fosamprenavir</i> .....	67
EXEL INSULIN.....	128	FIASP U-100 INSULIN.....	47	<i>fosaprepitant</i> .....	56
<i>exemestane</i> .....	25	<i>finasteride</i> .....	166	<i>foscarnet</i> .....	71
EXKIVITY.....	25	<i> fingolimod</i> .....	94	<i>fosinopril</i> .....	82
EXONDYS-51.....	188	FINTEPLA.....	37	<i>fosinopril-hydrochlorothiazide</i> ..	82
EYSUVIS.....	159	FIRVANQ.....	13	<i>fosphenytoin</i> .....	37
EZALLOR SPRINKLE.....	89	<i>flavoxate</i> .....	165	FOTIVDA.....	25
<i>ezetimibe</i> .....	89	FLEBOGAMMA DIF.....	175	FREESTYLE PRECISION..	129
<i>ezetimibe-simvastatin</i> .....	90	<i>flecainide</i> .....	83	FULPHILA.....	75
FABRAZYME.....	154	FLOVENT DISKUS.....	194	<i>fulvestrant</i> .....	25
<i>falmina (28)</i> .....	99	FLOVENT HFA.....	194	<i>furosemide</i> .....	88
<i>famciclovir</i> .....	72	<i>floxuridine</i> .....	25	FUZEON.....	67
<i>famotidine</i> .....	161, 162	<i>fluconazole</i> .....	50	FYARRO.....	25
<i>famotidine (pf)</i> .....	161	<i>fluconazole in nacl (iso-osm)</i> ...	50	<i>fyavolv</i> .....	168
<i>famotidine (pf)-nacl (iso-os)</i>	161	<i>flucytosine</i> .....	50	FYCOMPA.....	37
FANAPT.....	62	<i>fludrocortisone</i> .....	169	FYLNETRA.....	75
FARXIGA.....	45	<i>flumazenil</i> .....	94	<i>gabapentin</i> .....	37
FARYDAK.....	25	<i>flunisolide</i> .....	160	GALAFOLD.....	154
FASENRA.....	197	<i>fluocinolone</i> .....	111	<i>galantamine</i> .....	41
FASENRA PEN.....	197	<i>fluocinolone acetonide oil</i> .....	160	GAMIFANT.....	175
<i>febuxostat</i> .....	52	<i>fluocinonide</i> .....	111	GAMMAGARD LIQUID... 175	
<i>felbamate</i> .....	37	<i>fluocinonide-emollient</i> .....	111	GAMMAGARD S-D (IGA < 1 MCG/ML).....	175
<i>felodipine</i> .....	87	<i>fluoride (sodium)</i> .....	106	GAMMAPLEX.....	175
FEMRING.....	168	<i>fluorometholone</i> .....	160	GAMMAPLEX (WITH SORBITOL).....	175
<i>femynor</i> .....	99	<i>fluorouracil</i> .....	25, 107, 108	GAMUNEX-C.....	176
<i>fenofibrate</i> .....	90	<i>fluoxetine</i> .....	43	<i>ganciclovir sodium</i> .....	73
<i>fenofibrate micronized</i> .....	90	<i>fluphenazine decanoate</i> .....	62	GARDASIL 9 (PF).....	181
<i>fenofibrate nanocrystallized</i> .....	90	<i>fluphenazine hcl</i> .....	62	<i>gatifloxacin</i> .....	157
<i>fenofibric acid (choline)</i> .....	90	<i>flurazepam</i> .....	12	GATTEX 30-VIAL.....	163
<i>fenoprofen</i> .....	7	<i>flurbiprofen</i> .....	7	GAUZE PAD.....	129
<i>fentanyl</i> .....	4	<i>flurbiprofen sodium</i> .....	160	<i>gavilyte-c</i> .....	164
<i>fentanyl citrate</i> .....	4	<i>flutamide</i> .....	25	<i>gavilyte-g</i> .....	164
FERRIPROX.....	166	<i>fluticasone propionate</i> .....	111, 160		

<i>gavilyte-n</i> .....	164	<i>hailey fe 1.5/30 (28)</i> .....	100	HUMIRA(CF) PEN PSOR-	
GAVRETO.....	25	<i>hailey fe 1/20 (28)</i> .....	100	UV-ADOL HS.....	176
<i>gemcitabine</i> .....	25	<i>halobetasol propionate</i> .....	111	HUMULIN R U-500	
<i>gemfibrozil</i> .....	90	<i>haloette</i> .....	100	(CONC) INSULIN.....	47
<i>generlac</i> .....	163	<i>haloperidol</i> .....	62	HUMULIN R U-500	
<i>gengraf</i> .....	176	<i>haloperidol decanoate</i> .....	62	(CONC) KWIKPEN.....	47
<i>gentak</i> .....	157	<i>haloperidol lactate</i> .....	62	<i>hydralazine</i> .....	86
<i>gentamicin</i> .....	12, 109, 157	HARVONI.....	72	<i>hydrochlorothiazide</i> .....	88
<i>gentamicin sulfate (ped) (pf)</i> ..	12	HAVRIX (PF).....	181	<i>hydrocodone-acetaminophen</i> .....	4
<i>gentamicin sulfate (pf)</i> .....	12	HEALTHWISE INSULIN		<i>hydrocodone-ibuprofen</i> .....	4
GENVOYA.....	68	SYRINGE.....	129, 130	<i>hydrocortisone</i> . 111, 112, 169, 185	
GILENYA.....	94	HEALTHWISE PEN		<i>hydrocortisone butyrate</i> .. 111, 112	
GILOTRIF.....	25	NEEDLE.....	130	<i>hydrocortisone valerate</i> .....	112
GIVLAARI.....	77	HEALTHY ACCENTS		<i>hydrocortisone-acetic acid</i> .....	157
<i>glatiramer</i> .....	94	UNIFINE PENTIP.....	130	<i>hydromorphone</i> .....	4
<i>glatopa</i> .....	94	<i>heather</i> .....	100	<i>hydromorphone (pf)</i> .....	4
GLEOSTINE.....	25	HEMADY.....	169	<i>hydroxychloroquine</i> .....	57
<i>glimepiride</i> .....	49	<i>hemenatal ob + dha</i> .....	201	<i>hydroxyprogesterone</i>	
<i>glipizide</i> .....	49	<i>heparin (porcine)</i> .....	74	<i>cap(ppres)</i> .....	172
<i>glipizide-metformin</i> .....	49	<i>heparin, porcine (pf)</i> .....	74	<i>hydroxyurea</i> .....	25
<i>glyburide</i> .....	49	HERCEPTIN HYLECTA.....	25	<i>hydroxyzine hcl</i> .....	53
<i>glyburide micronized</i> .....	49	HERZUMA.....	25	<i>hydroxyzine pamoate</i> .....	188
<i>glyburide-metformin</i> .....	49	HETLIOZ.....	199	HYQVIA.....	177
<i>glycopyrrolate</i> .....	163	HETLIOZ LQ.....	199	<i>ibandronate</i> .....	186
<i>glydo</i> .....	9	HIBERIX (PF).....	181	IBRANCE.....	25
GLYXAMBI.....	45	HUMIRA.....	176	<i>ibu</i> .....	7
<i>granisetron (pf)</i> .....	56	HUMIRA PEN.....	176	<i>ibuprofen</i> .....	7
<i>granisetron hcl</i> .....	56	HUMIRA PEN CROHNS-		<i>ibuprofen-famotidine</i> .....	7
GRANIX.....	75	UC-HS START.....	176	<i>icatibant</i> .....	87
<i>griseofulvin microsize</i> .....	51	HUMIRA PEN PSOR-		<i>iclevia</i> .....	100
<i>griseofulvin ultramicrosize</i> .....	51	UVEITS-ADOL HS.....	176	ICLUSIG.....	26
<i>guanfacine</i> .....	80, 94	HUMIRA(CF).....	177	IDHIFA.....	26
GVOKE.....	188	HUMIRA(CF) PEDI		<i>ifosfamide</i> .....	26
GVOKE HYPOPEN 2-		CROHNS STARTER.....	176	ILARIS (PF).....	177
PACK.....	188	HUMIRA(CF) PEN.....	176	ILEVRO.....	160
GVOKE PFS 1-PACK		HUMIRA(CF) PEN		ILUMYA.....	177
SYRINGE.....	188	CROHNS-UC-HS.....	176	<i>imatinib</i> .....	26
HAEGARDA.....	75	HUMIRA(CF) PEN		IMBRUVICA.....	26
<i>hailey</i> .....	100	PEDIATRIC UC.....	176	<i>imipenem-cilastatin</i> .....	17
<i>hailey 24 fe</i> .....	100			<i>imipramine hcl</i> .....	43

<i>imipramine pamoate</i> .....	43	INSULIN SYRINGE- NEEDLE U-100	116, 118, 128, 129, 131, 132, 139, 140, 144	<i>jasmiel (28)</i> .....	100
<i>imiquimod</i> .....	108	INSUPEN.....	132	<i>javygtor</i> .....	154
IMJUDO.....	26	INTELENCE.....	68	JEMPERLI.....	27
IMLYGIC.....	26	INTRALIPID.....	79	<i>jencycla</i> .....	100
IMOVAX RABIES VACCINE (PF).....	181	INTRON A.....	72	JENTADUETO.....	45
IMPAVIDO.....	58	INVEGA HAFYERA.....	62	JENTADUETO XR.....	45
INBRIJA.....	59	INVEGA SUSTENNA.....	62, 63	<i>jinteli</i> .....	168
<i>incassia</i> .....	100	INVEGA TRINZA.....	63	<i>juleber</i> .....	100
INCONTROL ALCOHOL PADS.....	108	INVELTYS.....	160	JULUCA.....	68
INCONTROL PEN NEEDLE.....	130	INVIRASE.....	68	<i>junel 1.5/30 (21)</i> .....	100
INCRELEX.....	171	IPOL.....	181	<i>junel 1/20 (21)</i> .....	100
<i>indapamide</i> .....	88	<i>ipratropium bromide</i> .....	156, 157, 195	<i>junel fe 1.5/30 (28)</i> .....	100
<i>indomethacin</i> .....	7, 8	<i>ipratropium-albuterol</i> .....	195	<i>junel fe 1/20 (28)</i> .....	100
INFANRIX (DTAP) (PF)....	181	<i>irbesartan</i> .....	80	<i>junel fe 24</i> .....	100
INFLECTRA.....	177	<i>irbesartan-hydrochlorothiazide</i> .....	80	JUXTAPID.....	90
<i>infliximab</i> .....	177	IRESSA.....	26	JYNARQUE.....	88
INGREZZA.....	94	<i>irinotecan</i> .....	26, 27	JYNNEOS (PF)(STOCKPILE).....	182
INGREZZA INITIATION PACK.....	94	ISENTRESS.....	68	<i>kalliga</i> .....	100
INLYTA.....	26	ISENTRESS HD.....	68	KALYDECO.....	197
INPEN (FOR HUMALOG) BLUE.....	130	<i>isibloom</i> .....	100	KANJINTI.....	27
INPEN (NOVOLOG OR FIASP) BLUE.....	131	ISOLYTE S PH 7.4.....	191	KANUMA.....	155
INQOVI.....	26	ISOLYTE-P IN 5 % DEXTROSE.....	191	<i>kariva (28)</i> .....	101
INREBIC.....	26	ISOLYTE-S.....	191	KATERZIA.....	87
INSULIN SYR/NDL U100 HALF MARK.....	131	<i>isoniazid</i> .....	55	<i>kelnor 1/35 (28)</i> .....	101
INSULIN SYRINGE.....	116	<i>isosorbide dinitrate</i> .....	92	<i>kelnor 1-50 (28)</i> .....	101
INSULIN SYRINGE MICROFINE.....	116	<i>isosorbide mononitrate</i> .....	92	KERENDIA.....	91
INSULIN SYRINGE NEEDLELESS.....	116	<i>isosorbide-hydralazine</i> .....	92	KESIMPTA PEN.....	94
		<i>isradipine</i> .....	87	<i>ketoconazole</i> .....	51
		<i>itraconazole</i> .....	51	<i>ketoprofen</i> .....	8
		IV PREP WIPES.....	108	<i>ketorolac</i> .....	8, 160
		<i>ivermectin</i> .....	58	KEVZARA.....	177
		IXIARO (PF).....	181	KEYTRUDA.....	27
		<i>jaimiess</i> .....	100	KIMMTRAK.....	27
		JAKAFI.....	27	KINERET.....	177
		<i>jantoven</i> .....	74	KINRIX (PF).....	182
		JARDIANCE.....	45	KISQALI.....	27
				KISQALI FEMARA CO- PACK.....	27
				KLISYRI.....	108



<i>klor-con m10</i> .....	191	<i>leuprolide</i> .....	28	<i>lorazepam</i> .....	12
<i>klor-con m15</i> .....	191	<i>leuprolide (3 month)</i> .....	28	<i>lorazepam intensol</i> .....	12
<i>klor-con m20</i> .....	192	<i>levetiracetam</i> .....	38	<b>LORBRENA</b> .....	28
<b>KLOXXADO</b> .....	10	<i>levobunolol</i> .....	190	<i>loryna (28)</i> .....	102
<b>KORLYM</b> .....	45	<i>levocarnitine</i> .....	188	<i>losartan</i> .....	80
<b>KOSELUGO</b> .....	27	<i>levocarnitine (with sugar)</i> .....	188	<i>losartan-hydrochlorothiazide</i> ....	81
<i>kosher prenatal plus iron</i> .....	201	<i>levocetirizine</i> .....	53	<b>LOTEMAX</b> .....	160
<b>KRAZATI</b> .....	27	<i>levofloxacin</i> .....	19, 157, 158	<b>LOTEMAX SM</b> .....	160
<b>KRINTAFEL</b> .....	58	<i>levofloxacin in d5w</i> .....	19	<i>loteprednol etabonate</i> .....	160
<b>KRYSTEXXA</b> .....	155	<i>levoleucovorin calcium</i> .....	188	<i>lovastatin</i> .....	90
<i>kurvelo (28)</i> .....	101	<i>levonest (28)</i> .....	101	<i>low-ogestrel (28)</i> .....	102
<b>KYNMOBI</b> .....	59	<i>levonorgestrel-ethinyl estrad</i> ... 101		<i>loxapine succinate</i> .....	63
<i>l norgestle.estradiol-e.estrad</i> ... 101		<i>levonorg-eth estrad triphasic</i> ... 102		<i>lo-zumandimine (28)</i> .....	102
<i>labetalol</i> .....	84	<i>levora-28</i> .....	102	<i>lubiprostone</i> .....	163
<i>lacosamide</i> .....	37	<i>levothyroxine</i> .....	173	<b>LUMAKRAS</b> .....	28
<i>lactulose</i> .....	163	<b>LEXIVA</b> .....	68	<b>LUMIGAN</b> .....	190
<i>lagevrio (eua)</i> .....	73	<i>lidocaine</i> .....	9	<b>LUNSUMIO</b> .....	28
<i>lamivudine</i> .....	68	<i>lidocaine (pf)</i> .....	9, 83	<b>LUPRON DEPOT</b> .....	171
<i>lamivudine-zidovudine</i> .....	68	<i>lidocaine hcl</i> .....	9	<b>LUPRON DEPOT (3</b>	
<i>lamotrigine</i> .....	37, 38	<i>lidocaine viscous</i> .....	9	<b>MONTH)</b> .....	28, 171
<i>lanreotide</i> .....	171	<i>lidocaine-prilocaine</i> .....	10	<b>LUPRON DEPOT (4</b>	
<i>lansoprazole</i> .....	162	<i>lillow (28)</i> .....	102	<b>MONTH)</b> .....	28
<i>lanthanum</i> .....	165	<i>linezolid</i> .....	13	<b>LUPRON DEPOT (6</b>	
<i>lapatinib</i> .....	27	<i>linezolid in dextrose 5%</i> .....	13	<b>MONTH)</b> .....	28
<i>larin 1.5/30 (21)</i> .....	101	<b>LINZESS</b> .....	163	<b>LUPRON DEPOT-PED</b> .....	171
<i>larin 1/20 (21)</i> .....	101	<i>liothyronine</i> .....	173	<b>LUPRON DEPOT-PED (3</b>	
<i>larin 24 fe</i> .....	101	<b>LISCO</b> .....	132	<b>MONTH)</b> .....	171
<i>larin fe 1.5/30 (28)</i> .....	101	<i>lisinopril</i> .....	82	<i>lutea (28)</i> .....	102
<i>larin fe 1/20 (28)</i> .....	101	<i>lisinopril-hydrochlorothiazide</i> ... 82		<b>LYBALVI</b> .....	63
<i>larissia</i> .....	101	<b>LITE TOUCH INSULIN</b>		<i>lyleq</i> .....	102
<i>latanoprost</i> .....	190	<b>PEN NEEDLES</b> .....	132, 133	<i>lyllana</i> .....	168
<b>LATUDA</b> .....	63	<b>LITE TOUCH INSULIN</b>		<b>LYNPARZA</b> .....	28
<i>leflunomide</i> .....	177	<b>SYRINGE</b> .....	133, 134	<b>LYSODREN</b> .....	29
<i>lenalidomide</i> .....	27	<i>lithium carbonate</i> .....	94, 95	<b>LYTGOBI</b> .....	29
<b>LENVIMA</b> .....	28	<b>LIVALO</b> .....	90	<i>lyza</i> .....	102
<i>lessina</i> .....	101	<i>lojaimiess</i> .....	102	<b>MAGELLAN INSULIN</b>	
<i>letrozole</i> .....	28	<b>LOKELMA</b> .....	163	<b>SAFETY SYRNG</b> .....	134
<i>leucovorin calcium</i> .....	188	<b>LONSURF</b> .....	28	<b>MAGELLAN SYRINGE</b> .....	134
<b>LEUKERAN</b> .....	28	<i>loperamide</i> .....	163	<i>magnesium sulfate</i> .....	192
<b>LEUKINE</b> .....	75	<i>lopinavir-ritonavir</i> .....	68	<i>magnesium sulfate in d5w</i> .....	192

<i>magnesium sulfate in water</i> .....	192	<i>meclizine</i> .....	56	<i>metoprolol succinate</i> .....	84
<i>malathion</i> .....	113	<i>medroxyprogesterone</i> .....	172, 173	<i>metoprolol ta-hydrochlorothiaz</i>	84
<i>maprotiline</i> .....	43	<i>mefenamic acid</i> .....	8	<i>metoprolol tartrate</i> .....	84
<i>maraviroc</i> .....	68	<i>mefloquine</i> .....	58	<i>metronidazole</i> .....	14, 53, 109
<b>MARGENZA</b> .....	29	<i>megestrol</i> .....	29, 173	<i>metronidazole in nacl (iso-os)</i> ..	14
<i>marlissa (28)</i> .....	102	<b>MEKINIST</b> .....	29	<i>metyrosine</i> .....	87
<i>marnatal-f</i> .....	201	<b>MEKTOVI</b> .....	29	<i>mexiletine</i> .....	83
<b>MARPLAN</b> .....	43	<i>meloxicam</i> .....	8	<i>miconazole-3</i> .....	51
<b>MATULANE</b> .....	29	<i>memantine</i> .....	41	<b>MICRODOT INSULIN PEN</b>	
<i>matzim la</i> .....	85	<b>MENACTRA (PF)</b> .....	182	<b>NEEDLE</b> .....	134, 135
<b>MAVENCLAD (10 TABLET</b>		<b>MENQUADFI (PF)</b> .....	182	<i>microgestin fe 1/20 (28)</i> .....	102
<b>PACK)</b> .....	95	<b>MENVEO A-C-Y-W-135-</b>		<i>midazolam</i> .....	12
<b>MAVENCLAD (4 TABLET</b>		<b>DIP (PF)</b> .....	182	<i>midodrine</i> .....	80
<b>PACK)</b> .....	95	<b>MEPSEVII</b> .....	155	<i>miglitol</i> .....	45
<b>MAVENCLAD (5 TABLET</b>		<i>mercaptopurine</i> .....	29	<i>miglustat</i> .....	155
<b>PACK)</b> .....	95	<i>meropenem</i> .....	17	<i>mili</i> .....	102
<b>MAVENCLAD (6 TABLET</b>		<i>merzee</i> .....	102	<i>mimvey</i> .....	168
<b>PACK)</b> .....	95	<i>mesalamine</i> .....	185	<b>MINI ULTRA-THIN II</b> .....	135
<b>MAVENCLAD (7 TABLET</b>		<i>mesna</i> .....	188	<i>minitran</i> .....	92
<b>PACK)</b> .....	95	<b>MESNEX</b> .....	189	<i>minocycline</i> .....	20
<b>MAVENCLAD (8 TABLET</b>		<i>metadate er</i> .....	95	<i>minoxidil</i> .....	92
<b>PACK)</b> .....	95	<i>metformin</i> .....	45	<i>mirtazapine</i> .....	43
<b>MAVENCLAD (9 TABLET</b>		<i>methadone</i> .....	4, 5	<i>misoprostol</i> .....	162
<b>PACK)</b> .....	95	<i>methadose</i> .....	5	<b>MITIGARE</b> .....	52
<b>MAVYRET</b> .....	72	<i>methazolamide</i> .....	190	<i>mitoxantrone</i> .....	29
<b>MAXICOMFORT II PEN</b>		<i>methenamine hippurate</i> .....	14	<b>M-M-R II (PF)</b> .....	182
<b>NEEDLE</b> .....	134	<i>methimazole</i> .....	173	<i>m-natal plus</i> .....	201
<b>MAXICOMFORT INSULIN</b>		<i>methocarbamol</i> .....	198	<i>modafinil</i> .....	199
<b>SYRINGE</b> .....	134	<i>methotrexate sodium</i> .....	29	<i>moexipril</i> .....	82
<b>MAXI-COMFORT</b>		<i>methotrexate sodium (pf)</i> .....	29	<i>molindone</i> .....	63
<b>INSULIN SYRINGE</b> .....	134	<i>methoxsalen</i> .....	108	<i>mometasone</i> .....	112, 160
<b>MAXICOMFORT SAFETY</b>		<i>methscopolamine</i> .....	163	<i>mondoxyne nl</i> .....	20, 21
<b>PEN NEEDLE</b> .....	134	<i>methylropa</i> .....	80	<b>MONOJECT INSULIN</b>	
<b>MAYZENT</b> .....	95	<i>methylphenidate hcl</i> .....	95, 96	<b>SAFETY SYRING</b> .....	136
<b>MAYZENT</b>		<i>methylprednisolone</i> .....	169, 170	<b>MONOJECT INSULIN</b>	
<b>STARTER(FOR 1MG</b>		<i>methylprednisolone acetate</i> .....	169	<b>SYRINGE</b> .....	135, 136
<b>MAINT)</b> .....	95	<i>methylprednisolone sodium</i>		<b>MONOJECT SYRINGE</b> .....	135
<b>MAYZENT</b>		<i>succ</i> .....	170	<b>MONOJECT ULTRA</b>	
<b>STARTER(FOR 2MG</b>		<i>metoclopramide hcl</i> .....	163	<b>COMFORT INSULIN</b> .....	150
<b>MAINT)</b> .....	95	<i>metolazone</i> .....	89	<i>mono-linyah</i> .....	102

<i>montelukast</i> .....	194	<i>neomycin-polymyxin b-dexameth</i> .....	158	<i>norlyda</i> .....	103
<i>morphine</i> .....	5	<i>neomycin-polymyxin-gramicidin</i> .....	158	NORMOSOL-M IN 5 %	
MORPHINE.....	5	<i>neomycin-polymyxin-hc</i> .....	158	DEXTROSE.....	192
<i>morphine concentrate</i> .....	5	<i>neo-polycin</i> .....	158	<i>nortrel 0.5/35 (28)</i> .....	103
MOVANTIK.....	163	<i>neo-polycin hc</i> .....	158	<i>nortrel 1/35 (21)</i> .....	103
<i>moxifloxacin</i> .....	19, 158	NERLYNX.....	29	<i>nortrel 1/35 (28)</i> .....	103
MOZOBIL.....	75	NEULASTA.....	75	<i>nortrel 7/7/7 (28)</i> .....	103
MULTAQ.....	83	NEULASTA ONPRO.....	75	<i>nortriptyline</i> .....	43
<i>mupirocin</i> .....	109	NEUPRO.....	59	NORVIR.....	69
MVASI.....	29	<i>nevirapine</i> .....	68	NOVOFINE 30.....	136
<i>mycophenolate mofetil</i> .....	177	<i>newgen</i> .....	201	NOVOFINE 32.....	136
<i>mycophenolate mofetil (hcl)</i> ...	177	NEXLETOL.....	90	NOVOFINE PLUS.....	136
<i>mynatal</i> .....	201	NEXLIZET.....	90	NOVOLIN 70/30 U-100	
<i>mynatal advance</i> .....	201	<i>niacin</i> .....	90, 91	INSULIN.....	48
<i>mynatal plus</i> .....	201	<i>niacor</i> .....	91	NOVOLIN 70-30 FLEXPEN	
<i>mynatal-z</i> .....	201	<i>nicardipine</i> .....	87	U-100.....	48
<i>mynate 90 plus</i> .....	201	NICOTROL.....	10	NOVOLIN N FLEXPEN.....	48
MYRBETRIQ.....	165	<i>nifedipine</i> .....	87, 88	NOVOLIN N NPH U-100	
<i>nabumetone</i> .....	8	<i>nikki (28)</i> .....	102	INSULIN.....	48
<i>nadolol</i> .....	84	<i>nilutamide</i> .....	29	NOVOLIN R FLEXPEN.....	48
<i>nafcillin</i> .....	18	NINLARO.....	29	NOVOLIN R REGULAR U-	
<i>nafcillin in dextrose iso-osm</i> .....	18	<i>nitazoxanide</i> .....	58	100 INSULN.....	48
NAGLAZYME.....	155	<i>nitisinone</i> .....	155	NOVOLOG FLEXPEN U-	
<i>naloxone</i> .....	10	<i>nitrofurantoin macrocrystal</i> .....	14	100 INSULIN.....	48
<i>naltrexone</i> .....	10	<i>nitrofurantoin monohydlm-cryst</i> .....	14	NOVOLOG MIX 70-30 U-	
NAMZARIC.....	41	<i>nitroglycerin</i> .....	92	100 INSULN.....	48
<i>naproxen</i> .....	8, 9	<i>niva-plus</i> .....	201	NOVOLOG MIX 70-30FLEXPEN U-100.....	48
<i>naratriptan</i> .....	54	NIVESTYM.....	75	NOVOLOG PENFILL U-100	
NATACYN.....	158	<i>nizatidine</i> .....	162	INSULIN.....	48
<i>nateglinide</i> .....	46	NORDITROPIN FLEXPRO		NOVOLOG U-100 INSULIN	
NATPARA.....	186	.....	171	ASPART.....	48
NAYZILAM.....	38	<i>norethindrone (contraceptive)</i>	102	NOVOTWIST.....	136
<i>nebivolol</i> .....	84	<i>norethindrone acetate</i> .....	173	NOXAFIL.....	51
<i>necon 0.5/35 (28)</i> .....	102	<i>norethindrone ac-eth estradiol</i>		NPLATE.....	75
<i>nefazodone</i> .....	43	.....	103, 168	NUBEQA.....	29
<i>neomycin</i> .....	12	<i>norethindrone-e.estradiol-iron</i>	103	NUCALA.....	197
<i>neomycin-bacitracin-poly-hc</i> ...	158	<i>norgestimate-ethinyl estradiol</i>	103	NULOJIX.....	177
<i>neomycin-bacitracin-polymyxin</i> .....	158			NUPLAZID.....	63
<i>neomycin-polymyxin b gu</i> .....	109			NURTEC ODT.....	54



NUTRILIPID.....	79	OMNIPOD DASH INTRO		<i>pacерone</i> .....	83
<i>nyamyc</i> .....	51	KIT (GEN 4).....	137	<i>paclitaxel</i> .....	30
<i>nylia 1/35 (28)</i> .....	103	OMNIPOD DASH PDM		<i>paclitaxel protein-bound</i> .....	30
<i>nylia 7/7/7 (28)</i> .....	103	KIT (GEN 4).....	137	<i>paliperidone</i> .....	64
<i>nymyo</i> .....	103	OMNIPOD DASH PODS		PALYNZIQ.....	155
<i>nystatin</i> .....	51	(GEN 4).....	137	<i>pamidronate</i> .....	186
<i>nystatin-triamcinolone</i> .....	51	<i>ondansetron</i> .....	57	PANRETIN.....	108
<i>nystop</i> .....	51	<i>ondansetron hcl</i> .....	56, 57	<i>pantoprazole</i> .....	162
NYVEPRIA.....	75	<i>ondansetron hcl (pf)</i> .....	56	<i>paricalcitol</i> .....	187
<i>obstetrix dha</i> .....	201	ONGENTYS.....	59	<i>paroex oral rinse</i> .....	106
<i>o-cal prenatal</i> .....	201	ONTRUZANT.....	30	<i>paromomycin</i> .....	58
OICALIVA.....	163	ONUREG.....	30	<i>paroxetine hcl</i> .....	44
OCREVUS.....	96	OPDIVO.....	30	PAXLOVID (EUA).....	71
OCTAGAM.....	177	OPDUALAG.....	30	PEDIARIX (PF).....	182
<i>octreotide acetate</i> .....	171	OPSUMIT.....	200	PEDVAX HIB (PF).....	182
ODEFSEY.....	69	<i>oralone</i> .....	106	PEGASYS.....	72
ODOMZO.....	29	ORENCIA.....	178	<i>peg-electrolyte soln</i> .....	164
OFEV.....	197	ORENCIA (WITH		PEMAZYRE.....	30
<i>ofloxacin</i> .....	158	MALTOSE).....	178	<i>pemetrexed</i> .....	30
OGIVRI.....	30	ORENCIA CLICKJECT.....	178	<i>pemetrexed disodium</i> .....	30
<i>olanzapine</i> .....	64	ORFADIN.....	155	PEN NEEDLE.....	128, 137, 140
<i>olmesartan</i> .....	81	ORGOVYX.....	172	PEN NEEDLE, DIABETIC	
<i>olmesartan-amlodipin-</i>		ORLISSA.....	172	.....	120, 121, 135, 137, 139
<i>hcthiazid</i> .....	81	ORKAMBI.....	197	PEN NEEDLE, DIABETIC,	
<i>olmesartan-</i>		<i>orsythia</i> .....	104	SAFETY.....	140
<i>hydrochlorothiazide</i> .....	81	<i>oseltamivir</i> .....	71	<i>penciclovir</i> .....	108
<i>olopatadine</i> .....	157	OSMOLEX ER.....	59, 60	<i>penicillamine</i> .....	166
OLUMIANT.....	178	OTEZLA.....	178	<i>penicillin g potassium</i> .....	18
<i>omega-3 acid ethyl esters</i> .....	91	OTEZLA STARTER.....	178	<i>penicillin g procaine</i> .....	18
<i>omeprazole</i> .....	162	<i>oxaliplatin</i> .....	30	<i>penicillin v potassium</i> .....	19
<i>omeprazole-sodium</i>		<i>oxandrolone</i> .....	167	PENTACEL (PF).....	182
<i>bicarbonate</i> .....	162	<i>oxazepam</i> .....	12	<i>pentamidine</i> .....	58
OMNIPOD 5 G6 INTRO		<i>oxcarbazepine</i> .....	38	PENTIPS.....	137, 138
KIT (GEN 5).....	136	OXLUMO.....	189	<i>pentoxifylline</i> .....	77
OMNIPOD 5 G6 PODS		<i>oxybutynin chloride</i> .....	165	<i>perindopril erbumine</i> .....	82
(GEN 5).....	136	<i>oxycodone</i> .....	5	<i>periogard</i> .....	106
OMNIPOD CLASSIC PDM		<i>oxycodone-acetaminophen</i> .....	5	<i>permethrin</i> .....	113
KIT(GEN 3).....	137	OXYCONTIN.....	6	<i>perphenazine</i> .....	64
OMNIPOD CLASSIC PODS		<i>oxymorphone</i> .....	6	<i>perphenazine-amitriptyline</i> .....	44
(GEN 3).....	137	OZEMPIC.....	46	PERSERIS.....	64

<i>pfizerpen-g</i> .....	19	<i>potassium chloride-0.45 % nacl</i>	193	<i>previfem</i> .....	104
<i>phenelzine</i> .....	44	.....	193	PREVYMIS.....	71
<i>phenobarbital</i> .....	38	<i>potassium citrate</i> .....	193	PREZCOBIX.....	69
<i>phenylephrine hcl</i> .....	80	<i>pr natal 400</i> .....	202	PREZISTA.....	69
<i>phenytoin</i> .....	38	<i>pr natal 400 ec</i> .....	202	PRIFTIN.....	55
<i>phenytoin sodium</i> .....	39	<i>pr natal 430</i> .....	202	PRIMAQUINE.....	58
<i>phenytoin sodium extended</i> .....	38, 39	<i>pr natal 430 ec</i> .....	202	<i>primidone</i> .....	39
<i>philith</i> .....	104	PRALUENT PEN.....	91	PRIORIX (PF).....	182
PHOSLYRA.....	165	<i>pramipexole</i> .....	60	PRIVIGEN.....	178
PIFELTRO.....	69	<i>prasugrel</i> .....	77	PRO COMFORT	
<i>pilocarpine hcl</i> .....	106, 190, 191	<i>pravastatin</i> .....	91	ALCOHOL PADS.....	108
<i>pimecrolimus</i> .....	112	<i>prazosin</i> .....	80	PRO COMFORT INSULIN	
<i>pimozide</i> .....	64	<i>prednicarbate</i> .....	112	SYRINGE.....	138
<i>pimtrea (28)</i> .....	104	<i>prednisolone</i> .....	170	PRO COMFORT PEN	
<i>pindolol</i> .....	84	<i>prednisolone acetate</i> .....	160	NEEDLE.....	138, 139
<i>pioglitazone</i> .....	46	<i>prednisolone sodium phosphate</i>	160, 170	PROAIR RESPICLICK.....	196
<i>pioglitazone-metformin</i> .....	46	.....	160, 170	<i>probenecid</i> .....	52
PIP PEN NEEDLE.....	138	<i>prednisone</i> .....	170	<i>probenecid-colchicine</i> .....	52
<i>piperacillin-tazobactam</i> .....	19	<i>pregabalin</i> .....	39	<i>procainamide</i> .....	83
PIQRAY.....	30	PREHEVBRIO (PF).....	182	PROCALAMINE 3%.....	79
<i>pirfenidone</i> .....	197	PREMARIN.....	168, 169	<i>prochlorperazine</i> .....	57
<i>pirmella</i> .....	104	PREMPHASE.....	169	<i>prochlorperazine edisylate</i> .....	57
<i>piroxicam</i> .....	9	PREMPRO.....	169	<i>prochlorperazine maleate</i> .....	57
PLASMA-LYTE 148.....	192	<i>prenal true</i> .....	202	<i>procto-pak</i> .....	112
PLASMA-LYTE A.....	192	<i>prenaissance</i> .....	202	<i>proctosol hc</i> .....	112
PLEGRIDY.....	96	<i>prenaissance plus</i> .....	202	<i>proctozone-hc</i> .....	112
<i>pnv 29-1</i> .....	201	<i>prenatabs fa</i> .....	202	PRODIGY INSULIN	
<i>pnv-dha + docusate</i> .....	201	<i>prenatal 19</i> .....	202	SYRINGE.....	139
<i>pnv-omega</i> .....	201	<i>prenatal 19 (with docusate)</i> .....	202	<i>progesterone</i> .....	173
<i>pnv-vp-u</i> .....	201	<i>prenatal low iron</i> .....	202	<i>progesterone micronized</i> .....	173
<i>podofilox</i> .....	108	<i>prenatal plus</i> .....	202	PROGRAF.....	178
<i>polycin</i> .....	159	<i>prenatal plus (calcium carb)</i> .....	201	PROLASTIN-C.....	198
<i>polymyxin b sulfate</i> .....	14	<i>prenatal vitamin plus low iron</i> .....	202	PROLENSA.....	160
<i>polymyxin b sulf-trimethoprim</i> .....	159	<i>prenatal-u</i> .....	202	PROLIA.....	187
POMALYST.....	30	<i>preplus</i> .....	202	PROMACTA.....	76
<i>portia 28</i> .....	104	<i>pretab</i> .....	202	<i>promethazine</i> .....	53, 57
<i>posaconazole</i> .....	52	PRETOMANID.....	55	<i>promethegan</i> .....	57
<i>potassium chloride</i> .....	192, 193	<i>prevalite</i> .....	91	<i>propafenone</i> .....	83
		PREVENT DROPSAFE		<i>proparacaine</i> .....	157
		PEN NEEDLE.....	138	<i>propranolol</i> .....	84

<i>propranolol-hydrochlorothiazid</i> 85	RELENZA DISKHALER ..... 71	<i>r-natal ob</i> ..... 202
<i>propylthiouracil</i> ..... 173	RELEUKO..... 76	ROCKLATAN..... 191
PROQUAD (PF)..... 183	RELION NEEDLES..... 139	<i>roflumilast</i> ..... 198
PROSOL 20 %..... 79	RELION PEN NEEDLES... 140	ROLVEDON..... 76
<i>protamine</i> ..... 77	RELISTOR..... 163, 164	<i>ropinirole</i> ..... 60
<i>protriptyline</i> ..... 44	RENFLEXIS..... 178	<i>rosadan</i> ..... 109
PULMOZYME..... 155	<i>repaglinide</i> ..... 46	<i>rosuvastatin</i> ..... 91
PURE COMFORT	<i>repaglinide-metformin</i> ..... 46	ROTARIX..... 183
ALCOHOL PADS..... 108	REPATHA PUSHTRONEX.. 91	ROTATEQ VACCINE..... 183
PURE COMFORT PEN	REPATHA SURECLICK..... 91	ROZLYTREK..... 31
NEEDLE..... 139	REPATHA SYRINGE..... 91	RUBRACA..... 31
<i>purefe ob plus</i> ..... 202	RESTASIS..... 160	<i>rufinamide</i> ..... 39
<i>purefe plus</i> ..... 202	RESTASIS MULTIDOSE... 160	RUKOBIA..... 69
PURIXAN..... 30	RETACRIT..... 76	RUXIENCE..... 31
<i>pyrazinamide</i> ..... 55	RETEVMO..... 31	RYBELSUS..... 46
<i>pyridostigmine bromide</i> ..... 189	RETROVIR..... 69	RYBREVANT..... 31
<i>pyrimethamine</i> ..... 58	REVCovi..... 155	RYDAPT..... 31
QINLOCK..... 31	<i>revonto</i> ..... 198	SAFESNAP INSULIN
QUADRACEL (PF)..... 183	REXULTI..... 64	SYRINGE..... 140
<i>quetiapine</i> ..... 64	REYATAZ..... 69	SAFETY PEN NEEDLE..... 140
<i>quinapril</i> ..... 82	REZLIDHIA..... 31	<i>sajazir</i> ..... 87
<i>quinapril-hydrochlorothiazide</i> ... 82	REZUROCK..... 178	SANTYL..... 108
<i>quinidine gluconate</i> ..... 83	RHOPRESSA..... 191	<i>sapropterin</i> ..... 155
<i>quinidine sulfate</i> ..... 83	RIABNI..... 31	SAVELLA..... 97
<i>quinine sulfate</i> ..... 58	<i>ribavirin</i> ..... 73	SCSEMBLIX..... 31
QULIPTA..... 54	RIDAURA..... 178	<i>scopolamine base</i> ..... 57
RABAVERT (PF)..... 183	<i>rifabutin</i> ..... 55	SECUADO..... 65
<i>rabeprazole</i> ..... 162	<i>rifampin</i> ..... 55	SECURESAFE PEN
RADICAVA..... 96	<i>rilpivirine</i> ..... 69	NEEDLE..... 140
<i>raloxifene</i> ..... 169	<i>riluzole</i> ..... 96	<i>select-ob</i> ..... 202
<i>ramipril</i> ..... 82	<i>rimantadine</i> ..... 71	<i>select-ob (folic acid)</i> ..... 203
<i>ranolazine</i> ..... 87	RINVOQ..... 178	<i>selegiline hcl</i> ..... 60
<i>rasagiline</i> ..... 60	<i>risedronate</i> ..... 187	<i>selenium sulfide</i> ..... 109
RASUVO (PF)..... 178	RISPERDAL CONSTA... 64, 65	SELZENTRY..... 69
RAVICTI..... 163	<i>risperidone</i> ..... 65	SEMGLEE(INSULIN
RAYALDEE..... 187	<i>ritonavir</i> ..... 69	GLARGINE-YFGN)..... 48
<i>reclipsen (28)</i> ..... 104	RITUXAN HYCELA..... 31	SEMGLEE(INSULIN
RECOMBIVAX HB (PF)..... 183	<i>rivastigmine</i> ..... 41	GLARG-YFGN)PEN..... 49
RECTIV..... 189	<i>rivastigmine tartrate</i> ..... 41	<i>se-natal 19 chewable</i> ..... 203
REGRANEX..... 108	<i>rizatriptan</i> ..... 54	SEREVENT DISKUS..... 196

SEROSTIM.....	172	<i>sotalol af</i> .....	85	SUPREP BOWEL PREP	
<i>sertraline</i> .....	44	SPIRIVA RESPIMAT.....	196	KIT.....	164
<i>setlakin</i> .....	104	SPIRIVA WITH		SURE COMFORT	
<i>sevelamer carbonate</i> .....	165	HANDIHALER.....	196	ALCOHOL PREP PADS.....	108
<i>sevelamer hcl</i> .....	165	<i>spironolactone</i> .....	89	SURE COMFORT INS.	
SEZABY.....	39	<i>spironolacton-hydrochlorothiaz</i>	89	SYR. U-100.....	141
<i>sf 5000 plus</i> .....	106	SPRAVATO.....	44	SURE COMFORT	
<i>sharobel</i> .....	104	<i>sprintec (28)</i> .....	104	INSULIN SYRINGE.....	141
SHINGRIX (PF).....	183	SPRITAM.....	39	SURE COMFORT PEN	
SIGNIFOR.....	172	SPRYCEL.....	31	NEEDLE.....	141, 142
SIKLOS.....	77	<i>sps (with sorbitol)</i> .....	164	SURE COMFORT SAFETY	
<i>sildenafil (pulm.hypertension)</i>	200	<i>sronyx</i> .....	104	PEN NEEDLE.....	141
<i>silver sulfadiazine</i> .....	109	<i>ssd</i> .....	109	SURE-FINE PEN	
SIMBRINZA.....	191	<i>stavudine</i> .....	69	NEEDLES.....	142
<i>simliya (28)</i> .....	104	STELARA.....	179	SURE-JECT INSULIN	
<i>simpanse</i> .....	104	STERILE PADS.....	140	SYRINGE.....	142
<i>simvastatin</i> .....	91	STIOLTO RESPIMAT.....	196	SURE-PREP ALCOHOL	
<i>sirolimus</i> .....	178, 179	STIVARGA.....	31	PREP PADS.....	108
SIRTURO.....	55	STRENSIQ.....	155	SUTAB.....	164
SKY SAFETY PEN		<i>streptomycin</i> .....	12	<i>syeda</i> .....	104
NEEDLE.....	140	STRIBILD.....	69	SYMBICORT.....	194
SKYRIZI.....	179	STRIVERDI RESPIMAT...	196	SYMDEKO.....	198
SLYND.....	104	SUBLOCADE.....	10, 11	SYMJEPI.....	87
<i>sodium chloride 0.45 %</i> .....	193	<i>subvenite</i> .....	39	SYMLINPEN 120.....	46
<i>sodium chloride 0.9 %</i> .....	193	<i>sucralfate</i> .....	162	SYMLINPEN 60.....	46
<i>sodium fluoride-pot nitrate</i> .....	107	<i>sulfacetamide sodium</i> .....	159	SYMPAZAN.....	39
<i>sodium oxybate</i> .....	199	<i>sulfacetamide sodium (acne)</i> ..	109	SYMTUZA.....	70
<i>sodium phenylbutyrate</i> .....	164	<i>sulfacetamide-prednisolone</i> .....	159	SYNAGIS.....	71
<i>sodium polystyrene sulfonate</i> ..	164	<i>sulfadiazine</i> .....	19	SYNAREL.....	172
<i>sodium,potassium,mag sulfates</i>		<i>sulfamethoxazole-</i>		SYNERCID.....	14
.....	164	<i>trimethoprim</i> .....	19, 20	SYNJARDY.....	46
SOLIQUA 100/33.....	49	<i>sulfasalazine</i> .....	185	SYNJARDY XR.....	46
SOLTAMOX.....	31	<i>sulindac</i> .....	9	SYNRIBO.....	32
SOLU-CORTEF ACT-O-		<i>sumatriptan</i> .....	54	TABLOID.....	32
VIAL (PF).....	170	<i>sumatriptan succinate</i> .....	54	TABRECTA.....	32
SOMATULINE DEPOT.....	172	<i>sumatriptan-naproxen</i> .....	55	<i>tacrolimus</i> .....	112, 179
SOMAVERT.....	172	<i>sunitinib</i> .....	32	<i>tadalafil</i> .....	200
<i>sorafenib</i> .....	31	SUNLENCA.....	70	<i>tadalafil (pulm. hypertension)</i>	200
<i>sorine</i> .....	85	SUNOSI.....	199	TAFINLAR.....	32
<i>sotalol</i> .....	85	SUPPRELIN LA.....	172	<i>tafluprost (pf)</i> .....	191

TAGRISSO.....	32	<i>terbutaline</i> .....	196	<i>topiramate</i> .....	39
TAKHZYRO.....	189	<i>terconazole</i> .....	53	<i>toposar</i> .....	32
TALTZ AUTOINJECTOR..	179	TERUMO INSULIN		<i>toremifene</i> .....	33
TALTZ SYRINGE.....	179	SYRINGE.....	144	<i>torseamide</i> .....	89
TALZENNA.....	32	<i>testosterone</i> .....	167	TOTECT.....	189
<i>tamoxifen</i> .....	32	<i>testosterone cypionate</i> .....	167	TOUJEO MAX U-300	
<i>tamsulosin</i> .....	166	<i>testosterone enanthate</i> .....	167	SOLOSTAR.....	49
<i>tarina 24 fe</i> .....	104	TETANUS,DIPHThERIA		TOUJEO SOLOSTAR U-300	
<i>tarina fe 1-20 eq (28)</i> .....	104	TOX PED(PF).....	184	INSULIN.....	49
<i>taron-c dha</i> .....	203	<i>tetrabenazine</i> .....	97	TRACLEER.....	200
<i>taron-prex prenatal-dha</i> .....	203	<i>tetracycline</i> .....	21	TRADJENTA.....	46
TASCENSO ODT.....	97	THALOMID.....	189	<i>tramadol</i> .....	6
TASIGNA.....	32	<i>theophylline</i> .....	196	<i>tramadol-acetaminophen</i> .....	6
<i>tasimelteon</i> .....	199	THINPRO INSULIN		<i>trandolapril</i> .....	82
TAVALISSE.....	77	SYRINGE.....	144	<i>trandolapril-verapamil</i> .....	82
<i>tazarotene</i> .....	113	<i>thioridazine</i> .....	65	<i>tranexamic acid</i> .....	77
TAZORAC.....	113	<i>thiothixene</i> .....	65	<i>tranylcypromine</i> .....	44
<i>taztia xt</i> .....	85	<i>tiadylt er</i> .....	85	TRAVASOL 10 %.....	79
TAZVERIK.....	32	<i>tiagabine</i> .....	39	<i>travoprost</i> .....	191
TDVAX.....	183	TIBSOVO.....	32	TRAZIMERA.....	33
TECENTRIQ.....	32	TICE BCG.....	32	<i>trazodone</i> .....	44
TECHLITE INSULIN		TICOVAC.....	184	TRECATOR.....	55
SYRINGE.....	143	<i>tigecycline</i> .....	21	TRELEGY ELLIPTA.....	196
TECHLITE INSULN		<i>timolol maleate</i> .....	85, 191	TRELSTAR.....	33
SYR(HALF UNIT).....	142, 143	<i>tinidazole</i> .....	58	TREMFYA.....	179
TECHLITE PEN NEEDLE.	143	<i>tiopronin</i> .....	166	<i>treprostinil sodium</i> .....	200
TECVAYLI.....	32	TIVDAK.....	32	<i>tretinoin</i> .....	113
TEFLARO.....	16	TIVICAY.....	70	<i>tretinoin (antineoplastic)</i> .....	33
<i>telmisartan</i> .....	81	TIVICAY PD.....	70	<i>tri femynor</i> .....	104
<i>telmisartan-amlodipine</i> .....	81	<i>tizanidine</i> .....	198	<i>triamcinolone acetonide</i>	
<i>telmisartan-hydrochlorothiazid</i> .	81	TOBI PODHALER.....	12	.....	107, 112, 170
<i>temazepam</i> .....	12	<i>tobramycin</i> .....	13, 159	<i>triamterene-hydrochlorothiazid</i>	89
TEMIXYS.....	70	<i>tobramycin in 0.225 % nacl</i> .....	13	<i>triazolam</i> .....	12
<i>tencon</i> .....	6	<i>tobramycin sulfate</i> .....	13	<i>trientine</i> .....	167
TENIVAC (PF).....	184	<i>tobramycin-dexamethasone</i> ....	159	<i>tri-estarylla</i> .....	105
<i>tenofovir disoproxil fumarate</i> ...	70	<i>tolmetin</i> .....	9	<i>trifluoperazine</i> .....	65
TEPEZZA.....	157	<i>tolterodine</i> .....	165	<i>trifluridine</i> .....	159
TEPMETKO.....	32	TOPCARE CLICKFINE.....	144	<i>trihexyphenidyl</i> .....	60
<i>terazosin</i> .....	166	TOPCARE ULTRA		TRIJARDY XR.....	47
<i>terbinafine hcl</i> .....	52	COMFORT.....	145	TRIKAFTA.....	198



<i>tri-legest fe</i> .....	105	TRUSELTIQ.....	33	ULTRA FLO INSULIN	
<i>tri-linyah</i> .....	105	TRUXIMA.....	33	SYRINGE.....	150
<i>tri-lo-estarylla</i> .....	105	TUKYSA.....	33	ULTRA FLO PEN NEEDLE	
<i>tri-lo-marzia</i> .....	105	<i>tulana</i> .....	105	.....	150
<i>tri-lo-mili</i> .....	105	TURALIO.....	33	ULTRA THIN PEN	
<i>tri-lo-sprintec</i> .....	105	TWINRIX (PF).....	184	NEEDLE.....	150
<i>trimethoprim</i> .....	14	<i>tyblume</i> .....	105	ULTRACARE INSULIN	
<i>tri-mili</i> .....	105	TYBOST.....	189	SYRINGE.....	151
<i>trimipramine</i> .....	44	TYMLOS.....	187	ULTRACARE PEN	
TRINTELLIX.....	44	TYPHIM VI.....	184	NEEDLE.....	151
<i>tri-nymyo</i> .....	105	TYSABRI.....	179	ULTRA-THIN II (SHORT)	
<i>tri-previfem (28)</i> .....	105	TYVASO.....	200	INS SYR.....	151, 152
TRIPTODUR.....	172	UBRELVY.....	55	ULTRA-THIN II (SHORT)	
<i>tri-sprintec (28)</i> .....	105	UCERIS.....	185	PEN NDL.....	152
TRIUMEQ.....	70	UDENYCA.....	76	ULTRA-THIN II INS PEN	
TRIUMEQ PD.....	70	ULTICARE.....	147, 148	NEEDLES.....	152
<i>triveen-duo dha</i> .....	203	ULTICARE INSULIN		ULTRA-THIN II INSULIN	
<i>trivora (28)</i> .....	105	SYRINGE.....	147	SYRINGE.....	152
<i>tri-vylibra</i> .....	105	ULTICARE INSULN		UNIFINE PEN NEEDLE....	152
<i>tri-vylibra lo</i> .....	105	SYR(HALF UNIT).....	147	UNIFINE PENTIPS.....	137, 152
TRIZIVIR.....	70	ULTICARE PEN NEEDLE	148	UNIFINE PENTIPS	
TROGARZO.....	70	ULTICARE SAFETY PEN		MAXFLOW.....	152
TROPHAMINE 10 %.....	79	NEEDLE.....	148	UNIFINE PENTIPS PLUS..	153
<i>trospium</i> .....	166	ULTIGUARD SAFEPACK-		UNIFINE PENTIPS PLUS	
TRUE COMFORT		INSULIN SYR.....	148, 149	MAXFLOW.....	153
ALCOHOL PADS.....	108	ULTIGUARD SAFEPACK-		UNIFINE SAFECONTROL	153
TRUE COMFORT		PEN NEEDLE.....	148, 149	UNIFINE ULTRA PEN	
INSULIN SYRINGE.....	145	ULTILET ALCOHOL		NEEDLE.....	153
TRUE COMFORT PEN		SWAB.....	108	UPTRAVI.....	200
NEEDLE.....	145, 146	ULTILET INSULIN		<i>ursodiol</i> .....	164
TRUE COMFORT PRO		SYRINGE.....	131, 149	<i>valacyclovir</i> .....	73
ALCOHOL PADS.....	108	ULTILET PEN NEEDLE....	149	VALCHLOR.....	108
TRUE COMFORT PRO INS		ULTRA CMFT INS SYR		<i>valganciclovir</i> .....	73
SYRINGE.....	145, 146	(HALF UNIT).....	129, 140, 147	<i>valproate sodium</i> .....	39
TRUE COMFORT SAFETY		ULTRA COMFORT		<i>valproic acid</i> .....	39
PEN NEEDLE.....	145	INSULIN SYRINGE		<i>valproic acid (as sodium salt)</i> ...	39
TRUEPLUS INSULIN.	146, 147	.....	124, 129, 149, 150	<i>valsartan</i> .....	81
TRUEPLUS PEN NEEDLE	146	ULTRA FLO INSUL		<i>valsartan-hydrochlorothiazide</i> ..	81
TRULICITY.....	47	SYR(HALF UNIT).....	150	VALTOCO.....	40
TRUMENBA.....	184			<i>vancomycin</i> .....	14

VANISHPOINT INSULIN SYRINGE.....	153	<i>vinorelbine</i> .....	34	XCOPRI.....	40
VANISHPOINT SYRINGE.....	153	<i>viorele (28)</i> .....	106	XCOPRI MAINTENANCE PACK.....	40
VAQTA (PF).....	184	VIRACEPT.....	70	XCOPRI TITRATION PACK.....	40
<i>varenicline</i> .....	11	VIREAD.....	70	XELJANZ.....	179, 180
VARIVAX (PF).....	184	<i>virt-c dha</i> .....	203	XELJANZ XR.....	180
VASCEPA.....	91	<i>virt-nate dha</i> .....	203	XERMELO.....	164
VEKLURY.....	73	<i>virt-pn</i> .....	203	XGEVA.....	187
VELCADE.....	33	<i>virt-pn dha</i> .....	203	XHANCE.....	161
<i>velivet triphasic regimen (28)</i> .....	105	<i>virt-pn plus</i> .....	203	XIFAXAN.....	14
VELPHORO.....	165	VISTOGARD.....	189	XIGDUO XR.....	47
VELTASSA.....	164	<i>vitafol gummies</i> .....	203	XIIDRA.....	161
VEMLIDY.....	70	<i>vitafol nano</i> .....	203	XOFLUZA.....	71
VENCLEXTA.....	33	<i>vitafol-ob+dha</i> .....	203	XOLAIR.....	198
VENCLEXTA STARTING PACK.....	33	VITRAKVI.....	34	XOSPATA.....	34
<i>venlafaxine</i> .....	44, 45	VIZIMPRO.....	34	XPOVIO.....	34
<i>venlafaxine besylate</i> .....	44	VOCABRIA.....	70	XTAMPZA ER.....	6
<i>verapamil</i> .....	86	<i>vol-nate</i> .....	203	XTANDI.....	34, 35
VERIFINE PEN NEEDLE..	154	<i>volnea (28)</i> .....	106	<i>xulane</i> .....	106
VERSACLOZ.....	65	VONJO.....	34	XULTOPHY 100/3.6.....	49
VERSALON.....	154	<i>voriconazole</i> .....	52	XYOSTED.....	167
VERZENIO.....	33	VOSEVI.....	72	XYREM.....	199
<i>vestura (28)</i> .....	105	VOTRIENT.....	34	YERVOY.....	35
V-GO 20.....	154	<i>vp-ch-pnv</i> .....	203	YF-VAX (PF).....	185
V-GO 30.....	154	<i>vp-pnv-dha</i> .....	203	YONSA.....	35
V-GO 40.....	154	VPRIV.....	155	<i>yuvafem</i> .....	169
<i>vicodin hp</i> .....	6	VRAYLAR.....	65	<i>zafemy</i> .....	106
VICTOZA.....	47	VUMERITY.....	97	<i>zafirlukast</i> .....	194
<i>vienna</i> .....	105	<i>vyfemla (28)</i> .....	106	<i>zaleplon</i> .....	199
<i>vigabatrin</i> .....	40	<i>vylibra</i> .....	106	<i>zarah</i> .....	106
<i>vigadrone</i> .....	40	VYZULTA.....	191	ZARXIO.....	76
VIIBRYD.....	45	<i>warfarin</i> .....	74	<i>zatean-pn dha</i> .....	203
<i>vilazodone</i> .....	45	WEBCOL.....	109	<i>zatean-pn plus</i> .....	203
VIMIZIM.....	155	WELIREG.....	34	<i>zebutal</i> .....	6
VIMPAT.....	40	<i>wera (28)</i> .....	106	ZEGALOGUE AUTOINJECTOR.....	189
<i>vinate care</i> .....	203	XADAGO.....	60	ZEGALOGUE SYRINGE..	189
<i>vinblastine</i> .....	33	XALKORI.....	34	ZEJULA.....	35
<i>vincasar pfs</i> .....	33	XARELTO.....	74	ZELBORAF.....	35
<i>vincristine</i> .....	34	XARELTO DVT-PE TREAT 30D START.....	74		
		XATMEP.....	34		

<i>zenatane</i> .....	109
ZENPEP .....	156
<i>zidovudine</i> .....	70
ZIEXTENZO .....	76
<i>zingiber</i> .....	203
<i>ziprasidone hcl</i> .....	65
<i>ziprasidone mesylate</i> .....	65
ZIRABEV .....	35
ZIRGAN .....	159
ZOLADEX .....	35
<i>zoledronic acid</i> .....	187
<i>zoledronic acid-mannitol-water</i> .....	187
ZOLINZA .....	35
<i>zolmitriptan</i> .....	55
<i>zolpidem</i> .....	199
ZONISADE .....	40
<i>zonisamide</i> .....	40
<i>zovia 1-35 (28)</i> .....	106
ZTALMY .....	40
ZTLIDO .....	10
<i>zumandimine (28)</i> .....	106
ZYDELIG .....	35
ZYKADIA .....	35
ZYLET .....	159
ZYNLONTA .....	35
ZYPREXA RELPREVV ..	65, 66