HEDIS® & QARR Provider Reference Guide - Measurement Year 2024






Table of Contents

Glossary of Terms:		6
Effectiveness of Care- Pre	vention and Screening Measures:	7
Weight Assessment & C	Counseling for Nutrition and Physical Activity for Children & Adolescents (WCC)	7
Childhood Immunization	ns Status (CIS)	7
Immunizations for Adol	escents (IMA)	7
Lead Screening in Childr	ren (LSC)	7
Breast Cancer Screening	g (BCS-E)	7
Cervical Cancer Screening	ng (CCS)	8
Colorectal Cancer Scree	ening (COL-E)	8
Chlamydia Screening in	Women (CHL)	9
Care of Older Adults (CO	OA)	9
Oral Evaluation, Dental	Services (OED)	9
Topical Fluoride for Chil	ldren (TFC)	9
Medical Assistance with	n Smoking and Tobacco Cessation (MSC)	9
COVID-19 Immunization	n Status (CVS)	9
Effectiveness of Care- Res	spiratory Conditions Measures:	11
Appropriate Testing for	Pharyngitis (CWP)	11
Pharmacotherapy Mana	agement of COPD Exacerbation (PCE)	11
	io (AMR)	
Effectiveness of Care- Car	diovascular Conditions Measures:	13
Controlling High Blood F	Pressure (CBP)	13
Persistence of Beta-Bloo	cker Treatment After a Heart Attack (PBH)	13
Statin Therapy for Patie	ents with Cardiovascular Disease (SPC)	14

Cardiac Rehabilitation (CRE)	14
Effectiveness of Care- Diabetes Measures:	16
Glycemic Status Assessment for Patients with Diabetes (GSD)	16
Blood Pressure Control for Patients with Diabetes (BPD)	16
Eye Exam for Patients with Diabetes (EED)	16
Kidney Health Evaluation for Patients with Diabetes (KED)	16
Statin Therapy for Patients with Diabetes (SPD)	17
Effectiveness of Care- Musculoskeletal Conditions Measures:	18
Osteoporosis Management in Women Who Had a Fracture (OMW)	18
Osteoporosis Screening in Older Women (OSW)	18
Effectiveness of Care- Behavioral Health Measures:	19
Diagnoses of Mental Health Disorders (DMH)	19
Antidepressant Medication Management (AMM)	19
Follow-up Care for Children Prescribed ADHD Medication (ADD-E)	19
Follow-Up After Hospitalization for Mental Illness (FUH)	19
Follow-Up After Emergency Department Visit for Mental Illness (FUM)	20
Diagnosed Substance Use Disorders (DSU)	20
Follow-Up After High-Intensity Care for Substance Use Disorder (FUI)	20
Follow-Up After Emergency Department Visit for Substance Use (FUA)	20
Pharmacotherapy for Opioid Use Disorder (POD)	21
Diabetes Screening for People with Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications (SSD)	21
Diabetes Monitoring for People with Diabetes and Schizophrenia (SMD)	21
Cardiovascular Monitoring for People with Cardiovascular Disease and Schizophrenia (SMC)	21
Adherence to Antipsychotic Medications for Individuals with Schizophrenia (SAA)	22

	Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-E)	22
	Depression Screening and Follow-Up for Adolescents and Adults (DSF-E)	22
	Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E)	22
	Depression Remission or Response for Adolescents and Adults (DRR-E)	23
Εſ	fectiveness of Care- Care Coordination Measures:	2 4
	Advance Care Planning (ACP)	24
	Transitions of Care (TOC)	24
	Follow-Up After Emergency Department Visit for People with Multiple High-Risk Chronic Conditions (FMC)	24
Н	V Care	25
	Viral Load Suppression (VLS)	25
	Sexually Transmitted Diseases: Chlamydia Screening	25
	Sexually Transmitted Diseases: Gonorrhea Screening	25
	Sexually Transmitted Diseases: Syphilis Screening	25
Н	ealth Plan Descriptive Information	26
	Social Need Screening and Intervention (SNS-E)	26
	Language Diversity of Membership (LDM)	26
	Race/Ethnicity Diversity of Membership (RDM)	26
A	ccess/Availability of Care Measures:	27
	Adults' Access to Preventative/Ambulatory Health Services (AAP)	27
	Initiation and Engagement of Substance Use Disorder Treatment (IET)	27
	Prenatal and Postpartum Care (PPC)	27
	Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP)	27
V	easures Collected Through the Health Outcomes Survey:	28
	Medicare Health Outcomes Survey (HOS)	20

	Fall Risk Management (FRM)	28
	Management of Urinary Incontinence in Older Adults (MUI)	
	Physical Activity in Older Adults (PAO)	
U	Itilization and Risk Adjusted Utilization Measures:	29
	Well-Child Visits in the First 30 Months of Life (W30)	29
	Child and Adolescent Well-Care Visits (WCV)	29
	Plan All-Cause Readmissions (PCR)	29
	Hospitalization Following Discharge from a Skilled Nursing Facility (HFS)	29
	Acute Hospitalization Utilization (AHU)	29
	Emergency Department Utilization (EDU)	29
	Hospitalization for Potentially Preventable Complications (HPC)	30
	Emergency Department Visits for Hypoglycemia in Older Adults with Diabetes (EDH)	30
R	eferences and Comments:	21

Glossary of Terms:

Measure Name: The name of the HEDIS® measure used for reporting

Measure Code: The code used to identify the measure name

Age Criteria: The age of the population that is eligible for the measure

Measure Description: The description of what is being measured in each domain

ICD10 Codes: The diagnosis code assigned to conditions and diseases used for claims reporting

CPT Codes: Codes used to describe the treatment being provided

Medication List: List of medications from the current year HEDIS® specifications that meet numerator compliance for the attributed measure

HCPCS Codes: Codes used to describe supplies, equipment and devices being provided

LOINC Codes: Codes use to describe the tests being provided, such as laboratory tests and vital signs

Exclusions: Some measures remove eligible members from a measure they are otherwise eligible for (ex: hospice, palliative care, ESRD/dialysis)

Measurement Year (MY): Refers to the current calendar year (January 1, 2024 – December 31, 2024), for the measures unless otherwise specified

Effectiveness of Care- *Prevention and Screening Measures:*

Measure Name (Measure Code)	Age Criteria	Measure Description	ICD10, CPT Codes and Exclusions	Line of Business (LOB)
Weight Assessment & Counseling for Nutrition and Physical Activity for Children & Adolescents (WCC)	3 to 17 years of age	Eligible members with an outpatient PCP and/or OB/GYN visit with documentation of BMI profile and counseling for nutrition and physical activity, within the MY.	ICD 10 Codes: Z68.51-Z68.54, Z71.82 CPT Codes: 97802-97804 Exclusion: Members on/using hospice services (99377); members with a pregnancy diagnosis during the MY, and members who expired during the MY.	SelectHealth
Childhood Immunizations Status (CIS)	2 years of age	Children who have received four doses of DTaP (diphtheria, tetanus, and pertussis) and PCV (pneumococcal conjugate); three doses of IPV (polio), HepB (hepatitis B), and HIB (haemophilus influenza B), two to three doses of RV (rotavirus), two Flu vaccines (influenza), and one dose of MMR (measles, mumps, and rubella), VZV (chicken pox) and HepA (Hepatitis A) by their second birthday.	ICD 10 Codes: NA CPT Codes: 90697, 90670, 90644, 90680/90681, 90655, 90674, 90707, 90710, 90633 Exclusion: Members on/using hospice services (99377), members who expired during the MY, and members where a contraindication to a childhood vaccine has been identified on or before their second birthday.	SelectHealth
Immunizations for Adolescents (IMA)	13 years of age	Adolescents who have received one dose of Tdap (tetanus, diphtheria, and pertussis) and meningococcal vaccines, and have had the HPV (human papillomavirus) vaccine series finalized, by their 13 th birthday.	ICD 10 Codes: NA CPT Codes: 90649, 90619, 90715 Exclusions: Members on/using hospice services (99377) and members who expired during the MY.	SelectHealth
Lead Screening in Children (LSC)	2 years of age	Children who have completed at least one lead blood test (capillary or venous) by their second birthday, to determine lead poisoning.	ICD 10 Codes: NA CPT Codes: 83655 LOINC Codes: 5671-3 Exclusions: Members on/using hospice services (99377) and members who expired during the MY.	SelectHealth
Breast Cancer Screening (BCS-E)	50 to 74 years of age	Members between 52 to 74 years of age, who have had a mammogram October 1 st two years	ICD 10 Codes: NA CPT Codes: 77061-77063, 77065-77067	SelectHealth, Total, EasyCare

Measure Name (Measure Code)	Age Criteria	Measure Description	ICD10, CPT Codes and Exclusions	Line of Business (LOB)
		prior through the end of the MY, to screen for breast cancer.	Exclusions: Members on/using hospice services (99377) or palliative care (Z51.5), members who have expired during the MY, and those who have either a	and EasyCare Plus
		*NCQA implemented an electronic version of this measure. Providers are encouraged to submit data administratively.	unilateral (Z90.11 or Z90.12) or bilateral mastectomy (Z90.13), members 66 and older residing in a facility or members 66 and older with a diagnosis frailty (L89.000) <i>and</i> advanced illness (A81.00), and members who had gender-affirming chest surgery with a gender dysphoria diagnosis (F64.1, F64.8, F64.9).	
Cervical Cancer Screening (CCS)	Women 21 to 64 years of age	Women 21 to 64 years of age, who have had a cervical cytology test (21 to 64) within 3 years, cervical high-risk human papillomavirus test (30-64) within 5 years or both cytology/hrHPV cotesting (30-64) within the last 5 years, to screen for cervical cancer. *NCQA implemented an electronic version of this measure. Providers are encouraged to submit data administratively.	ICD 10 Codes: NA CPT Codes: 88141-88143, 87624, 87625 Exclusions: Members on/using hospice services (99377) or palliative care (Z51.5), members who expired during the MY, or have had a hysterectomy (57530) and/or absence of cervix (Q51.5) and members assigned as male sex at time of birth.	SelectHealth
Colorectal Cancer Screening (COL-E)	45 to 75 years of age	Members 45 to 75 years of age, who have had at least one of the following cancer screenings annually or within specified timeframe from the MY: Fecal Occult Blood Test (FOBT) or Fecal Immunochemical Test (FIT) annually, Stool DNA with FIT testing within 3 years Flexible Sigmoidoscopy or CT Colonography within 5 years and/or Colonoscopy within 10 years. *NCQA implemented an electronic version of this measure. Providers are encouraged to submit data administratively.	ICD 10 Codes: NA CPT Codes: 82270, 81528, 45330, 74261, 44388 Exclusions: Members on/using hospice services (99377) or palliative care (Z51.5), members who expired during the MY, members 66 and older residing in a facility or members 66 and older with a diagnosis frailty (L89.000) and advanced illness (A81.00), and members with a diagnosis of colorectal cancer (C18.9) or total colectomy (44150).	SelectHealth, Total, EasyCare and EasyCare Plus

Measure Name (Measure Code)	Age Criteria	Measure Description	ICD10, CPT Codes and Exclusions	Line of Business (LOB)
Chlamydia	Women	Sexually active women between 16 to 24 years of	ICD 10 Codes: NA	SelectHealth
Screening in	16 to 24	age, who have at least one test for chlamydia	CPT Codes: 87110, 87320, 87490-87492	
Women (CHL)	years of	within the MY.	Exclusions: Members on/using hospice services	
	age		(99377), and members who have expired during the MY.	
Care of Older	66 years	Members who are 66 years of age who have	ICD 10 Codes: NA	Total, and
Adults (COA)	of age	completed all three at least once within the MY-	CPT Codes: 99483, 1125F/1126F, 1159F & 1160F	EasyCare Plus
		Pain and functional status assessments, as well as	HCPCS Codes: G8427, G0438	
		medication review (including OTC and	Exclusions: Members on/using hospice services	
		supplements).	(99377), members who expired during the MY, and	
			services provided in an acute inpatient setting (99221).	
Oral Evaluation,	Members	Members under 21 years of age, who have	ICD 10 Codes: NA	SelectHealth
Dental Services	under 21	completed a comprehensive or periodic oral	CPT Codes: NA	
(OED)	years of	exam with a dental provider during the MY.	Exclusions: Members on/using hospice services	
	age		(99377), or members who have expired during the MY.	
Topical Fluoride	1 to 4	Members between 1 and 4 years of age, who	ICD 10 Codes: NA	SelectHealth
for Children (TFC)	years of	have had two or more fluoride varnish	CPT Codes: 99188	
	age	applications completed during the MY.	Exclusions: Members on/using hospice services	
			(99377), or members who have expired during the MY.	
Medical	18 years	This is a patient survey (CAHPS) based measure,	ICD 10 Codes: NA	SelectHealth,
Assistance with	of age and	focusing on advising smokers and tobacco users	CPT Codes: NA	Total, EasyCare
Smoking and	older	to quit, as well as discussing cessation strategies	Exclusions: NA	and EasyCare
Tobacco Cessation		and medications.		Plus
(MSC)				
COVID-19	6 months	Members 6 months of age and older, who have	ICD 10 Codes: NA	SelectHealth
Immunization	of age and	received at least the first dose of the COVID-19	CPT Codes: 91318-91322, 91304	
Status (CVS)	older	vaccine.	Exclusions: Dually enrolled members in Medicaid and	
			Medicare during the MY.	

Effectiveness of Care- *Respiratory Conditions Measures:*

Measure Name (Measure Code)	Age Criteria	Measure Description	ICD10, CPT Codes and Exclusions	Line of Business (LOB)
Appropriate Testing	3 years of	Members 3 years of age and older, who were	ICD 10 Codes: J02.0, J02.8, J03.01	SelectHealth,
for Pharyngitis	age and	evaluated and diagnosed with pharyngitis,	CPT Codes: 87070, 87081, 87430	Total,
(CWP)	older	given an antibiotic and received a strep test	Exclusions: Members on/using hospice services	EasyCare and
		(group A streptococcus), for each encounter.	(99377), and members who expired during the MY.	EasyCare Plus
Pharmacotherapy	40 years of	Members 40 years of age, which were	ICD 10 Codes: J44.0, J44.9, J43.0, J43.9	SelectHealth,
Management of	age	hospitalized or had an emergency room visit	Medication List: Cortisone, Dexamethasone,	Total,
COPD Exacerbation		between January 1 st and November 30 th , with	Hydrocortisone, Methylprednisolone, Prednisolone,	EasyCare and
(PCE)		COPD exacerbation, who were prescribed	Prednisone, Aclidinium bromide, Ipratropium,	EasyCare Plus
		appropriate medications (a systemic	Tiotropium, Umeclidinium, Albuterol, Aformoterol,	
		corticosteroid or a bronchodilator).	Formoterol, Indacaterol, Levalbuterol, Metaproterenol,	
			Olodaterol, Salmeterol, Albuterol-ipratropium,	
			Budesonide-formoterol, Fluticasone-salmeterol,	
			Fluticasone-vilanterol, Fluticasone furoate-	
			umeclidinium-vilanterol, Formoterol-aclidinium,	
			Formoterol-glycopyrrolate, Formoterol-mometasone,	
			Glycopyrrolate-indacaterol, Olodaterol-tiotropium and	
			Umeclidinium-vilanterol.	
			Exclusions: Members on/using hospice services	
			(99377), members who have expired during the MY,	
			and nonacute hospitalizations.	
Asthma Medication	5 to 64	Members 5 to 64 years of age, with a	ICD 10 Codes: J45.21, J45.51, J45.991	SelectHealth
Ratio (AMR)	years of age	diagnosis of persistent asthma that have a	Medication List: Omalizumab, Dupilumab,	
		controller medications vs total asthma	Benralizumab, Mepolizumab, Reslizumab, Budesonide-	
		medications prescribed ratio of at least 0.50.	formoterol, Fluticasone-salmeterol, Fluticasone-	
			vilanterol, Formoterol-mometasone, Beclomethasone,	
			Budesonide, Ciclesonide, Flunisolide, Fluticasone,	
			Mometasone, Montelukast, Zafirlukast, Zileuton and	
			Theophylline.	
			Exclusions: Members on/using hospice services	
			(99377), members who have expired during the MY,	

Measure Name (Measure Code)	Age Criteria	Measure Description	ICD10, CPT Codes and Exclusions	Line of Business (LOB)
			members who had a diagnosis of emphysema (J43.9), COPD (J44.0), chronic respiratory conditions (J68.4), cystic fibrosis (E84.9) and acute respiratory failure (J96.00), and members without any asthma controlling medications dispensed during the MY.	(200)

Effectiveness of Care- *Cardiovascular Conditions Measures:*

Measure Name (Measure Code)	Age Criteria	Measure Description	ICD10, CPT Codes and Exclusions	Line of Business (LOB)
Controlling High	18 to 85	Members 18 to 85 years of age with a	ICD 10 Codes: 10	SelectHealth,
Blood Pressure	years of age	diagnosis of HTN (hypertension) whose most	CPTII Codes: 3079F, 3078F, 3080F, 3074F, 3075F,	Total,
(CBP)		recent blood pressure measurement during	3077F	EasyCare and
		the MY, show an adequate control of	Exclusions: Members on/using hospice services	EasyCare Plus
		condition, as evidenced by results of	(99377) or palliative care (Z51.5), members who have	
		<140/90mm Hg.	expired during the MY, members 66 years of age or	
			older residing in a facility, members 66 to 80 years of	
			age with a frailty (L89.000) <i>and</i> advanced illness	
			(A81.00) diagnosis, and members 81 and older with at	
			least two indications of frailty (L89.000) during the	
			MY, members with a diagnosis of End-stage renal	
			disease (ESRD) (N18.6), nephrectomy (50220 total or 50240 partial) or kidney transplant (50360), and	
			female members who are pregnant (000.0).	
Persistence of Beta-	18 years of	Members 18 years of age and older who were	ICD 10 Codes: I21.01, I21.19, I21.29	SelectHealth,
Blocker Treatment	age and	discharged from a hospitalization for AMI	Medication List: Carvedilol, Labetalol, Nadolol,	Total,
After a Heart Attack	older	(acute myocardial infarction), between July 1	Pindolol, Propranolol, Timolol, Sotalol, Acebutolol,	EasyCare and
(PBH)	o.ac.	the prior year through June 30 th of the MY,	Atenolol, Betaxolol, Bisoprolol, Metorpolol, Nebivolol,	EasyCare Plus
(1-21.7)		that were prescribed a six-month treatment	Atenolol-chlorthalidone, Bendroflumethiazide-nadolol,	2007 00. 0 1 10.0
		of persistent beta-blockers.	Bisoprolol-hydrochlorothiazide, Hydrochlorothiazide-	
		'	metroprolol and Hydrochlorothiazide-propranolol.	
			Exclusions: Members on/using hospice services	
			(99377), members who expired during the MY,	
			members 66 years of age or older residing in a facility,	
			members 66 to 80 years of age with a frailty (L89.000)	
			and advanced illness (A81.00) diagnosis, and members	
			81 and older with two or more frailty (L89.000)	
			diagnosis, members diagnosed with asthma (J45.21),	
			COPD (J44.0), obstructive chronic bronchitis, chronic	
			respiratory conditions (J68.4) and hypotension (I95.9),	

Measure Name (Measure Code)	Age Criteria	Measure Description	ICD10, CPT Codes and Exclusions	Line of Business (LOB)
			members where it is contraindicated for beta-blocker	
			therapy.	
Statin Therapy for	Males 21 to	Male members between 21 to 75 years of	ICD 10 Codes: I21.01, I21.9, I21.A9	SelectHealth,
Patients with	75 years of	age, and female members between 40 to 75	High-intensity Statin Medication List: Atorvastatin 40-	Total,
Cardiovascular	age;	years of age, who have had an ASCVD	80mg, Amlodipine-atorvastatin 40-80mg, Rosuvastatin	EasyCare and
Disease (SPC)	Females 40	diagnosis (atherosclerotic cardiovascular	20-40mg, Simvastatin 80mg and Ezetimibe-simvastatin	EasyCare Plus
	to 75 years	disease) and has received statin therapy at	80mg.	
	of age	least once during the MY, as well as	Moderate-intensity Statin Medication List:	
		maintained an 80% or higher of statin	Atorvastatin 10-20mg, Amlodipine-atorvastatin 10-	
		adherence.	20mg, Rosuvastatin 5-10mg, Simvastatin 20-40mg,	
			Ezetimibe-simvastatin 20-40mg, Pravastatin 40-80mg,	
			Lovastatin 40mg, Fluvastatin 40-80mg and Pitavastatin	
			1-4mg.	
			Exclusions: Members on/using hospice services	
			(99377) or palliative care (Z51.5), members who	
			expired during the MY, members 66 years of age or	
			older residing in a facility or have a diagnosis of frailty	
			(L89.000) <i>and</i> advanced illness (A81.00), members	
			diagnosed with ESRD (N18.5), cirrhosis (K70.30),	
			myalgia (M79.10), myositis (M60.80), myopathy	
			(G72.9) or rhabdomyolysis (M62.82) and members	
			with a pregnancy (000.0) diagnosis, or received IVF (in	
			vitro fertilization) (HCPCS S4015) or prescribed	
0 1	10 (20 5 1 1	clomiphene during the MY or the year prior.	6 1 1.1
Cardiac	18 years of	Members 18 years of age and older, who	ICD 10 Codes: I21.01, I21.9, I21.A9	SelectHealth,
Rehabilitation (CRE)	age and	participated in cardiac rehabilitation	CPT Codes: 93797, 93798	Total,
	older	following an eligible cardiac event (such as	Exclusions: Members on/using hospice services	EasyCare and
		MI, CABG or heart transplant).	(99377) or palliative care (Z51.5), members who	EasyCare Plus
		Date and and include initiation (2)	expired during the MY, members 66 years of age or	
		Rates reported include initiation (2 or more	older residing in a facility, members 66 to 80 years of	
		sessions within 30 days), engagement 1 (12 or	age with a frailty (L89.000) <i>and</i> advanced illness	

Measure Name	Age Criteria	Measure Description	ICD10, CPT Codes and Exclusions	Line of
(Measure Code)				Business
				(LOB)
		more sessions within 90 days), engagement 2	(A81.00) diagnosis, members 81 and older with two or	
		(24 or more sessions within 180 days) and	more indications of frailty (L89.000). Members	
		achievement (36 or more sessions within 180	diagnosed with an MI (I21.01), CABG (33510), heart or	
		days).	heart & lung transplant (33927) or heart valve	
			repair/replacement (33361) within 180 days after	
			initial event are also excluded.	

Effectiveness of Care- *Diabetes Measures:*

Measure Name (Measure Code)	Age Criteria	Measure Description	ICD10, CPT Codes and Exclusions	Line of Business
((LOB)
Glycemic Status	18 to 75	Members between 18 to 75 years of age,	ICD 10 Codes: E10.10, E10.36, E11.00	SelectHealth,
Assessment for	years of age	diagnosed with diabetes (type 1 and 2),	CPT Codes: 83036, 83067	Total,
Patients with		whose most recent glycemic status (HbA1c	CPTII Codes: 3044F, 3051F, 3052F, 3046F	EasyCare and
Diabetes (GSD)		or GMI) was controlled (demonstrated by	Exclusions: Members on/using hospice services (99377) or	EasyCare Plus
		glycemic status <8.0) or uncontrolled	palliative care (Z51.5), members who have expired during	
		(demonstrated by glycemic status >9.0)	the MY, members 66 years of age or older residing in a	
			facility, members 66 or older with a frailty (L89.000) <i>and</i>	
		*Formerly reported as Hemoglobin A1c	advanced illness (A81.00) diagnosis.	
		Control for Patients with Diabetes (HBD)		
Blood Pressure	18 to 75	Members between 18 to 75 years of age,	ICD 10 Codes: E10.10, E10.36, E11.00	SelectHealth,
Control for Patients	years of age	diagnosed with diabetes (types 1 and 2),	CPTII Codes: 3079F, 3078F, 3080F, 3074F, 3075F, 3077F	Total,
with Diabetes (BPD)		whose most recent blood pressure	Exclusions: Members on/using hospice services (99377) or	EasyCare and
		measurement during the MY, show an	palliative care (Z51.5), members who expired during the	EasyCare Plus
		adequate control of condition, as	MY, members 66 years of age or older residing in a facility,	
		evidenced by results of <140/90mm Hg.	members 66 and older with a frailty (L89.000) <i>and</i>	
Fire France for	10+- 75	Marshaushatusas 10 to 75 years of an	advanced illness (A81.00) diagnosis.	Calaatiiaaltia
Eye Exam for	18 to 75	Members between 18 to 75 years of age,	ICD 10 Codes: E10.10, E10.36, E11.00	SelectHealth,
Patients with	years of age	diagnosed with diabetes (types 1 and 2),	CPT Codes: 67028, 67030, 92201, 92230	Total,
Diabetes (EED)		who have completed a retinal eye exam.	CPTII Codes: 2022F (evidence of retinopathy), 2023F (no evidence of retinopathy)	EasyCare and EasyCare Plus
			Exclusions: Members on/using hospice services (99377) or	EasyCare Plus
			palliative care (Z51.5), members who expired during the	
			MY, members 66 years of age or older residing in a facility,	
			members 66 and older with a frailty (L89.000) <i>and</i>	
			advanced illness (A81.00) diagnosis.	
			davancea miness (Not.oo) diagnosis.	
Kidney Health	18 to 85	Members between 18 to 85 years of age,	ICD 10 Codes: E10.10, E10.36, E11.00	SelectHealth,
Evaluation for	years of age	diagnosed with diabetes (types 1 and 2),	CPT Codes: 82043, 82570, 80047	Total,
Patients with		who completed the eGFR (estimated	LOINC Codes: 13705-9, 1754-1, 2161-8, 50044-7	EasyCare and
Diabetes (KED)		glomerular filtration rate) and uACR (urine		EasyCare Plus

Measure Name (Measure Code)	Age Criteria	Measure Description	ICD10, CPT Codes and Exclusions	Line of Business (LOB)
		albumin-creatinine ratio) lab tests during	Exclusions: Members on/using hospice services (99377) or	
		the MY.	palliative care (Z51.5), members who expired during the	
			MY, members 66 years of age or older residing in a facility,	
		*The uACR must have both a quantitative	members 66 to 80 years of age with a frailty (L89.000) and	
		urine albumin test and a urine creatinine	advanced illness (A81.00) diagnosis, members 81 and	
		test to be complete.	older with two indications of frailty (L89.000) diagnosis,	
			members diagnosed with ESRD (N18.5) or on dialysis.	
Statin Therapy for	40 to 75	Members between 40 to 75 years of age,	ICD 10 Codes: E10.10, E10.36, E11.00	SelectHealth,
Patients with	years of age	with a diagnosis of diabetes, who do not	High-intensity Statin Medication List:	Total,
Diabetes (SPD)		have an ASCVD diagnosis (atherosclerotic	Atorvastatin 40-80mg, Amlodipine-atorvastatin 40-80mg,	EasyCare and
		cardiovascular disease), and has received	Rosuvastatin 20-40mg, Simvastatin 80mg and Ezetimibe-	EasyCare Plus
		statin therapy, as well as maintained an	simvastatin 80mg.	
		80% of statin adherence.	Moderate-intensity Statin Medication List: Atorvastatin	
			10-20mg, Amlodipine-atorvastatin 10-20mg, Rosuvastatin	
			5-10mg, Simvastatin 20-40mg, Ezetimibe-simvastatin 20-	
			40mg, Pravastatin 20-40mg, Lovastatin 40mg, Fluvastatin	
			40-80mg and Pitavastatin 1-4mg.	
			Low-intensity Statin Medication List: Ezetimibe-	
			simvastatin 10mg, Fluvastatin 20mg, Lovastatin 10-20mg,	
			Pravastatin 10-20mg and Simvastatin 5-10mg.	
			Exclusions: Members on/using hospice services (99377) or	
			palliative care (Z51.5), members who expired during the	
			MY, members 66 years of age or older residing in a facility,	
			members 66 and older with a frailty (L89.000) and	
			advanced illness (A81.00) diagnosis, members diagnosed	
			with MI (I21.9), CABG or PCI during the MY, and members	
			with a diagnosis of ESRD (N18.5), cirrhosis (K70.30),	
			myalgia (M79.1), myositis (M60.80), myopathy (G72.9) or	
			rhabdomyolysis (M62.82) and members with a pregnancy	
			(O00.0) diagnosis, or received IVF (in vitro fertilization)	
			(HCPCS S4015) or prescribed clomiphene during the MY.	

Effectiveness of Care- *Musculoskeletal Conditions Measures:*

Measure Name (Measure Code)	Age Criteria	Measure Description	ICD10, CPT Codes and Exclusions	Line of Business (LOB)
Osteoporosis Management in Women Who Had a Fracture (OMW)	67 to 85 years of age	Female members between 67 to 85 years of age, who have had a BMD (bone mineral density) test or prescribed a medication for osteoporosis treatment within six months, after suffering a fracture.	ICD 10 Codes: M80.00XA, M80.80XA CPT Codes: 76977, 77078, 77080-77081 HCPCS Codes: J0897, J1740, J3110, J3111, J3489 Exclusions: Members on/using hospice services (99377) or palliative care (Z51.5), members who expired during the MY, members 67 years of age or older residing in a facility, members 67 to 80 years of age with a frailty (L89.000) and advanced illness (A81.00) diagnosis, members 81 and older with two or more indications of frailty (L89.000) diagnosis.	Total, EasyCare and EasyCare Plus
Osteoporosis Screening in Older Women (OSW)	66 to 75 years of age	Female members between 65-75 years of age, who have been assessed for osteoporosis during the MY.	ICD 10 Codes: NA CPT Codes: 76977, 77078, 77080, 77081, 77085 Exclusions: Members on/using hospice services (99377) or palliative care (Z51.5), members who expired during the MY, members 66 years of age or older with a frailty (L89.000) and advanced illness (A81.00) diagnosis, and members who had encounters for osteoporosis therapy anytime through December 31 st of the MY or claims for osteoporosis medications within 3 years prior to the MY.	Total, EasyCare and EasyCare Plus

Effectiveness of Care- *Behavioral Health Measures:*

Measure Name (Measure Code)	Age Criteria	Measure Description	ICD10, CPT Codes and Exclusions	Line of Business (LOB)
Diagnoses of	1 years of	Members 1 years of age and older, who have	ICD 10 Codes: F03.90, F21, F31.0, F43.10	SelectHealth,
Mental Health	age and	been diagnosed with a mental health disorder	CPT Codes: NA	Total,
Disorders (DMH)	older	during the MY	Exclusions: Members on/using hospice services (99377) and members who expired during the MY.	EasyCare and EasyCare Plus
		Age stratifications are 1-17, 18-64 and 65 years of age and older.		
Antidepressant	18 years of	Members 18 years of age and older with a	ICD 10 Codes: F32.0-F32.4, F32.9, F33.0-F33.3	SelectHealth,
Medication	age and	diagnosis of major depression, who received	CPT Codes: 99221, 98960, 90791, 98966	Total,
Management (AMM)	older	and remained on antidepressant medications	Exclusions: Members on/using hospice services (99377), and members who expired during the MY.	EasyCare and EasyCare Plus
		Rates reported include the effective acute	, -	,
		phase- those who received medication for at		
		least 84 days, and the effective continuation		
		phase- those who received medication for at		
		least 180 days.		
Follow-up Care for	6 to 12	Members between 6 to 12 years of age, who	ICD 10 Codes: F90.0-F90.2, F90.8, F90.9	SelectHealth
Children Prescribed	years of age	were prescribed ADHD (attention	CPT Codes: 96150-96154, 98960-98962	
ADHD Medication		deficit/hyperactivity disorder) medications	Exclusions: Members on/using hospice services (99377),	
(ADD)		and had a follow-up visit within 30 days of	members who expired during the MY, and members	
		prescription (initiation phase) and at least two	with a diagnosis of narcolepsy (G47.411).	
		more follow-up visits within 10 months of		
		prescription (continuation and maintenance phase).		
Follow-Up After	6 years of	Members 6 years of age and older, who had a	ICD 10 Codes: T14.91XA, F20.0, F31.0, F32.9	SelectHealth,
Hospitalization for	age and	mental illness or self-harm diagnosed hospital	CPT Codes: 98960-98962, 99202-99205	Total,
Mental Illness	older	admission, which was discharged and had a	Exclusions: Members on/using hospice services (99377),	EasyCare and
(FUH)		mental health provider follow-up.	members who expired during the MY, and any members discharged and readmitted within 30 days.	EasyCare Plus
		Follow-up appointments are rated by those		
		who complete an appointment within 7 days		

Measure Name (Measure Code)	Age Criteria	Measure Description	ICD10, CPT Codes and Exclusions	Line of Business (LOB)
		post-discharge, and those who complete an appointment within 30 days post-discharge.		
Follow-Up After Emergency Department Visit for Mental Illness (FUM)	6 years of age and older	Members 6 years of age and older, who had a mental illness or self-harm diagnosed emergency department (ED) visit, and had a mental health provider follow-up.	ICD 10 Codes: T14.91XA, F20.0, F31.0, F32.9 CPT Codes: 98960-98962, 99202-99205 Exclusions: Members on/using hospice services (99377), members who expired during the MY.	SelectHealth, Total, EasyCare and EasyCare Plus
		Follow-up appointments are rated by those who complete an appointment within 7 days post ED-discharge, and those who complete an appointment within 30 days post ED-discharge.		
Diagnosed	13 years of	Members 13 years of age and older with a	ICD 10 Codes: F10.10, F11.10, F14.10, F15.10	SelectHealth,
Substance Use Disorders (DSU)	age and older	substance use disorder during the MY. Substance abuse disorders include alcohol, opioid, substance use and other/unspecified drugs.	CPT Codes: NA Exclusions: Members on/using hospice services (99377) and members who expired during the MY.	Total, EasyCare and EasyCare Plus
Follow-Up After High-Intensity Care for Substance Use Disorder (FUI)	13 years of age and older	Members 13 years of age and older with a substance use disorder, which had an acute inpatient hospitalization, residential treatment, or detoxification visit, resulting in follow-up visits.	ICD 10 Codes: F10.10, F11.10, F14.10, F15.10 CPT Codes: 98960-98962, 99202-99205 HCPCS Codes: H0017-H0019, H0008-H0014 Exclusions: Members on/using hospice services (99377), members who expired during the MY.	SelectHealth, Total, EasyCare and EasyCare Plus
		Follow-up appointments are rated by those who complete an appointment within 7 days post-discharge, and those who complete an appointment within 30 days post-discharge.		
Follow-Up After	13 years of age and	Members 13 years of age and older that had an emergency department visit with a primary	ICD 10 Codes: T40.0X1A, F10.10, F11.10, F14.10, F15.10 CPT Codes: 98960-98962, 99202-99205	SelectHealth, Total,
Emergency Department Visit	older	substance use disorder or drug overdose diagnosis and completed a follow-up visit.	HCPCS Codes: H0020, H0004, G2075	EasyCare and EasyCare Plus

Measure Name (Measure Code)	Age Criteria	Measure Description	ICD10, CPT Codes and Exclusions	Line of Business (LOB)
for Substance Use (FUA)		Follow-up appointments are rated by those who complete an appointment within 7 days post-discharge, and those who complete an appointment within 30 days post-discharge.	Exclusions: Members on/using hospice services (99377), members who expired during the MY.	
Pharmacotherapy for Opioid Use Disorder (POD)	16 years of age and older	Members 16 years of age and older with an opioid use disorder, who received new pharmacotherapy that lasted for at least 180 days.	ICD 10 Codes: F11.10, F11.20, CPT Codes: NA HCPCS Codes: G2070, G2069, J0572, H0033, H0020, J2315 Exclusions: Members on/using hospice services (99377), members who expired during the MY.	SelectHealth, Total, EasyCare and EasyCare Plus
Diabetes Screening for People with Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications (SSD)	18 to 64 years of age	Members between 18 and 64 years of age, diagnosed with schizophrenia, schizoaffective or bipolar disorder with a completed diabetes screening, which were prescribed antipsychotic medications during the MY.	ICD 10 Codes: F31.9, F20.9, F25.9 CPT Codes: 80047, 80053, 83036, 83037 Exclusions: Members on/using hospice services (99377), members who expired during the MY, Members who are diagnosed with diabetes, and members that did not receive antipsychotic medications during the MY.	SelectHealth
Diabetes Monitoring for People with Diabetes and Schizophrenia (SMD)	18 to 64 years of age	Members between 18 and 64 years of age, with a diagnosis of diabetes and schizophrenia or schizoaffective disorder, who completed an HbA1c and LDL-C test during the MY.	ICD 10 Codes: E10.9, E11.9, F20.9, F25.9 CPT Codes: 83036, 83037, 80061, 83700 CPT II Codes: 3044F, 3051F, 3052F, 3046F, 3048F, 3049F, 3050F Exclusions: Members on/using hospice services (99377), members who expired during the MY.	SelectHealth
Cardiovascular Monitoring for People with Cardiovascular Disease and Schizophrenia (SMC)	18 to 64 years of age	Members between 18 and 64 years of age, with a diagnosis of cardiovascular disease and schizophrenia or schizoaffective disorder, which completed LDL-C testing during the MY.	ICD 10 Codes: I20.0, I24.9, I21.4, F20.9, F25.9 CPT Codes: 80061, 83700, 83721 CPTII Codes: 3048F, 3049F, 3050F Exclusions: Members on/using hospice services (99377) and members who expired during the MY.	SelectHealth

Measure Name (Measure Code)	Age Criteria	Measure Description	ICD10, CPT Codes and Exclusions	Line of Business (LOB)
Adherence to Antipsychotic Medications for Individuals with Schizophrenia (SAA)	18 years of age and older	Members 18 years of age and older diagnosed with schizophrenia or schizoaffective disorder, which were prescribed an antipsychotic medication, and remained on treatment for at least 80% of the period.	ICD 10 Codes: F20.3, F20.89, F20.9, F25.8, F25.9 CPT Codes: NA HCPCS Codes: J0401, J1631, J1944, J2426, J2680 Exclusions: Members on/using hospice services (99377), members who expired during the MY, members 66 years of age or older residing in a facility, members 66 to 80 years of age with a frailty (L89.000) and advanced illness (A81.00) diagnosis, members 81 and older with at least two frailty (L89.000) diagnosis, members with a diagnosis of Dementia (F0390) or do not have at least two antipsychotic prescription refill events.	SelectHealth, Total, EasyCare and EasyCare Plus
Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-E)	1 to 17 years of age	Members between 1 and 17 years of age, who were prescribed two or more antipsychotic medications and had metabolic testing. Metabolic testing includes blood glucose testing, cholesterol testing or both.	ICD 10 Codes: NA CPT Codes: 82947, 83036, 80061 CPTII Codes: 3044F, 3046F, 3051F, 3052F, 3048F, 3049F, 3050F Exclusions: Members on/using hospice services (99377) and members who expired during the MY.	SelectHealth
Depression Screening and Follow-Up for Adolescents and Adults (DSF-E)	12 years of age and older	Members 12 years of age and older, that had an outpatient visit within 30 days, following a positive depression screening from a standardized screening tool.	ICD 10 Codes: NA CPT Codes: 99202-99205 Exclusions: Members on/using hospice services (99377), members who expired during the MY, and members diagnosed with bipolar disorder (F31.30) or depression (F32.A).	SelectHealth, Total, EasyCare and EasyCare Plus
Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E)	12 years of age and older	Members 12 years of age and older, that had an outpatient visit with a PHQ-9 assessment and score noted in the visit medical record, who are diagnosed with major depression or dysthymia.	ICD 10 Codes: NA CPT Codes: 99202-99205 Exclusions: Members on/using hospice services (99377), members who expired during the MY, and members diagnosed with bipolar disorder (F31.30), personality disorder (F60.3), psychotic disorder (F28) or pervasive developmental disorder (F84.9).	SelectHealth, Total, EasyCare and EasyCare Plus

Measure Name	Age Criteria	Measure Description	ICD10, CPT Codes and Exclusions	Line of
(Measure Code)				Business (LOB)
Depression	12 years of	Members 12 years of age and older, who are	ICD 10 Codes: NA	SelectHealth,
Remission or	age and	diagnosed with depression and have a high	CPT Codes: 99202-99205	Total,
Response for	older	PHQ-9 score, that had successful remission	Exclusions: Members on/using hospice services (99377),	EasyCare and
Adolescents and		(score <5) or response (score decreased by	members who expired during the MY, and members	EasyCare Plus
Adults (DRR-E)		50%) within 4 to 8 months after initial high	diagnosed with bipolar disorder (F31.30), personality	
		score.	disorder (F60.3), psychotic disorder (F28) or pervasive	
			developmental disorder (F84.9).	

Effectiveness of Care- *Care Coordination Measures:*

Measure Name (Measure Code)	Age Criteria	Measure Description	ICD10, CPT Codes and Exclusions	Line of Business (LOB)
Advance Care	66 years of	Members between 66 and 80 years of age who	ICD 10 Codes: M62.81, Z74.01, G30.0, G30.9	Total,
Planning (ACP)	age and	have an advanced illness or frailty diagnosis, or	CPT Codes: 99483, 99497	EasyCare and
	older	receiving palliative care, and members 81	Exclusions: Members on/using hospice services (99377)	EasyCare Plus
		years of age and older who have received	and members who expired during the MY.	
		advanced care planning in the MY.		
Transitions of Care	18 years of	Members 18 years of age and older, who have	ICD 10 Codes: NA	Total,
(TRC)	age and	been discharged after an in-patient	CPT Codes: 99483, 99495, 98966, 99202-99205	EasyCare and
	older	hospitalization, and have the following noted	Exclusions: Members on/using hospice services (99377)	EasyCare Plus
		in their outpatient medical record:	and members who expired during the MY.	
		Notification of Inpatient Admission		
		within 2 days of discharge.		
		2. Receipt of Discharge information		
		within 2 days of discharge.		
		3. Patient Engagement within 30 days of		
		discharge. (Cannot be completed the		
		same day of discharge)		
		4. Medication Reconciliation within 30		
		days of discharge. (It is recommended		
Follow-Up After	18 years of	that providers use CPTII code 1111F) Members 18 years of age and older, diagnosed	ICD 10 Codes: J44.9, G30.9, N18.9, I50.9, I21.9, I48.91,	Total,
Emergency	age and	with multiple high-risk chronic conditions, who	163.9	EasyCare and
Department Visit for	older	have been in the emergency department (ED)	CPT Codes: 99495, 98966, 99202-99205, 90791	EasyCare Plus
People with	oldei	and completed a follow-up appointment	Exclusions: Members on/using hospice services (99377)	LasyCare Flus
Multiple High-Risk		within 7 days of the ED visit.	and members who expired during the MY.	
Chronic Conditions		Within 7 days of the LD visit.	and members who expired during the Wife	
(FMC)		High-risk conditions include, but not limited to,		
(COPD, Alzheimer's disease, chronic kidney		
		disease, heart failure, acute myocardial		
		infarction, atrial fibrillation, and stroke.		

HIV Care

Measure Name (Measure Code)	Age Criteria	Measure Description	ICD10, CPT Codes and Exclusions	Line of Business (LOB)
Viral Load	2 years of	Members 2 years of age and older, who are	ICD 10 Codes: NA	SelectHealth
Suppression (VLS)	age and	diagnosed with HIV (Human Immunodeficiency	CPT Codes: NA	
	older	Virus), with their last HIV Viral Load Testing of	Exclusions: NA	
		the year showing a viral load less than two hundred copies/mL.		
Sexually	13 years of	Members 13 years of age and older, who are	ICD 10 Codes: NA	SelectHealth
Transmitted	age and	diagnosed with HIV (Human Immunodeficiency	CPT Codes: NA	
Diseases: Chlamydia	older	Virus), who have completed a chlamydia	Exclusions: Members who are under 18 years of age	
Screening		screening within the MY.	and are not sexually active	
Sexually	13 years of	Members 13 years of age and older, who are	ICD 10 Codes: NA	SelectHealth
Transmitted	age and	diagnosed with HIV (Human Immunodeficiency	CPT Codes: NA	
Diseases: Gonorrhea	older	Virus), who have completed a gonorrhea	Exclusions: Members who are under 18 years of age	
Screening		screening within the MY.	and are not sexually active	
Sexually	13 years of	Members 13 years of age and older, who are	ICD 10 Codes: NA	SelectHealth
Transmitted	age and	diagnosed with HIV (Human Immunodeficiency	CPT Codes: NA	
Diseases: Syphilis	older	Virus), who have completed a serologic syphilis	Exclusions: Members who are under 18 years of age	
Screening		screening within the MY.	and are not sexually active	

Health Plan Descriptive Information

Measure Name (Measure Code)	Age Criteria	Measure Description	ICD10, CPT Codes and Exclusions	Line of Business (LOB)
Social Need Screening and Intervention (SNS-E)	All ages	All members who have been screened for Food, Housing and Transportation insecurity/needs, as well as have documented interventions within 30 days of a positive screening. Screenings should be completed at	ICD 10 Codes: NA CPT Codes: 96156, 96160, 96161, 97802-97804 Exclusions: Members on/using hospice services (99377) and members who expired during the MY, and members over 66 years of age residing in a facility.	SelectHealth, Total, EasyCare and EasyCare Plus
Language Diversity of Membership (LDM)	All ages	least annually. All members who have been screened for their preferred spoken and written languages, which have been enrolled in the Health Plan at any time during the MY.	ICD 10 Codes: NA CPT Codes: NA Exclusions: NA	SelectHealth, Total, EasyCare and EasyCare Plus
Race/Ethnicity Diversity of Membership (RDM)	All ages	Document and report the race and ethnicity of all members, enrolled in the Health Plan at any time during the MY.	ICD 10 Codes: NA CPT Codes: NA Exclusions: NA	SelectHealth, Total, EasyCare and EasyCare Plus

Access/Availability of Care Measures:

Measure Name (Measure Code)	Age Criteria	Measure Description	ICD10, CPT Codes and Exclusions	Line of Business (LOB)
Adults' Access to	20 years	Members 20 years of age and older, who have	ICD 10 Codes: NA	SelectHealth,
Preventative/Ambulatory	of age	had a preventative or ambulatory care visit	CPT Codes: 99202-99205, 99345	Total,
Health Services (AAP)	and	within the MY.	Exclusions: Members on/using hospice services	EasyCare and
	older		(99377) and members who expire during the MY.	EasyCare Plus
Initiation and	13 years	Members 13 years of age and older, who have a	ICD 10 Codes: F10.10, F11.10, F15.10	SelectHealth,
Engagement of	of age	new alcohol, opioid or other substance abuse	CPT Codes: 99408, 98960, 99212	Total,
Substance Use Disorder	and	disorder, which initiated and engaged in	HCPCS Codes: G2086, G2075, G2080	EasyCare and
Treatment (IET)	older	treatment.	Exclusions: Members on/using hospice services	EasyCare Plus
			(99377), members who expired during the MY.	
		Initiation of SUD treatment should be completed		
		within 14 days and engagement of SUD		
		treatment completed within 34 days of initiation.		
Prenatal and Postpartum	None	Members who have had live births on October 8 th	ICD 10 Codes: O26.90, O26.91, O26.92, O26.93	SelectHealth
Care (PPC)	specified	the year prior through October 7 th of the MY.	CPT Codes: 99202-99205, 99500, 59400, 57170,	
		Measure includes timeliness of prenatal care	58300, 98966-98968	
		during the first trimester, as well as postpartum	Exclusions: Members on/using hospice services	
		care between 7 and 84 days post-delivery.	(99377), members who expired during the MY.	
		Members who have multiple live births during		
		one pregnancy count once, however multiple		
		pregnancies resulting in two separate live		
		deliveries are counted twice.		
Use of First-Line	1 to 17	Members between 1 and 17 years of age who	ICD 10 Codes: F20.9, F25.9, F33.3, F22	SelectHealth
Psychosocial Care for	years of	were prescribed a new antipsychotic medication,	CPT Codes: 90832-90834, 90836-90840	
Children and Adolescents	age	with documented first-line psycho-social care.	Exclusions: Members on/using hospice services	
on Antipsychotics (APP)			(99377), members who expired during the MY and	
			members with antipsychotic medication as first-line	
			care.	

Measures Collected Through the Health Outcomes Survey:

Measure Name (Measure Code)	Age Criteria	Measure Description	ICD10, CPT Codes and Exclusions	Line of Business (LOB)
Medicare Health	65 years	This survey provides an idea of how well a	ICD 10 Codes: NA	Total,
Outcomes Survey (HOS)	of age	Medicare Advantage Organization manages	CPT Codes: NA	EasyCare and
	and	their members mental and physical health	Exclusions: NA	EasyCare Plus
	older	over a two year period. The rates of health-		
		status are indicated as better, same and		
		worse than expected.		
Fall Risk Management	65 years	Members who are 65 years of age and older,	ICD 10 Codes: NA	Total,
(FRM)	of age	who have seen a practitioner in the past 12	CPT Codes: NA	EasyCare and
	and	months and have discussed falls or	Exclusions: Members on/using hospice services (99377)	EasyCare Plus
	older	gait/balance problems, and those who have	per CMS administrative records.	
		fallen or had gait/balance problems in the		
		last month that have received education on		
		prevention and treatment from their		
		practitioner.		
Management of Urinary	65 years	Members who are 65 years of age and older,	ICD 10 Codes: NA	Total,
Incontinence in Older	of age	that have reported urine leakage problems	CPT Codes: NA	EasyCare and
Adults (MUI)	and	with their health care providers in the past 6	Exclusions: Members on/using hospice services (99377)	EasyCare Plus
	older	months, who have discussed the following	per CMS administrative records.	
		with their health care provider: urinary		
		incontinence, available treatment choices		
		and the impact urinary incontinence had on		
		daily living and sleep.		
Physical Activity in Older	65 years	Members who are 65 years of age and older,	ICD 10 Codes: NA	Total,
Adults (PAO)	of age	who have seen their doctor and discussed	CPT Codes: NA	EasyCare and
	and	their physical activity level, and those who	Exclusions: Members on/using hospice services (99377)	EasyCare Plus
	older	received advice on starting, increasing or	per CMS administrative records.	
		maintaining it, during the MY.		

Utilization and Risk Adjusted Utilization Measures:

Measure Name (Measure Code)	Age Criteria	Measure Description	ICD10, CPT Codes and Exclusions	Line of Business (LOB)
Well-Child Visits in	15 to 30	Members between 31 days old to 15 months	ICD 10 Codes: Z00.00, Z00.121, Z00.2, Z00.3	SelectHealth
the First 30 Months of	months	of age, who have had 6 or more well-child	CPT Codes: 99381-99385, 99391-99395	
Life (W30)	of age	PCP visits within 15 months, as well as 2 or	Exclusions: Members on/using hospice services (99377)	
		more well-child PCP visits between 15-30 months during the MY.	and members who expire during the MY.	
Child and Adolescent	3 to 21	Members between 3 and 21 years of age,	ICD 10 Codes: Z00.00, Z00.121, Z00.2, Z00.3	SelectHealth
Well-Care Visits	years of	who have had one or more well-visits with	CPT Codes: 99381-99385, 99391-99395	
(WCV)	age	their PCP or OB/GYN during the MY.	Exclusions: Members on/using hospice services (99377) and members who expire during the MY.	
Plan All-Cause	18 years	Members who are 18 years of age and older,	ICD 10 Codes: NA	SelectHealth,
Readmissions (PCR)	of age	that have had an unplanned readmission,	CPT Codes: 99221-99223, 99211-99215	Total,
	and older	within 30 days of an observation event or	Exclusions: Members on/using hospice services (99377).	EasyCare,
		inpatient admission during the MY.		and EasyCare
				Plus
Hospitalization	65 years	Members who are 65 years of age and older,	ICD 10 Codes: NA	Total,
Following Discharge	of age	who have transitioned from a Skilled Nursing	CPT Codes: 99221-99223, 99211-99215	EasyCare and
from a Skilled Nursing	and older	Facility to the community and have had an	Exclusions: Members on/using hospice services (99377)	EasyCare Plus
Facility (HFS)		unplanned inpatient admission within 30 to	and members residing in an institution long-term during	
		60 days post transition.	the MY.	
Acute Hospitalization	18 years	The ratio for risk-adjustment of observed to	ICD 10 Codes: NA	Total,
Utilization (AHU)	of age	expected inpatient admissions and	CPT Codes: 99221-99223, 99211-99215	EasyCare and
	and older	observation discharges during the MY, for	Exclusions: Members on/using hospice services (99377).	EasyCare Plus
		members who are 18 years of age and older.		
Emergency	18 years	The ratio for risk-adjustment of observed to	ICD 10 Codes: NA	Total,
Department	of age	expected emergency department visits during	CPT Codes: 99281-99285	EasyCare and
Utilization (EDU)	and older	the MY, for members who are 18 years of age	Exclusions: Members on/using hospice services (99377),	EasyCare Plus
		and older.	members with encounters for diagnosis of mental health	
			or chemical dependency, electroconvulsive therapy and	
			psychiatry.	

Hospitalization for	67 years	Discharge rates for ambulatory care sensitive	ICD 10 Codes: NA	Total,
Potentially	of age	conditions per 1,000 members and the ratio	CPT Codes: 99221-99223, 99304-9909	EasyCare and
Preventable	and older	for risk-adjustment of observed to expected	Exclusions: Members on/using hospice services (99377),	EasyCare Plus
Complications (HPC)		discharges for acute and chronic ambulatory	members residing in an institution long-term, and	
		care sensitive conditions, for members who	members enrolled in an institutional SNP during the MY.	
		are 67 years of age and older.		
Emergency	67 years	The ratio for risk-adjustment of observed to	ICD 10 Codes: E10.64, E11.64, E13.64, E16.2	Total,
Department Visits for	of age	expected emergency department visits	CPT Codes: 99281-99285	EasyCare and
Hypoglycemia in	and older	related to hypoglycemia during the MY.	Exclusions: Members on/using hospice services (99377).	EasyCare Plus
Older Adults with				
Diabetes (EDH)		Rates are reported for members 67 years of		
		age and older with types 1 and 2 Diabetes,		
		with a subset of those with one or more		
		insulin dispensing events within a 6-month		
		treatment period July 1 the prior year		
		through December 31 of the MY.		

References and Comments:

- ❖ HEDIS ® is a registered trademark of the National Committee for Quality Assurance (NCQA). Refer to www.ncqa.org/hedis/
- ❖ CPT® (Current Procedural Terminology) is a registered trademark of the American Medical Association
- ❖ HCPCS: Healthcare Common Coding Procedure Coding System Level II
- LOINC (Logical Observation Identifiers Names and Codes)
- ❖ ICD-10: Centers for Medicare & Medicaid Services at www.cms.gov/Medicare/Coding/icd10/
- For additional information on Advanced Illness and Frailty, refer to https://www.ncqa.org/blog/improving-care-advanced-illness-frailty/
- Quality Assurance Reporting Requirements (QARR) are adopted from NCQA HEDIS® with New York state-specific measures added to address health issues of particular importance in New York. This document is not inclusive of all codes and measures. The measure descriptions and codes in this document are derived from the MY2024 HEDIS® Technical Specifications/Value Set Directory, and the Quality Assurance Reporting Requirements Technical Specifications manual. For the full list of codes, please refer to the NCQA store to purchase.



Have questions?

Please contact us at QualityManagement@vnshealth.org or Provider Education@vnshealth.org

For additional information and resources, please visit our provider website and toolkit at https://www.vnshealthplans.org/for-health-professionals-overview/